

GLOVES GLASSES GARMENTS







MAX is how we're different!

Manufacturer – We manufacturer gloves, glasses, and garments. Our expertise as a supplier has been fine-tuned by our vertical integration. For example; we source Kevlar® fiber directly from DuPont and spin our yarn to knit an assortment of cut protection gloves. We have our own leather tannery that supplies our cut and sew operations for leather gloves, sleeves, and garments. Our knowledge as a manufacturer helps us evaluate other sources of supply to assure reliable quality and competitiveness.

Advocate for safety — Our leadership team is actively engaged with the International Safety Equipment Association (ISEA), the International Glove Association (IGA), the National Safety Council (NSC), and the Voluntary Protection Program Participants Association (VPPPA). As participating members, we contribute to the creation of industry legislative guidelines and safety standards. We offer classes for OSHA certification and a broad range of PPE distributor training.

Xperts in the field – We market in a multitude of unique methods to serve our distributors. Such as:

- Focus Groups We maintain a diverse industry assortment of international and regional businesses to engage in product development and evaluation.
- End User Events We engage in a variety of end user events and tradeshows to expedite product introductions, create product awareness and drive demand.
- Supporting a safer work place Whether it is on the shop floor, an oil rig or construction site, we're there providing solutions to workplace hazards. We are the original sponsor of EHS Today Safety Leadership Conference which engages

companies that are committed to reducing injuries and creating safer work places.

We Protect People!



MAX is Your Protector!

When you see MAX on our gloves, glasses and garments you know that you have the toughest, most reliable, hard working gear.

We globally manufacture and distribute safety gear marketed as:



Table of Contents

Gloves		Crews Glasses	
Cut Protection		BearKat®, BearKat® 3, BearKat® Magnifier	7:
Cut Protection Selection	6	Blackjack, BlackKat®, Checklite	7:
Dyneema®	7-9	Checkmate®, Checkmate® 2, Crews CR2, CT931	74
Dyneema® Sleeves	10	CT932, CT937, Crews VL	7!
HPPE, Memphis Cut Pro, Ultra Tech® Cut/Splash	11	Dallas® , Dallas® Magnifier, Desperado®	70
Kevlar [®]	12-17	ForceFlex®	7
Kevlar® Sleeves	16	HellKat [®] , Hellion [®] , Inertia [®]	78
Memphis HERO™	18	Klondike®, Klondike® Metal, Klondike® Plus	79
Steelcore II®, Survivor™	19	Law® 2, Law® 3, Law® OTG	8
Alycore [™]	20-21	Mossy Oak®, Rattler®, Rattler® Magnifier Reaper®, Rubicon®, Shock	8:
Coated Seamless Knit		Storm®, Swagger®	8:
Memphis Ninja®	22-23	Tribal®, Tribal® V, Triwear™, Yukon®	84
Thermal Protection	24	U.S. Safety Goggles	0.
Memphis Series	25-26	Hydroblast®, Predator® PD2, Sand Viper®	8!
UltraTech®	27	Crews Goggles	0.
Multi-Task		Cambridge, ForceFlex®, GX1™	8
Predator™	28	PGX1, Rattler®, Reaper®	8
ForceFlex®	28-29	Standard, Stryker [™] , Verdict [®]	88
Memphis	30-31	U.S. Safety Head Gear	0.
Fasguard	32	Double Matrix, Single Matrix, ValuGard	89
Insulated	33	Face Shields, Head Gear Combos	9
Leather	0.4	Crews Head Gear	
Big Jake®	34	Brackets, XO Skeleton®, Head Gear Combos	9
SideKick®, Mustang™, Bronco®, Gloves for Glory™	35	Face Shields	92
Snort'n Boar, Xcavator®, Luminator™,	20.27	U.S. Safety / Crews	
Gunn and Clute Patterns	36-37	Accessories	93-94
Insulated Gunn Patterns	38	Displays	9!
Insulated Drivers Patterns Drivers Patterns	39 40-42		
Memphis Welding	43-46	Garments	
Memphis Welding Apparel	43-40	Max Comfort™ FR Gear	
Limited Flammability Garments	48	Shirt, Pants, Coveralls	98
Infrared Welding Shades	49	Insulated, Henley, Sweatshirts	99
Liquid/Chemical - Supported	43	CAN/CSA/CGSB Certified FR Gear	100
Blue Coat [™] , Red Coat [®] , Oil Hauler [™] ,		FR Gear Display, Patch Program	10
Harbor Master®, Memphis PVC	50-51	Hi-Vis	10
Nitrile, Predator™, Predalite™	52	FR Hi-Vis Big Jake Suit, Class 2 Vest,	10:
PredaStretch [™] , Predator [™] , Predaflex [™] ,	02	Hi-Vis Class 3 Jackets	103
Consolidator®, Predatouch™	53	Hi-Vis Class 3 Suits, Coats	104-10
Blue Grit®, Nitri-Grit™, Tufftex™, PlyFlex™	54	Hi-Vis Class 3 Vest	100
Vinyl, Black Jack [®] , Neomax [™] , Whizzbang [®] ,		Limited Flammability Hi-Vis Class 2 Vest	10
Whizz-Knit, Whizzbee, Duoprene®	55	Hi-Vis Class 2 Vest, T-Shirts	108-11
Liquid/Chemical - Unsupported		General Purpose Vests	112-11
Disposable Nitrile, NitriShield® Color Fusion,		Hi-Vis Public Service Vests	114
NitriMed [™] , DuraShield	56	Incident Command Vests	11!
SensaGuard, VitriShield, Med-Tech, Sensatouch		Rainwear	
Latex, Nitrile, Neoprene, Butyl, Blended	57	Luminator™ Rainwear	110
Nitri-Chem [™] , Chem-Tech [™]	58	Classic	11
Latex, MCR Guard	59	Classic Plus	118
String Knit		Concord, Dominator	119
Dotted and Coated String Knits	60-61	Cyclone, Hydroblast	120
Cotton		Navigator, Wizard	12
Clute, Jersey, Inspectors, Chore	62-63	Commodore, Challenger, Zodiac	122
Hot Mill™, Hotline™, Red Brick®	64	Schooner Ponchos, Squall	123
Glove Accessories		Additional Protective Equipment	
Glove Displays, Glove Clips, Keychains	65	Foot Protection	11!
		Safety Fencing	123
Glasses		Tyvek®, Polypropylene	124
Lens Color Descriptions	66	Aprons, Sleeves	12
U.S. Safety Glasses		Index	126-129
Backdraft®, Dominator™ DM2	68		
Dominator [™] DM3, Hornet DX1®	69		
Pantera® PN1, PN2, PN3	70		
Sand Viper®, Solaris, USS Defense®	71		

Here's Our Legend.

We've made it even easier to locate the technology and features that make MCR Safety's products the toughest in the business. You'll see the icons listed here throughout this catalog. Whether it's extra pockets in your rain gear, anti-fog technology for your goggles or cut-resistant cloth for your gloves, MCR Safety delivers hard workin' gear for hard workin' people.



Cut Protection



Old ANSI Cut Level Icon



New ANSI Cut Level Icon



Cut Level Icon



Launderable



Water Proof



Oil-Resistant



Hi-Visibility



Insulated



Cow Leather



Goatskin



Pigskin



Deerskin



High Heat



FDA Compliant



Class 1 Medical Device



Limited Flammability



Flame Resistant



MAX3 Scratch Resistance



MAX6 Anti-Fog Resistance



Individual Retail Packaging



Dielectric Protection



Gravity Feed Box Packaging



Case and Cord



Case and Strap Included



Case Included



Anti-Fog Coating



High Velocity Impact Protection



Gray Welding Infrared Filter



Detachable Cord Included



Micro-Fiber Case Included



ANSI D3 Certified Splash Protection



ANSI D4 Certified Dust Protection



Pocket Count



Moisture Wicking





Cut Protection Selection





ANSI/ISEA and EN388 Cut Levels are NOT Interchangeable.

To capitalize on today's technology and innovation, you need to understand our industry's test methods. Each test method has unique processes and testing equipment (see diagrams for more explanation). Therefore, it is difficult to make comparisons with each of these test methods and results (scores).


Understanding the ANSI/ISEA 105 Standard Specific to Cut Protection

ANSI Cut Protection Test Rating Systems

The American National Standards Institute and the International Safety Equipment Association have recently updated our industry's ANSI/ISEA 105 Standard. Effective early 2016, this updated standard will provide the criteria to better identify levels of cut protection, abrasion, puncture, chemical, heat, vibration, and dexterity. Much of our industry's attention will be directed toward enhancements in cut protection levels.

These changes are necessary to help our industry move toward establishing an international test method for cut protection. The new test method designation is F2992/F2992M-15. Note going forward there will be nine (9) levels of cut protection performance as opposed to six (6) from the previous test method. Additionally, all levels will reference "A" as a prefix to identify compliance with the new standard.

ANSI/ISEA 105 (2005/2011)		ANSI/ISEA 105 (2016)	
Old Cut Level Rating	Weight (grams) needed to cut thru material*: ASTM F1790-97 or ASTM F1790-05	Weight (grams) needed to cut thru material**: ASTM F2992/F2992M-15 (20 mm of blade travel)	NEW Cut Level Rating
0	< 200	n/a	n/a
1	≥ 200	≥ 200	A1
2	≥ 500	≥ 500	A2
3	≥ 1000	≥ 1000	A3
4	≥ 1500	≥ 1500	A 4
5	≥ 3500	≥ 2200	A5
n/a	n/a	≥ 3000	A6
n/a	n/a	≥ 4000	A7
n/a	n/a	≥ 5000	A8
n/a	n/a	≥ 6000	A9
	0 in.) of blade travel – ASTM F1790-97 8 in.) of blade travel – ASTM F1790-05	** 20mm (0.8 in.) of blade travel	



These icons represent the Old ANSI Levels throughout this catalog.

Old Icons









New Icons Effective Early 2016

Watch for new test scores and product enhancements to be endorsed on our cut protection offerings as inventory is replenished.

New Icons













NOTE: We DO NOT Promote ANSI Level 1 or A1 for Cut Protection

Understanding the EN388 Standard Specific to Cut Protection

European Standard EN388 Changes Pending

A revised European directive to harmonize standards for PPE items and mirror more closely the ANSI/ISEA methods is pending. The most significant change would involve cut resistance test methods to more closely match the revised ANSI/ISEA 105 standard. The European Standard EN388 includes four physical tests required for gloves. Our literature and industry identifies this testing information with CE and a four digit number. Each number represents an individual test for abrasion, cut, tear, and puncture.

The cut test uses a circular blade under a fixed load, moves back and forth until cut through is achieved. This is conducted on Couptest equipment and is unique to CE testing methods. EN388 or CE test results do require third party certification.

Consider the acronym ACT-P as a convenient reference to remembering the four physical tests.





Puncture Resistance

(Newtons)

Abrasion Resistance Rating (Between 0-4)
Cut Resistance Rating (Between 0-5)
Tear Resistance Rating (Between 0-4)
Puncture Resistance Rating (Between 0-4)

Criteria **Performance Guide for EN 388: Performance Level** 0 2 3 Abrasion Resistance < 100 | 100+ 500+ 2000+|8000+| n/a (Cycles) **Blade Cut** < 1.2 1.2+ 2.5+ 5.0+ 10.0+ 20.0+ Resistance (Index) Tear Resistance 10+ 25+ 50+ 75+ < 10 n/a (Newtons)

20+


60 +

100 +

150 +

n/a

< 20







Diamond Technology - Cut Protection

Unique Features of Dyneema®

- Cool One of the most distinguishing characteristics is its cool to touch property. Dyneema® fiber's inherent agility to
 dissipate body heat and keep hands cooler. This unique feature allows consumers greater comfort with high levels of
 protection.
- Cut Only DSM-Dyneema® produces Dyneema® Diamond Technology, the highest performance fiber solution for cut protection. Dyneema® Diamond Technology gloves are thinner and lighter weight while providing higher levels of protection and greater dexterity.
- Cost Day after day, wash after wash, gloves made with Dyneema® are on the job long after other gloves are worn out. Studies endorse the extended wear of Dyneema® can lower your hand protection cost. High level abrasion properties extend the life cycle of these gloves.
- Confidence Because of the "Licensed to Protect" program, end-users know that they can trust Dyneema®-branded products.
- Consistency Dyneema® is the fiber of choice for the most critical applications, like ballistic protection and biomedical implantation, where there is no room for inconsistency.

9672DT5PU Diamond Tech 5

Sizes: S-XL

10-Gauge, Blue Speckled Dyneema® Diamond Technology/Stainless Steel Shell with Gray Polyurethane Coating on Palm and Fingertips.
ANSI Cut 5, 4223 Grams. CE 4542.





9672DT5 Diamond Tech 5

Sizes: S-XXL

10-Gauge, Blue Speckled Dyneema® Diamond Technology/Stainless Steel Shell with Blue Nitrile Foam Coating on Palm and Fingertips. ANSI Cut 5, 4223 Grams. CE 4542.









9672DT Diamond Tech 3

Sizes: S-XXL

13-Gauge, Blue Dyneema® Diamond Technology Shell with Blue Bi-Polymer Coating on Palm and Fingertips. ANSI Cut 3, 1381 Grams. CE 4442.





9672DT2 Diamond Tech 2

Sizes: S-XXL 18-Gauge, Light Blue Dyneema® Diamond Technology Shell with Gray Polyurethane Coating on Palm and Fingertips. ANSI Cut 2, 742 Grams. CE 2342.








9672DT

9672DT5PU

Cut Protection - DSM DYNEEMA®







10-Gauge, Dyneema®/Synthetic Shell with Black Bi-Polymer Coating on Palm and Fingertips.

ANSI Cut 3. CE 4542.





N9677 Memphis Ninja® Force

Sizes: S-XL 13-Gauge, Dyneema®/Synthetic Shell with Gray Polyurethane Coating on Palm and Fingertips. ANSI Cut 3. CE 4542.









N9676G

N9676GKD

N9676GKD Memphis Ninja® Max

Sizes: S-XL

10-Gauge, Dyneema®/Synthetic Shell with Black Bi-Polymer Over-the-Knuckle Coating. ANSI Cut 3. CE 4542.





N9676DT Memphis Ninja®

Sizes: S-XXL

15-Gauge, Gray Dyneema® Diamond Technology®/Synthetic Shell with Black BNF Coating on Palm and Fingertips. Reinforced Thumb Crotch and Forefinger. ANSI Cut 3. CE 4342.









N6464 Memphis Ninja® Coral™

Sizes: M-XXL 10-Gauge, Salt-n-Pepper Dyneema®/ Synthetic Shell with Premium Yellow PVC 14" Gauntlet Cuff and Black Coral™ Dipped Coating. ANSI Cut 3. CE 4342.







Sizes: S-XXL 13-Gauge, Black/White Speckled Dyneema® Diamond Technology Shell with Black Tri-Polymer Wave™ Coating on Palm and Fingertips. ANSI Cut 3. CE 4444.











DN100

9676

LAUNDERABLE

DSM DYNEEMA® - Cut Protection

DN100 ForceFlex®

Sizes: M-XL

13-Gauge, Salt-n-Pepper Dyneema® Shell with Black Polyurethane Coating on Palm and Fingertips, TPR Back of Hand Protection. ANSI Cut 2, 520 Grams



9672F Memphis Frost

Sizes: S-XXL

Higher Dyneema® content makes this our coolest cut resistant option available!
13-Gauge, Dyneema®/Synthetic Shell with Black Polyurethane Coating on Palm and Fingertips.
ANSI Cut 2, 504 Grams. CE 4342.







9676 Ultra Tech® Dyneema® PU

Sizes: XS-XXL

13-Gauge, Salt-n-Pepper Dyneema® Shell with Gray Polyurethane Coating on Palm and Fingertips. ANSI Cut 2, 520 Grams. CE 4343. 9677 Ultra Tech® Dyneema® PU

Sizes: XS-XL

White Shell and Coating





9672 Dyneema® PU

Sizes: XS-XXL

13-Gauge, Dyneema®/Nylon/Spandex® Shell with Gray Polyurethane Coating on Palm and Fingertips. ANSI Cut 2, 530 Grams. CE 4341.







9672RE Dyneema® PU

Sizes: S-XL

13-Gauge, White Salt-n-Pepper Dyneema®/ Nylon/Spandex Shell with Gray Polyurethane Coating on Palm and Fingertips. Black Polyurethane Reinforced Thumb Crotch and Forefinger. ANSI Cut 2. CE 4341.





96720NF Nitrile Foam

Sizes: S-XXL

13-Gauge, Salt-n-Pepper Dyneema® Blended Shell with Gray Nitrile Foam Coating on Palm and Fingertips. ANSI Cut 2, 756 Grams. CE 4343.









Cut Protection - Sleeves







9318DT510T

9318DT510T Memphis Dyneema® **Diamond Technology Sleeve DT5 Sleeve**

18" Length, 10-Gauge, Dyneema® Diamond Tech®/Steel, Elastic Wrist and Ends, with Thumb Hole, ANSI Cut 5. CE X5XX.





9318DT10 Memphis Dyneema® Diamond Technology Sleeve

18" Length, 10-Gauge, Salt-n-Pepper Dyneema® Diamond Technology Sleeve with Black Silicone Grid Pattern on Both Sides. ANSI Cut 3, 1203 Grams. CE 444X.









18" Length, 10-Gauge, Salt-n-Pepper Dyneema® Sleeve with Thumb Hole and Black Silicone Mini Dots on Both Sides. ANSI Cut 2. CE X3XX.





Memphis Dyneema® Sleeves

9318D7T With Thumb Hole 9318D7 Without Thumb Hole 18" Length, 7-Gauge, Salt-n-Pepper Dyneema. ANSI Cut 2, 647 Grams. CE X3XX.









HPPE/Synthetic Sleeve. ANSI Cut 2, 603 Grams. CE 4342.

9214M13 9212M13 14" Length 12" Length





9318D10T With Thumb Hole 9318D10 Without Thumb Hole 18" Length, 10-Gauge, Salt-n-Pepper Dyneema. ANSI Cut 2, 561 Grams. CE X3XX.

> 9314D10 14" Length 12" Length







9318D7T



9312D10T



HPPE (High-Performance Polyethylene) - Cut Protection



92720NF Memphis Cut Pro Sizes: S-XXL 10-Gauge, Black HPPE/Steel Shell with Black Soft Nitrile Foam Coating on Palm and Fingertips. ANSI Cut 5.





92733PU Memphis Cut Pro Sizes: S-XXL 13-Gauge, Black HPPE/Synthetic Shell with Black Polyurethane Coating on Palm and Fingertips. ANSI Cut 3, 1021 Grams. CE 4541.

MC500 Memphis Cut Pro

Sizes: S-XXL 10-Gauge, Gray HPPE/Synthetic Shell with Brushed Nylon Lining, Silicone Blocks, Lime Spandex Back, Black TPR

Back of Fingers and Hand. ANSI Cut 4, 1742 Grams. CE 4542.







9683CS Ultra Tech® Cut/Splash

Sizes: S-XXL

10-Gauge, Synthetic/Fiberglass Shell with Red Nitrile Full Dip. ANSI Cut 3. CE 4442.





PD2902 Memphis Predator™

Sizes: M-XXL

Synthetic Leather Palm, Polymer Pads on Fingertips, Palm, and Thumb Crotch, Red Spandex Fabric Back, Patent Pending Tire Tread TPR Design on Back of Hand, Fourchettes, Adjustable Wrist Closure with ID Pad. ANSI Cut A3.



92723HV Memphis Cut Pro Sizes: S-XXL 13-Gauge, Hi-Vis Lime HPPE/Synthetic Shell with Hi-Vis Lime Nitrile Foam Coating on Palm and Fingertips.

92723NF Memphis Cut Pro Sizes: S-XXL Black Salt-n-Pepper HPPE/Synthetic Shell with Black Nitrile Foam Coating on Palm and Fingertips.

92723PU Memphis Cut Pro Sizes: S-XXL Black Polyurethane Coating on Palm and Fingertips.

Sizes: S-XXL

18-Gauge, Black Salt-n-Pepper HPPE/ Synthetic Shell with Gray Polyurethane Coating on Palm and Fingertips.











Cut Protection - DuPont™ Kevlar®





DuPont created a cut resistant material known as a para-aramid for comfortable hand and arm protection. Para-aramid products are available in the form of spun, textured, and continuous filament yarns. These paraaramids are non-combustible, lightweight and have the ability to withstand temperatures of up to 900° F. Its tensile strength is 5 times stronger than steel in its ability to withstand the amount of tension applied.

Unique Features of Kevlar®

- · 5 times stronger than steel on an equal weight basis.
- · Inherently non-combustible and recommended for heat applications.
- Kevlar® fiber is well suited for grip.
- · Can be coated with a wide range of polymers.
- · Launders well with exception to bleach.

FEATURES / Cut Resistant / Lightweight and comfortable / Flame resistant (will not melt) / Complies with FDA regulations for direct food contact / Available in a wide range of styles / Washable (do not use bleach) and long wearing



93891PU Ultra Tech® Cut Pro

Sizes: S-XXL

10-Gauge, Kevlar®/Synthetic/Stainless Steel Shell with Black Polyurethane Coating on Palm and Fingertips. ANSI Cut 4, 2679 Grams. CE 4543.





9389 KS5 Kevlar® Steel

Sizes: S-XXL 13-Gauge, Kevlar®/Stainless Steel/Nylon Shell with Black Textured Latex Coating on Palm and Fingertips. ANSI Cut 4, 2166 Grams. CE 2542.









Sizes: S-XXL

Light Weight Seamless Shell Provides Dexterity and Comfort, Touch Screen Friendly. 13-Gauge, Hi-Vis Kevlar®/Steel Shell with Orange Nitrile Foam Coating on Palm and Fingertips. ANSI Cut 4, 2064 Grams.



9399 Armor Tech™

Sizes: S, L 7-Gauge, Kevlar®/Stainless Steel Shell with Reinforced Thumb Crotch. ANSI Cut 4, 1920 Grams.





9389

9178NFO





9389PV

KV200



DuPont™ Kevlar® - Cut Protection

9389PV KS-4™ Kevlar® Steel

Sizes: S-XL 10-Gauge, Kevlar®/Stainless Steel/Nylon Shell with Black Proprietary HPT® (Hydropellent Technology®) Over-the-Knuckle Coating. ANSI Cut 4, 1744 Grams. CE 4542.





9178NF Black Kevlar®

Sizes: S-XL 13-Gauge, Kevlar®/Synthetic Shell with Black Nitrile Foam Coating on Palm and Fingertips. ANSI Cut 4, 1668 Grams.







9379ARC Kevlar® ARC

Sizes: S-XXL 13-Gauge, Kevlar®/Synthetic Shell with Black APG (Abrasion, Performance, Grip) Coating on Palm and Fingertips. ANSI Cut 4, 1569 Grams. CE 3543.





96871 Flex Tuff® 2 Kevlar®

Sizes: S-XL 10-Gauge, Kevlar®/Synthetic Shell with Blue Latex Coating on Palm and Fingertips. ANSI Cut 4, 1509 Grams. CE 3443.





KV200 ForceFlex®

Sizes: M-XXL Kevlar® Full Sock Lining, Yellow Clarino® Leather Palm, Black Reinforced Palm and Fingertips, TPR Exoskeleton Back of Hand Protection, Adjustable Wrist Closure, Black Pull Tab.

N9878BNF Memphis Ninja® BNF

Sizes: S-XXL 18-Gauge, Black Kevlar® Stretch Armor Technology Shell with Black BNF (Breathable Nitrile Foam) Technology Coating. ANSI Cut 3. CE 4241.







Cut Protection - DuPont™ Kevlar®







9687 Flex Tuff® Kevlar®

Sizes: S-XXL

10-Gauge, Kevlar® Shell with Blue Textured Latex Coating on Palm and Fingertips. ANSI Cut 2, 793 Grams. CE 3443.





FTKV350 Flex Tuff® Kevlar®

Sizes: S-XL

10-Gauge, Kevlar® Shell with Green Nitrile Coating on Palm and Fingertips. ANSI Cut 2, 750 Grams. CE 4443.









Sizes: M-XL

13-Gauge, Stretch Kevlar® Seamless Knit Shell with Black Nitrile Coating on Palm and Fingertips, TPR Back of Hand Protection. ANSI Cut 2, 629 Grams.



9693 Ultra Tech® Nitrile KV

Sizes: XS-XXL

13-Gauge, Stretch Kevlar® Shell with Black Light Foam Nitrile Coating on Palm and Fingertips, Softer and More Flexible, Actifresh® Anti-Bacterial Agent. ANSI Cut 2, 629 Grams. CE 3221.









KV100

N96930 Memphis Ninja® Wave

Sizes: S-XXL

10-Gauge, Kevlar® Shell with Black Nitrile Wave Coating on Palm and Fingertips. ANSI Cut 2, 623 Grams. CE 4343.











9370H

9380



DuPont™ Kevlar® - Cut Protection

9370H Honey Grip®

Sizes: S-L

7-Gauge, Regular Weight Kevlar® Shell, PVC Honey Grip® Coated on Two Sides. ANSI Cut 3, 1284 Grams.



1700K Big Jake® Kevlar® Lined

Size: XL

FULLY LINED with a Non-Woven Kevlar®/Poly Material, Full Feature Gunn Pattern, Leather Palm, Sewn with Kevlar® Thread, 2.75" Rubberized Safety Cuff. ANSI Cut 3, 1198 Grams. CE 4143.

1702 Big Jake® Kevlar® Palm

Sizes: M-XL

PALM LINED with a Non-Woven Kevlar®/Poly Material.

1400K with Kevlar® Lining

Sizes: S-XXL

Cotton Plaited, 2.5" plasticized Safety Cuff, Select Shoulder.



9380

Sizes: S-XL

7-Gauge, Kevlar[®] Outside/Cotton Inside Plaited Shell with Leather Palm. ANSI Cut 3, 1280 Grams.



3204K

Size: S-XL 7-Gauge, Regular Weight 100% Kevlar® Liner, Sewn with Kevlar® Thread, Select Grain Cow Split Shirred Elastic Back, Keystone Thumb, Driver. ANSI Cut 3.



9686 Grip Sharp™

Sizes: S-XXL

7-Gauge, Kevlar® Knit Shell with Select Split Shoulder Leather Palm, Reinforced Thumb Crotch. ANSI Cut 3, 1190 Grams. CE 4344.

















Cut Protection - DuPont™ Kevlar®







3601K Size: S-XXXL

7-Gauge, Light Weight 100% Kevlar® Liner, Premium Grain Goatskin Driver with Straight Thumb, Shirred Elastic Back. ANSI Cut 2, 722 Grams.





9760K Predator™ Kevlar® Reinforced Palm, Jersey Back for Breathability with Nitrile Over-the-Knuckle Coating and a Nitrile Coated Safety Cuff. ANSI Cut 2. CE 4423.







Sizes: M-XXL

Kevlar® Liner, Premium Grain Goatskin with 4.5" Split Cow Gauntlet Cuff, Mig/Tig Welder, Gunn Pattern, Wing Thumb. ANSI Cut 2, 592 Grams. CE 2222.



4850K Kevlar® Liner





Sizes: M-XXXL 13-Gauge, Kevlar®/Cotton Plaited Liner, Double Dipped PVC 12" Gauntlet with a Sandy Finish Palm. ANSI Cut 2, 645 Grams. CE 4324.







Double Ply Knit Shell, with Thumb Slot and Leather Pad, Made with Kevlar® 1000. ANSI Cut 3, 1534 Grams.

9378 18", Plain Sleeves

9378E 18", Economy Plain Sleeves,

9378T 18", Thumb Slot

9378TE 18", Economy Thumb Slot,

9378B 18", Bar Tack

9378BE 18", Economy Bar Tack, 9378KC 18", Kevlar® (Exterior)

> with Cotton (Interior) 18", Black Kevlar®,

9178T Thumb Slot

Kevlar® Sleeves Available in Assorted Lengths From 4" to 22". Visit the MCR Safety Website for a complete Listing.









DuPont™ Kevlar® - Cut Protection







Kevlar® Brand Fiber **Heavy Weight**

ANSI 9375 7-Gauge. Sizes: S-XL

Regular Weight ANS 9370 7-Gauge, Sizes: S-XL

ANS. 9373 7-Gauge, Fingerless. Sizes: S-XL

Medium Weight

9390 10-Gauge. Sizes: S, L

Light Weight ANSI 9393 13-Gauge.

Sizes: S-XL **Ultra Light Weight**

ANSI 9394 13-Gauge. Sizes: S-XL

ANSI 9397 13-Gauge, Economy. Sizes: S-L

> Kevlar® Plaited Kevlar® Brand Fiber Outside with Cotton Inside 7-Gauge

9470K 2-Ply Heavy Weight, Nitrile Blocks 2-Sides, Protects to 600°F, Size: L

ANS 9362 Regular Weight. Sizes: S-XL ANSI 9367 Heavy Weight.

Sizes: S, L ANSI 9363 PVC Dots 2-Sides.

Sizes: XS-XL ANSI 9368 Palm Coat.

Sizes: XS, S, L ANSI 9361 PVC Dots 1-Side. Sizes: S, L

9363E PVC Dots 2-Sides, Economy. Sizes: XSE, SE, LE, XLE

10-Gauge

ANS 9390P Plain Shell, Economy.

Sizes: S, L

9390PD PVC Dots 2-Sides, Economy. Sizes: S, L

Kevlar® Dotted **Dotted, Heavy Weight** 9376 7-Gauge,

> PVC Dots 2-Sides. Sizes: XS-XL

Regular Weight 9365

7-Gauge, PVC Dots 1-Side.

Sizes: S-XL 9366 7-Gauge, PVC Dots 2-Sides.

> Sizes: XS-XL 7-Gauge, Fingerless,

9369 PVC Dots 2-Sides. Sizes: S-XL

Dotted, Economy Weight 9366E 7-Gauge,

PVC Dots 2-Sides. Sizes: SE, LE

9396 13-Gauge, PVC Dots 2-Sides.

Sizes: S, L ANSI 9392 10-Gauge,

PVC Dots 2-Sides. Sizes: S, L

Kevlar® Terry Cloth Loop-Out, Regular Weight 9440KM Cotton Knit Wrist.

Sizes: L

9441LM Continuous Knit Wrist. Sizes: S, L, XL, XXL

9430KM



Kevlar® Terry Cloth Kevlar®/Brown Cotton Blend, Reversible, Seamless Pattern, Loop-out, Knit Wrist

9430KM Regular Weight, Size: L

Regular Weight, 9432KM

Size: S 9435KM Regular Weight,

Reinforced Thumb Size: XS-S

Economy Weight, Continuous Knit Wrist.

Size: L 9430KME Economy Weight.

Size: L

Cut Protection - Memphis HERO™







93857 Memphis HERO™

Sizes: XS-XL

7-Gauge, Regular Weight, Kevlar®/ Stainless/Nylon Shell, PVC Dots 1 Side.

ANSI Cut A7, 4384 Grams.

93859 Memphis HERO™

Sizes: XS-XL

Same as Above with PVC Dots on Both Sides.



93867 Memphis HERO™

Sizes: XS-XL

Same as Above, ANSI Cut 4, 2913 Grams.




93840 Memphis HERO™

Sizes: XS-XL

ANSI

13-Gauge, Light Weight, Kevlar®/ Stainless/Spandex Shell. ANSI Cut 4, 2602 Grams.



7-Gauge, Regular Weight, Kevlar®/ Stainless/Nylon Shell, with Leather Palm.

ANSI Cut 4, 2504 Grams.

93860 Memphis HERO™

Sizes: XS-XL

7-Gauge, Regular Weight, Kevlar®/ Stainless/Nylon Shell. ANSI Cut 4, 2504 Grams.



93847 Memphis HERO™

Sizes: XS-XL 13-Gauge, Light Weight, Kevlar®/Stainless/ Spandex Shell, PVC Dots 1 Side.

ANSI Cut 4, 2421 Grams.



Sizes: XS-XL

7-Gauge, Regular Weight, Kevlar®/Stainless/ Nylon Shell, PVC Stripes 1 Side.

ANSI Cut 4, 2418 Grams.



9318K13T Memphis HERO™ Sleeve

18" Length, 13-Gauge, Kevlar® Shell with Thumb Hole,

ANSI Cut 4.

9318K13 - Without Thumb Hole. 9318K7T Memphis HERO™ Sleeve

18" Length, 7-Gauge, Plain, Kevlar®/ Stainless/Nylon Sleeve with Thumb Hole. ANSI Cut 4, 3026 Grams.

9318K7 - Without Thumb Hole.











18

93861



STEELCORE® II / SURVIVOR™ - Cut Protection

Steelcore® II / Survivor™ - Two strands of stainless steel wrapped with a soft knit yarn for a comfortable fit. PVC coating is also available on one or two sides. This product is cut resistant, not cut-proof or puncture-proof. It is not recommended to use with serrated or moving blades. Sleeves available in 12, 18, 21 inch lengths.

Features: cut resistant, complies with FDA regulations for food contact, reversible patterns, launderable.

Applications: Food processing, canning operations, glass handling or metal fabricating.



federal regulations for

food contact.

Component materials of all Steelcore® II and Survivor™ products comply with all relevant




All Steelcore® II and Survivor™ products are launderable.



Steelcore® II Dual Stainless Steel with Polyester Wrap



7-Gauge, Regular Weight, PVC Blocks on One Side, ANSI Cut 5, 4679 Grams. Sizes: S-XL





7-Gauge, Regular Weight, ANSI Cut 5, 4679 Grams. Sizes: XS-XL 10-Gauge, Medium Weight, Single Stainless Steel with Polyester Wrap, ANSI Cut 4, 3626 Grams.

Sizes: XS-XL





Steelcore® II Sleeves

9312 12"Sleeve 9318 18"Sleeve 9321 21"Sleeve

All Steelcore® II Sleeves are 7-Guage, Dual Stainless Steel with Polyester Wrap, ANSI Cut 5, 4679 Grams.



Survivor™

9345 ANSI 5 7-Gauge, Regular Weight, ANSI Cut 5, 4926 Grams. Sizes: XSD-XLD

9349 ANSI 7-Gauge, Fingerless, Regular Weight, ANSI Cut 5, 4926 Grams. Sizes: XSD-XLD

10-Gauge, Medium Weight,

9346 ANSI

Sizes: SD-LD 13-Gauge, Light Weight, ANSI Cut 3, 1400 Grams. Sizes: XSD-XLD

ANSI Cut 4, 3242 Grams.

Cut Protection - Alycore™



Alycore™ is the choice for Extreme Performance and Extraordinary Protection. Our Alycore cut protection offerings combine a patented technology for this material and a patent pending design for the protection zone coverages. These styles offer the highest levels of cut protection with greater than 6000 grams of performance and ANSI A9 cut level. These Alycore offerings fueled the changes to increase the ANSI cut level standard which now reflects higher levels of protection. This revolutionary technology exceeds A9 level cut protection which allows us to reduce even more workplace injuries than previously in the past. Our Alycore styles provide the highest levels of cut, puncture, and needle-stick resistance in gloves and sleeves.





Protection Coverage for the Palm of Hand and Finger Sides.

PD2905A Memphis Predator™, Alycore™ Lined

Sizes: M-XXL

Made with Alycore™ Providing Cut and Puncture Resistance in Palm and Finger Sides. Patent Pending Tire Tread TPR Design on Back of Hand. Synthetic Leather Palm with Polymer Pads on Fingertips, Palm, and Thumb Crotch. Hook and Loop Closure with ID Panel for Personalization. Synthetic Leather Fourchettes for Breathability and Comfort. Hi-Vis Lime 2-Way Spandex Back. ANSI Cut A9.





Meets modified ASTM 1342-05 standard for needle stick protection. Protection Coverage for the Palm of Hand and Finger Sides.

ML300A Multitask, Alycore™ Lined

Sizes: M-XXL

Needle Stick Protection Zone in the Palm and Sides of Fingers, Synthetic Rough Grip Palm, Adjustable Wrist Closure, Pull Strap. ANSI Cut A9.









Protection Coverage for the Palm of Hand.

1717A Big Jake®, Alycore™ Lined

Size: M-XXL

Made with Alycore™ Providing Cut and Puncture Resistance in Palm. Full Grade A+ Select Side Split Leather. Sewn with DuPont™ Kevlar® Thread. Fully In-Sewn on Thumb and Little Finger. ANSI Cut A9.





Protection Coverage for the Palm of Hand and Wrist Area.

MG3211A Memphis Driver, Alycore[™] Lined

Size: M-XXL

Made with Alycore™ Providing Cut and Puncture Resistance in Palm and Wrist Area. Select Grade Grain Cowhide. Keystone Thumb. ANSI Cut A9.









N96790 Memphis Ninja® BNF

Sizes: XS-XXL 15-Gauge, Gray Nylon/Spandex Shell with Black BNF (Breathable Nitrile Foam) Technology Coating on Palm and Fingertips. CE 4141.



N96793 Memphis Ninja® BNF

Sizes: XS-XXL Iylon/Spandex Shell

15-Gauge, Gray Nylon/Spandex Shell with Black BNF (Breathable Nitrile Foam) Technology Over-the-Knuckle Coating. CE 4141.



N96797 Memphis Ninja® BNF

Sizes: XS-XXL

15-Gauge, Gray Nylon/Spandex Shell with Black BNF (Breathable Nitrile Foam) Technology Coating on Palm and Fingertips with Dots. CE 4141.



Sizes: XS-XXL


18-Gauge, Red Skin Tight Athletic Grade Nylon/Spandex Shell with Black BNF (Breathable Nitrile Foam) Technology Coating on Palm and Fingertips. CE 4121.



N96795 Memphis Ninja® BNF

Sizes: S-XXL

15-Gauge, Gray Nylon/Spandex Shell with Black Nitrile Dots Over Black BNF (Breathable Nitrile Foam) Technology Full Dip. CE 4141.



Sizes: XS-XXL 18-Gauge, Gray Nylon/Spandex Shell with

Black BNF (Breathable Nitrile Foam)
Technology Coating on Palm and
Fingertips, Over Red Over-the-Knuckle
Nitrile Coating. CE 4131.



N96795

N96797





N9696 Memphis Ninja® Lite

Sizes: XS-XL

18-Gauge, Blue Nylon Shell for Extreme Tactile Sensitivity with Black Feather-Light Polyurethane Coating on Palm and Fingertips. CE 4131.

N9680 Memphis Ninja® Flex

Sizes: S-XL 15-Gauge, Red Nylon Shell with Gray Textured Latex Coating on Palm and Fingertips for Abrasion and Grip. CF 3131.



N9696



N9699 Memphis Ninja® HPT®

Sizes: S-XL

15-Gauge, Black Nylon Shell with Black Proprietary HPT® (Hydropellent Technology®) Coating on Palm and Fingertips to Repel Liquids. CE 4131.



Sizes: S-XL

15-Gauge, Black Nylon/Spandex Shell, Black Bi-Polymer Coating on Palm and Fingertips for Durability and Softness. CE 412X.



N9699



N96785 Memphis Ninja® BNF

Sizes: XS-XXL

18-Gauge, Gray Nylon/Spandex Shell with Black BNF (Breathable Nitrile Foam) Technology Over-the-Knuckle Coating Over Red Nitrile Full Dip. CE 4131


Greater Abrasion

When tested in accordance to ASTM D3389-05 Memphis Ninja® BNF performed almost 3 times greater abrasion resistance than competitive offerings.

Better Grip

Watch This Demo

Scan the QR code to watch the Grip Test demo video. Seeing is believing, for Dry, Wet and Oily applications; Memphis Ninja® BNF provides superior grip.



Coated Seamless Knits - Thermal Protection



N9695



HYDROPELLENT

N9690TC Memphis Ninja®

Therma Force Sizes: M-XXL

13-Gauge, Dyneema®/Synthetic Outer Shell over a Brushed Acrylic Interior Liner with Black Textured Bi-Polymer Coating on Palm and Fingertips. EN511 Contact Cold Level 2.

ANSI Cut 3. CE 4543.




N9695 Memphis Ninja® Coral™

Sizes: M-XXL

HI-VIS

15-Gauge, Hi-Vis Orange Nylon Exterior Shell over a 7-Gauge, Acrylic Terry Interior Shell with Black Coral™ Over-the-Knuckle Coating Over Premium Clear PVC Full Dip. CE 3231.



· Unique coating formulation remains soft and flexible in temperatures as low as -20°C/-58°F

 Independent Testing Endorses the Memphis Ninja[®] Ice HPT® Polymer remains soft and flexible on the glove after 10,000 flexes at -4°F and after 4 hours of exposure at -58°F



Sizes: M-XXL

15-Gauge, Black Nylon Exterior Shell over a 7-Gauge, Brushed Acrylic Interior Liner with Black Proprietary HPT® (Hydropellent Technology®) Coating on Palm and Fingertips. EN511 Contact Cold Level 2. CE 3232.

N9690FC Memphis Ninja® Ice Fully Coated Sizes: S-XL Fully Coated for Extra Liquid Protection.

N9690HV Memphis Ninja® Ice Hi-Vis

Sizes: M-XXL

15-Gauge, Hi-Vis Lime Nylon Exterior Shell over a 7-Gauge, Brushed Acrylic Interior Liner with Hi-Vis Lime Proprietary HPT® (Hydropellent Technology®) Coating on Palm and Fingertips with Additional Over-the-Knuckle Coating. CE 3232.

N9690FCO Memphis Ninja®

Ice Fully Coated Sizes: M-XXL

15-Gauge, Nylon Exterior Shell over a 7-Gauge, Brushed Acrylic Interior Liner with Hi-Vis Orange Proprietary HPT® (Hydropellent Technology®) Fully Coated

for Extra Liquid Protection. CE 3232.

9690Y Flex Therm®

Sizes: S-XL

7-Gauge, Brushed Acrylic Shell with Textured Latex Coating on Palm and Fingertips, Fully Dipped Thumb, EN511 Contact Cold Level 2, CE 1331.

9690 Flex Therm® Sizes: S-XL 10-Gauge, Acrylic/Cotton/Polyester Shell with Textured Latex Coating on Palm and

Fingertips, Fully Dipped Thumb. CE 2241.





N9690



9690Y





9680 Flex Tuff®

Sizes: S-XL

10-Gauge, Cotton/Polyester Shell with Textured Latex Coating on Palm and

Fingertips. CE 3143.

FG305 Flex Guard® Sizes: S-XL

Over-the-Knuckle Coating.

9688V Flex Plus[™] Sizes: S-XL

Adjustable Wrist Closure.

96883 Flex Tuff® III Sizes: S-XL

10-Gauge, Gray Cotton/Polyester Shell with Gray Textured Latex Coating on Palm and Fingertips.

96731HV Memphis Flex® Hi-Vis

Sizes: XS-XL

13-Gauge, Hi-Vis Yellow Nylon/ Polyester Shell with Black Foam Latex Coating on Palm and Fingertips. CE 3143.



Sizes: S-XL

10-Guage Gray Cotton/Polyester Shell with Blue Latex Coating on Palm and Fingertips.

9688 Flex Tuff® II

Sizes: S-XL

10-Gauge, Gray Cotton/Polyester Shell with Gray Latex Coating on Palm and Fingertips.

FT350 Flex Tuff®

Sizes: S-XL

10-Gauge Gray Cotton/Polyester Shell with Green Nitrile Coating on Palm

and Fingertips.

9673 Foam Nitrile

Sizes: XS-XL

13-Gauge, Gray Nylon Shell, with Black Foam Nitrile Coating on Palm and Fingertips.

96781 Foam Nitrile

Sizes: XS-XL

Over-the-Knuckle Coating.

9673GW Foam Nitrile

Sizes: XS-XXL

13-Gauge, White Nylon Shell with Gray Foam Nitrile Coating on Palm

and Fingertips.

96731 Memphis Flex

Sizes: S-XL

13-Gauge, Nylon Shell, with Blue Foam Latex Coating on Palm and Fingertips. CE 3131.







FT300





9673SFHV Memphis Foam


Sizes: S-XL

13-Gauge, Hi-Vis Yellow Polyester Shell with Sandy Foam Nitrile Coating on Palm and Fingertips. CE 4121.

9665 Memphis White PU

Sizes: S-XL

13-Gauge, White Nylon Shell with White Polyurethane Coating on Palm and Fingertips. CE 2121.



Sizes: S-XXL

13-Gauge, Blue Nylon Shell with Sandy Foam Nitrile Coating on Palm and Fingertips.

CE 4121.

96731G Memphis Green Bamboo

Sizes: S-XL

13-Gauge, Green Bamboo/Cotton Shell with Dark Green Foam Latex Coating on Palm and Fingertips. CE 3131.



Sizes: S-XXL

13-Gauge, Gray Nylon Shell with Gray Polyurethane Coating on Palm and Fingertips. CE 2121.

9679 Memphis Nitrile

Sizes: S-XXL

13-Gauge, White Nylon Shell with Gray Nitrile Coating on Palm and Fingertips. CE 4121.

MG9694 Memphis Bi-Polymer

Sizes: S-XL


15-Gauge, Nylon/Spandex Shell with Black Nitrile Dots Over Black Bi-Polymer Over-the-Knuckle Coating. CE 4121.

96699 Memphis Black PU

Sizes: S-XL

13-Gauge, Black Polyester Shell with Black Polyurethane Coating on Palm and

Fingertips. CE 2121.



Sizes: S-XXL 13-Gauge, Black Nylon Shell with Black Polyurethane Coating on Palm and Fingertips. CE 2121.










9673SF





Sizes: XS-XL

15-Gauge, White 100% Nylon Shell with Gray Nitrile Coating on Palm and Fingertips. CE 4121.



Sizes: S-XL

15-Gauge, White 100% Nylon Shell with Gray Foam Nitrile Coating on Palm and Fingertips. CE 3121.



9683

9696 Memphis UltraTech® PU

Sizes: S-XXL

13-Gauge, Gray Nylon Shell with Gray Polyurethane Coating on Palm and Fingertips. CE 4131.

9695 Memphis UltraTech® PU

Sizes: S-XXL

13-Gauge, White Nylon Shell with Gray Polyurethane Coating on Palm and Fingertips. CE 4131.



9694 Memphis UltraTech®

Sizes: S-XL

15-Gauge, White Nylon Shell with Gray Air Infused Nitrile Coating on Palm and Fingertips. CE 4131.

AS9674 Memphis UltraTech® Anti-Static

Sizes: S-XL

15-Gauge, Silver/Nylon Anti-Static Shell with Gray Foam Nitrile Coating on Palm and Fingertips. CE 4131.



9699 Memphis UltraTech® HPT® Sizes: M-XXL

15-Gauge, Gray Nylon Shell with Black Proprietary HPT® (Hydropellent Technology®) Coating on Palm and Fingertips. CE 2121.

9698 Memphis UltraTech®

Sizes: M-XXL

13-Gauge, Gray Nylon Shell with Textured Latex Over-the-Knuckle Coating. CE 4121.



9684 Memphis UltraTech® Red

Sizes: S-XL 13-Gauge, Polyester/Cotton Shell with Red Nitrile Coating on Palm and Fingertips.



Multi-Task - Predator™





PD2901 Memphis Predator™

Sizes: M-XXL

Textured Polyurethane Coated Synthetic Leather Palm, Hi-Vis Lime 2-Way Spandex Back, Patent Pending Tire Tread TPR Design on Back of Hand, Reinforced Thumb Crotch, Hook and Loop Closure with ID Panel, Synthetic Leather Fourchettes for Breathability and Comfort. ANSI Cut A2.



PD2902 Memphis Predator™

Sizes: M-XXL

Synthetic Leather Palm, Polymer Pads on Fingertips, Palm, and Thumb Crotch, Red Spandex Fabric Back, Patent Pending Tire Tread TPR Design on Back of Hand, Fourchettes, Adjustable Wrist Closure with ID Pad. ANSI Cut A3.








Sizes: M-XXL

Foam Padded Cow Grain Leather Palm, Brown 2-Way Spandex Fabric Back, Patent Pending Tire Tread TPR Design on Back of Hand, Reinforced Thumb Crotch, Hook and Loop Closure with ID Panel, Synthetic Leather Fourchettes for Breathability and Comfort.



Sizes: M-XXL

Synthetic Leather Palm, Polymer Pads on Fingertips, Palm, and Thumb Crotch, Black 2-Way Spandex Back, Patent Pending Tire Tread TPR Design on Back of Hand, Hook and Loop Closure with ID Panel, Synthetic Leather Fourchettes for Breathability and Comfort.



HV200 Forceflex® Sizes: M-XXXL
Clarino® Leather, Rough Kevlar® Palm
with EVA padding, Injection Molded TPR
Padding on the Back of Hand and
Fingers, Reinforced Palm, Neoprene
Slip-On Cuff with Side Flex Panels,
Reflexite® Micro-Prismatic,
Retroreflective Material on Both Sides of
Cuff, 40 Gram Thinsulate® Insulated with
Pocket in the Cuff for Heat Pack,
Water/Wind Resistant Bladder.
EN511 Contact Cold Level 2. CE 4221.









HV100

PD2903

Multi-Task - Forceflex®



KV200

B100



KV200 ForceFlex®

Sizes: M-XXL

Kevlar® Full Sock Lining, Yellow Clarino® Leather Palm, Black Reinforced Palm and Fingertips, TPR Exoskeleton Back of Hand Protection, Adjustable Wrist Closure, Black Pull Tab. ANSI Cut 3, 1068 Grams.



HV300 Forceflex®

Sizes: L-XXL

Black Rough Grip Palm Pad, Hi-Vis Fabric Back, Injection Molded TPR Padding on the Back of Hand, Thumb and Fingers, High Visibility Synthetic Palm and Mesh Fabric Backing, Adjustable Hook and Loop Wrist Closure, Nylon Pull Tab.





B100 Forceflex®

Sizes: M-XXL

Rough Grip Palm Pad, TPR Padding on the Back of Hand and Fingers. CE 1121.



Sizes: M-XXL

Zoombang® Material Strategically Placed in Palm for Impact Protection, Molded TPR Padded Back, Clarino® Synthetic Leather Base Palm. CE 2121.



Y200 Forceflex®

Sizes: M-XXL

Clarino® Synthetic Leather Palm, Injection Molded TPR Padding on the Back of Hand and Fingers.



Sizes: M-XXL

Clarino® Synthetic Leather Palm, Injection Molded TPR Padding on the Back of Hand and Fingers. Neoprene Slip-On Cuff with Side Flex Panels.



MC500

MG2946





MC500 Memphis Cut Pro

Sizes: S-XXL

10-Gauge, Gray HPPE/Synthetic Shell with Brushed Nylon Lining, Silicone Blocks, Lime Spandex Back, Black TPR Back of Fingers and Hand.

ANSI Cut 4, 1742 Grams. CE 4542.





915 Multi-Task

Sizes: M-XXL

Red Polyurethane Coated Synthetic Leather Palm, Scaling TPR On Back of the Hand, Fingers and Thumb, Metacarpal Joint, TPR Protection, Hi-Vis Lime 2 Way Stretch Spandex Fabric, Reinforced Thumb Crotch, ID Label for Individualization. ANSI Cut 2. CE 3223.



MG2946 Multi-Task

Sizes: M-XXL

HI-VIS

Cotton/Poly Corded Double Palm. TPR Cage Protection on the Back of the Hands and All Fingers. Breathable, Hi-Vis Orange, 2-Way Spandex Foam Fabric Back. Reinforced Thumb Crotch. 2 1/2" Neoprene Cuff. ANSI Cut A2. CE 133X.



975 Multi-Task

Sizes: M-XXL

Hi-Vis Lime Spandex Back, Black and Hi-Vis Lime TPR Back of Hand and Fingers, Palm Made With Durable Black Synthetic Leather, PU Reinforcements On Each Finger and Thumb, Padded Palm, Adjustable Wrist.



912 Multi-Task

Sizes: M-XXL

Hard Knuckle Pad, Black and Gray
Synthetic Leather Palm, Black Double
Palm Area, TPR Finger Cage, Pull Tab
and Slip-On Wrist, Black Polyurethane
Grip Palm and Fingertips.



Sizes: M-XL White Premium Grade Grain Goatskin Palm and Wing Thumb, Limited Flammability, Treated Hi-Vis Spandex Back, Black TPR Cage On Back of Hand

and Fingers, 3" Neoprene Cuff With Reflective Square on Inner Wrist, 1.5" Spandex Elastic Inner Cuff.









945 Multi-Task

Sizes: S-XXXL

Viscarb® Leather Palm Patches on a Synthetic Leather Palm, Hi-Vis Four-Way Stretch Nylon Back with 5mm Rubber Meta-carpal Padding Back of Hand.

944 Multi-Task

Sizes: M-XXXL

Same Features as 945 plus 3" Neoprene Slip-On Cuff.

908 Multi-Task

Sizes: S-XXL

Synthetic Palm, TPR Back of Hand Protection, Silicone Wave Grip.



921 Luminator™

Sizes: S-XL


Premium Grade Grain Cow.

911DP Luminator™

Sizes: S-XL

HI-VIS

Premium Side Split Cow, Double Leather Palm.



Synthetic Leather Palm, Micro-Textured Polymer on Fingertips, Reinforced Foam Padded Palm, Wing Thumb with Perspiration Pad, LED Lights with Four Attachment Points. CE 4131.

924LED

Replacement LED Light for 924 and 924C. 925 Multi-Task

Sizes: S-XXL

Black Premium Grain Cow and Split Deerskin, Wing Thumb, Sewn with Kevlar®.

920 Multi-Task

Sizes: S-XL

Brown Split Leather Cow Palm and Fingertips, Spandex Back, Hook and Loop Wrist Closure.



908

Sizes: S-XXL

Black Synthetic Leather Palm, Spandex Back, Hook and Loop Wrist Closure.





Sizes: XS-XXL

Mossy Oak Break Up Infinity® Back and Thumb, Gray Synthetic Leather Palm and Fingers, Wing Thumb, Reinforced Thumb Crotch, Expandable Slip-On Cuff, Hemmed,

995 Multi-Task

Sizes: XS-XXL

Same as above with Soft, Warm Fleece Lining.



921



Multi-Task Fasguard





900 Fasguard

Sizes: S-XXL

Parity® by Clarino® Synthetic Leather Palm and Fingers, Blue Spandex Fabric Back.



Sizes: M-XXL Premium Grain Deerskin Palm and Fingers, Black Spandex Back.

906 Fasguard

Sizes: S-XXL

Grain Goatskin with Double Palm Patch and Fingertips, Black Spandex Back.



900



Sizes: S-XXL

Synthetic Leather Palm Design with "G" Shape Palm Patch with Foam Pads, Spandex Fabric Back.

902 Fasguard 3 Fingerless

Sizes: M-XL



903 Fasguard Sizes: S-XXL

Closed Foam Palm Pad, Grain Goatskin Leather Palm and Fingertips, Multi-layered Knuckle Protection, Spandex Fabric Back.



MB100 Multi-Task

Sizes: M-XXL

Synthetic Leather, High Dexterity.

MR100 Multi-Task

Sizes: M-XXL

Same as above with Red Back.



907 Multi-Task

Sizes: S-XL

Synthetic Leather Palm, Silicone Spider Web Grip on the Palm and Fingers.

909 Multi-Task

Sizes: S-XL

Breathable Silver and Black Mesh Fabric on Back, Black Synthetic Palm with Silver Silicone Spider Web Grip.



MB100

904

926

904 Fasguard Insulated Sizes: S-XL

100 Gram Thermosock® Full Sock Lining, Synthetic Leather Palm and Fingers, Multi-Layered Knuckle Protection Including Foam Pads, Blue Spandex Fabric Back.



Sizes: M-XXXL

Clarino® Leather, Rough Kevlar® Palm with EVA padding, Injection Molded TPR Padding on the Back of Hand and Fingers, Reinforced Palm, Neoprene Slip-On Cuff with Side Flex Panels, Reflexite® Micro-Prismatic, Retroreflective Material on Both Sides of Cuff, 40 Gram Thinsulate® Insulated with Pocket in the Cuff for Heat Pack, Water/Wind Resistant Bladder. EN511 Contact Cold Level 2. CE 4221.



HEMPHIS MEMPHIS

926 Multi-Task Insulated

Sizes: S-XXL

Synthetic Leather Palm with PVC Dots.
Terry cloth Thumb. Adjustable Wrist
Closure, Hi-Vis Green Fabric Back,
Neoprene Wrist. Black Synthetic
Fingertips and Reinforced Thumb Crotch.
Waterproof/Windproof Full Sock
Membrane and Full Sock 40-gram
Thermosock® Lining.



968 Luminator™ Insulated

Sizes: S-XL

Insulated Premium Grade Grain Goatskin.

958 Luminator™

Sizes: S-XXL

Black Premium Side Split Deerskin. Note - Not Insulated



Sizes: S-XXL

Synthetic Leather Palm with Foam Lining, PVC Grip on Palm and Fingertips, Wing Thumb, Adjustable Wrist Closure, 2 High Density LED Lights with Four Attachment Points.

924LED

Replacement LED Light for 924 and 924C.



995 Multi-Task Insulated

Sizes: XS-XXL

Mossy Oak Break Up Infinity® Back and Thumb, Gray Synthetic Leather Palm and Fingers, Wing Thumb, Reinforced Thumb Crotch, Expandable Slip-On Cuff, Hemmed, Soft, Warm Fleece Lining.









Big Jake® - Sewn with Kevlar® **Full Feature Gunn Pattern Leather Palm**

1700 2.75" Safety Cuff, ANSI Cut 2.

Sizes: S-XXL

1700K Kevlar® Lined, ANSI Cut 3.

Size: XL

Kevlar® Palm, ANSI Cut 3. 1702

Sizes: M-XL

1710 4.5" Gauntlet Cuff.

Sizes: M-XL

1730 4.5" Duck Gauntlet Cuff.

> (Launderable) Sizes: L-XL

Big Jake® - Sewn with Kevlar® **Double Leather Palm, Index Finger and Thumb** 2.75" Safety Cuff. 1711

Sizes: XL

1712 4.5" Gauntlet Cuff.

Sizes: XL



Big Jake® - Sewn with Kevlar® 3/4 Leather Back

1713 2.75" Safety Cuff.

Size: XI

4.5" Gauntlet Cuff. 1714

Size: XL

3/4 Leather Back, Quilted Double Leather Palm and Thumb, Triple Layer Thumb Crotch

2.75" Safety Cuff. 1734

Size: XL

Big Jake® - Sewn with Kevlar® Double Leather Palm, Fingers and Thumb,

2.75" Safety Cuff.

Sizes: XL

Double Layer Patch 1715P

on Small Finger.

Sizes: S-XL


4.5" Gauntlet Cuff. 1716

Sizes: XL



1711





1717 2.75" Safety Cuff.

Size: XL

4.5" Gauntlet Cuff. 1718

Size: XL

Big Jake® - Sewn with Kevlar® 1735 Lumber Jake®

Sizes: M-XL

Double Leather Palm and Finger, Full Leather Back, Triple Layer Thumb Crotch,

2.75" Safety Cuff.



All Big Jake® styles have CE certification and are labeled with CE test results.









SideKick® - Sewn with Keylar® Full Feature Gunn Pattern Leather Palm.

16010 2.75" Safety Cuff. Sizes: S-XL

16011 4.5" Gauntlet Cuff. Size: L

Full Leather Back

16017 2.75" Safety Cuff. Sizes: L-XL

Bull's Eye™ - Sewn with Kevlar® Select "A" Side, Full Feature Gunn,

Rubberized Cuff 1900 2.75" Safety Cuff.

Sizes: S-XL 1910 4.5" Gauntlet Cuff. Size: L

1911 Double Leather Palm. 2.75" Safety Cuff.

Size: L



SideKick® - Sewn with Keylar® **Double Leather Palm**

16012 Green Double Leather Palm, Thumb, and Index Finger, 2.75" Safety Cuff. Sizes: M-XL

16025 Green Double Leather Palm, Thumb, and Fingers, 2.75" Safety Cuff. Size: L

Select Side Leather, Full Feature

2.5" Safety Cuff, Sewn with Kevlar®. 1500K Size: S-XL

1500Y 2.5" Safety Cuff, Yellow Striped Back. Size: L

Mustang™ Premium Grain Cow, Full Feature Gunn,

Rubberized Cuff 1935 Premium 2.5" Safety Cuff. Sizes: S-XL 1936

Premium 4.5" Gauntlet Cuff. Sizes: M-XL 1932 Select Grade Grain, 2.5" Safety Cuff.

Sizes: S-XL 1930 Industry Grade Grain, 2.5" Safety Cuff.

Sizes: S-XL 1931 Economy, Patch Palm, 2.5" Safety Cuff.

Size: L

1933 Industry Grade Grain, 4.5" Gauntlet Cuff. Sizes: S-XL

Bronco®

Full Feature Gunn, Rubberized Cuff

1680 Select "A" Side Split 2.5" Safety Cuff. Size: L Select "A" Side Split 1690 4.5" Gauntlet Cuff. Size: L

16810 "B" Shoulder Leather, Heavy Yellow Fabric, 2.5" Safety Cuff.

Size: L

16811 "B" Shoulder Leather, Heavy Yellow Fabric, 4.5" Gauntlet Cuff. Size: L


1940 Gloves for Glory™







16012



1940





Snort'n Boar

Premium Split Pigskin

1952 2.5" Rubberized Safety Cuff.

Sizes: XS-XXL

Premium Grain Pigskin

2.5" Rubberized Safety Cuff.

Sizes: S-XL

Industry Grade Pigskin

2.5" Rubberized Safety Cuff.

Size: L

1950 Split Piaskin Palm.

2.5" Starched Safety Cuff.

1960 Grain Pigskin Palm,

2.5" Starched Safety Cuff.

Size: L




940HV Xcavator® Hi-Vis

Sizes: S-XXL

Mining/Heavy Duty Multitask, Grain Pigskin, Split Pigskin Double Palm, Foam Padding on Back of Hand, Fingers, and Wing Thumb, Full Sock

Fleece Lining.

940 Black Fabric Back Sizes: S-XXL



1400A 2.5" Safety Cuff, ANSI Cut 2,

Hem Colors for Sizes: S-XXXL Available in LH and RH

Only in Size L

1410A 4.5" Gauntlet Cuff. Size: L

1420A Knit Wrist, Size: L

1420AS Knit Wrist, Size: S.

Double Leather Palm

1411A 2.5" Safety Cuff.

Sizes: S-XXL

1412A 4.5" Gauntlet Cuff, Size: L

3/4 Leather Back

1413A 2.5" Safety Cuff. Size: L

1414A 4.5" Gauntlet Cuff. Size: L

Full Leather Back

1417A 2.5" Safety Cuff.

Sizes: S-XXL

1418A 4.5" Gauntlet Cuff. Size: L, XXL

Imprintable, 2.5" Duck Cuff

Select Shoulder

1400 Size: L

Regular Shoulder

1400B Size: L

1401B Size: S

Gray Double Palm. Size: L 1411B

Cotton Plaited Kevlar®, 2.5" Safety Cuff,

Select Shoulder

1400K Sizes: S-XXI







1440 Select Split Cow Leather

> Palm, Reflective Material on Cuff and Knuckle, Orange Fluorescent Polyester Back, 2.5" Rubberized Safety Cuff.

Size: L

12440R Economy Grade Split Cow

> Leather Palm, Reflective Material on Cuff and Knuckle, Orange Fluorescent Polyester

Shirred Elastic Back, 2.5" Canvas Safety Cuff.

Size: L-XL

14401DP Select Shoulder

Double Leather Palm. Reflective Material on Cuff and Knuckle, Orange Fluorescent Shirred Elastic Polyester Back, Fleece Cotton

Palm Lining, 2.5" Rubberized

Safety Cuff.

Size: L

36

1417A



Clute Pattern Knit Wrist

1040 Select Grade, Lined Palm. Size: L

Unlined Palm, Size: L

1042 Green/Pink Stripe Fabric.

Size: S

1030

1080 2.5" Safety Cuff. Size: L

1150 Select Grade Lined Palm.

Size: L

"C" Shoulder Industry Grade

Full Feature Gunn, Red Gray Stripe Fabric Back, Rubberized Cuff

1200 2.5" Safety Cuff. CE 4132, Sizes: L-XXL

12010 Economy, 2.5" Safety Cuff, Assorted Colors, Sizes: S-XL

12011 Economy, 4.5" Gauntlet Cuff,

Assorted Color Fabric.

Size: L

Patch or Single Palm, 2.5" Safety Cuff.

Assorted Leather Colors.

Size: L

1235 Knit Wrist,

with out Knuckle Strap.

Size: L

1235K Knit Wrist, with Knuckle Strap.

Size: L

1210 4.5" Gauntlet Cuff. Size: L

1250C 2.5" Plasticized Safety Cuff.

Size: L

Double Leather Palm

12010DP Economy, Double Leather Palm, 2.5" Safety Cuff. Size: L

1201DP 3.5" Safety Cuff. Size: S

1211 2.5" Safety Cuff. Sizes: L-XL

1211J Economy, Jointed Double Palm,

2.5" Safety Cuff. Size: L

1212 4.5" Gauntlet Cuff. Size: L

Green/Pink Stripe Fabric Back

1230 2.5" Safety Cuff. Sizes: S-XL

1231 4.5" Gauntlet Cuff. Sizes: S-XL

1230DP Double Leather Palm,

2.5" Safety Cuff.

Size: L

Full Leather Back

1237 2.5" Safety Cuff,

Green/Pink Stripe Cuff.

Size: L

Select Shoulder

1240 2.5" Leather Cuff, White Fabric,

Launderable, Size: L









Full Feature Gunn Pattern 2.5" Denim Cuff

1220DX 2.5" Denim Fabric

Cuff and Back, Patch Palm.

Size: L

1220D Full Leather Palm,

2.5" Denim Fabric Cuff and Back, Size: L

1220S Economy, Full Leather Palm,

2.5" Starched Safety Cuff, Assorted Fabric Colors.

Size: L

1220SX Patch Palm, 2.5" Starched Safety Cuff, Assorted Striped

Fabric Colors. Size: L

1200S 2.5" Starched Safety Cuff,

Assorted Striped Fabric

Colors. Sizes: L, XL

1201S 2.5" Starched Safety Cuff,

Striped Fabric. Size: S

1210S 4.5" Starched Gauntlet Cuff,

Striped Fabric. Size: L

1220WD 2.5" Duck Cuff and Back, White

Fabric, Launderable. Size: L

"B" Select Shoulder Blue Fabric with Red Stripe

Rubberized Cuff 1300 2.5" Safety Cuff. Sizes: S-XL

1310 4.5" Gauntlet Cuff. Sizes: S-XL

Double Leather Palm

1311 2.5" Safety Cuff. Size: L, XL

1311J 2.5" Safety Cuff, Jointed Palm.

Size: L

1312 4.5" Gauntlet Cuff. Size: L

Full Leather Back

1317 2.5" Safety Cuff. Size: L

1318 4.5" Gauntlet Cuff. Size: L

"C" Select Shoulder Green Fabric with Pink Stripe Rubberized Cuff

1350 2.5" Safety Cuff. Size: L

1360 4.5" Gauntlet Cuff. Size: L

Double Leather Palm

1361 2.5" Safety Cuff. Size: L

1362 4.5" Gauntlet Cuff. Size: L

Full Leather Back

1370 2.5" Safety Cuff. Size: L

1380 4.5" Gauntlet Cuff. Size: L

Insulated Gunn Patterns







19251 Luminator™

Sizes: S-XL

Premium Grade Grain Pigskin, Gunn Pattern, Wing Thumb, Reflective Material, Orange Fluorescent Polyester Back, 2.5" Rubberized Safety Cuff, Fleece Cotton Palm Lining "Only".

Thermosock® Full Sock Lining. 19261 Sizes: S-XL



Sizes: S-XL

Premium Split Pigskin, Thermosock® Full Sock Lining, 2.5" Safety Cuff.

Knit Wrist. 1956 Sizes: S-XL

Grain Pigskin, Full Sock Lining

2.5" Safety Cuff. Sizes: M-XXL 1965

1966 Knit Wrist. Size: L



1955



34411 Luminator™

Size: S-XL

Premium Grade Grain Pigskin, Waterproof Barrier, Wing Thumb, Reflective Material, Orange Fluorescent Polyester Back. 2.5" Knit Wrist, Pull Strap, Thermosock® Full Sock Lining.

3440

Grain Pigskin Driver, Reflective Material on Knuckle, Orange Fluorescent Polyester Back, Thermosock® Lining, 2.5" Knit Wrist. Sizes: S-XL

Size: S-XXL

Memphis, Grain Pigskin, Thermal Lined, Black Fabric Back, 2.5" Plasticized Safety Cuff.



1925W Snort'n Boar™

Sizes: S-XL

Premium Grain Pigskin, 2.5" Safety Cuff Wool Lined Full Sock Lining.



"A" Select Shoulder Cow

Foam Insulated, Full Sock Lining, Full Feature Gunn Pattern, 2.5" Safety Cuff.

1205L "C" Shoulder Full Feature Gunn

Red Fleece Full Sock Lining, 2.5" Rubberized Safety Cuff. Size: L

1320 "B" Select Shoulder Full Feature Gunn Thermosock® Full Sock Lining,

"B" Shoulder











3170

Sizes: S-XXL

Premium Grade Split Cow, Pile Lined,

Keystone Thumb.

3150 Red Fleece Lined, Straight Thumb.

Sizes: S-XXL

3115 Split Cow Leather, Fleece Lined Palm,

Spandex Back, Keystone Thumb.

Sizes: M-XL

3460 Artic Jack™

Sizes: S-XL

Premium Grain Pig, Thermosock® Lining, Keystone Thumb.

3450 Premium Grain Pigskin, Red Fleece

Lined, Keystone Thumb.

Sizes: S-XL

Industry Grade Grain Pigskin, Red 3451 Fleece Lined, Keystone Thumb.

Sizes: S-XXL

3452 Premium Grain Pigskin, White

Fleece Lined, Straight Thumb.

Sizes: L-XL

3475 Grain Pigskin, Foam Lined, Lime Back, Reflective, Keystone Thumb.

Sizes: S-XXL



3750



FEATURES -**Synthetic Leather Drivers**

- · Consistent quality and appearance
- · Stable material cost and sourcing
- · Texture resembles traditional leathers
- · Breathable synthetic material and light weight
- · Soft fabric with enhanced dexterity
- Chrome Free
- Launderable

3750

Sizes: S-XL

3255

Synthetic Split Grain Cow Texture, Insulated - 8 oz. Red Fleece Lining, Shirred Elastic Back, Cotton Hem, Keystone Thumb. CE 2331.

3555

Sizes: S-XL

Regular Grade Deerskin Split Back, Grain Palm Red Fleece Lined, Rolled Leather Hem, Keystone Thumb.



3250	Red Fleece Lined. Sizes: S-XL
3260	Foam Lined. Sizes: S-XL

Industry Grade Cow, **Straight Thumb** Red Fleece Lined.

Industry Grade Grain Cow, **Keystone Thumb**

Thermosock® Lined. 3266 Sizes: S-XL

Thermal Cotton Lined. 3280 Sizes: S-XXL

3280CHVSP Thermal Lined, Orange High Visibility Fingertips, Shirred Elastic Back.

Sizes: S-XL

Sizes: S-XL







3250

HI-VIS

3213CHVSP





3200 Road Hustler[™] Sizes: S-XL Premium Grade Cow Grain Leather, Shirred Elastic Back, Unlined, Rolled Leather Hem.

Keystone Thumb

3211 Select Grade, Cotton Hem. CE 3132.

Sizes: XS-XXXL

3213 Industry Grade*, Cotton Hem.


Sizes: S-XXXL

3215 Economy Grade*, Cotton Hem.


Sizes: S-XL

32113 Industry Grade*, Sizes: S-XXXL

3220 Road Hustler ™ Sizes: S-XL Premium Grade Cow Grain Leather, Unlined, Rolled Leather Hem, Leather Pull Strap, Straight Thumb.







3213P Unlined, Painted Tips. Sizes: S-XXXL


3213HVI "WATCH YOUR HANDS"

Industry Grade*. Sizes: XS-XXL

3215HVI "WATCH YOUR HANDS"

Economy Grade*. Sizes: S-XXL

32111 Luminator™ Sizes: XS-XL Select Grade Grain Cow, Keystone Thumb, Reflective Material on Back and 3 Fingertips, Orange Fluorescent Polyester Back and Thumb.



Sizes: S-XL

Premium Grade Cow Split Leather, Shirred Elastic Back, Cotton Hem, Straight Thumb, Natural Pearl Gray, Unlined, Straight Thumb.

36111 Luminator™ Sizes: S-XL Premium Grade Grain Goat Skin, Inset Thumb, Reflective Material on Knuckle and 3 Fingertips, Orange Fluorescent Polyester Back and Thumb.

















32113DP Industry Grade, Double Palm. Sizes: M-XL

3214 Select Grade, Cotton Hem. Sizes: S-XL

3407 Hi-Vis Grain Pigskin Sizes: S-XXL Unlined Grain Pigskin, Industry Grade, Hi-Vis Lime Fabric Back with Silver Reflective Material, Keystone Thumb.



Premium Grade Grain Cowhide, Split Leather Back, Sewn with Kevlar®, Keystone Thumb.

32054 Economy Grade, Brown Split Leather Back, Keystone Thumb.

Sizes: M-XL

32055 Economy Grade, Unlined, Brown Cotton Hem.

Sizes: S-XL

3205 Industry Grade*. Sizes: S-XXL32056 Industry Grade Unlined Grain Palm,Split Leather Back, Keystone Thumb.

Sizes: S-XL

32057 Industry Grade Grain Cow Palm, Split Leather Back, Sewn with Kevlar®.

Size: S-XXXL

3410 Sizes: S-XL Unlined Premium Grain Pigskin, Shirred Elastic Back, Cotton Hemmed, Straight Thumb.

3411 Keystone Thumb. Sizes: S-XL
Industry Grade Grain Pigskin
3400 Straight Thumb. Sizes: S-XL
3401 Keystone Thumb. Sizes: S-XXL
3425 Mesh Back, Keystone Thumb.
Sizes: S-XI

Economy Grade Grain Pigskin

3402 Straight Thumb. Sizes: S-XL 3406 Camo Canvas Back, Keystone Thumb. Sizes: M-L

3110 Sizes: S-XL

Unlined Premium Grade Cow Grain Leather, Shirred Elastic Back, Keystone Thumb.

Premium Grade Split Cowhide

3100 Straight Thumb. Sizes: S-XL

Regular Grade Split Cowhide

3120 Straight Thumb. Sizes: S-XL3125 Brown Leather, Black Mesh Back, Keystone Thumb. Sizes: S-XL

3130 Keystone Thumb. Sizes: S-XL

3420 Sizes: S-XL Unlined Premium Grain Pigskin, Shirred Elastic Back, Rolled Leather Hem, Keystone Thumb.

Industry Grade Grain Pigskin/Split Back 3405 Keystone Thumb. Sizes: S-XL

















3601

Sizes: S-XXXL

Unlined Premium Grain Goatskin, Cotton Hem, Shirred Elastic Back, Straight Thumb.

3611 Keystone Thumb. Sizes: S-XXL

Select Grain Goatskin

3603 Straight Thumb.

Sizes: S-XL

3613 Keystone Thumb.

Sizes: S-XL



3500 Big Buck

Sizes: S-XXL

Premium Grade Grain Deerskin, Unlined, Rolled Leather Hem, Shirred Elastic Back, Keystone Thumb.

Regular Grade Grain Deerskin

3501 Regular Grade.

Sizes: S-XL

3505 Split Back.

Sizes: XS-XXXL



34111 Luminator™

Sizes: S-XXL

Unlined Grain Pigskin Palm and Fingertips, High Visibility Orange Mesh Back with Yellow Prismatic Reflective Tape Knuckle Strap, Shirred Elastic Back, Keystone Thumb, Cotton Hem.

3620 Premium Grain Goatskin

Sizes: XS-XXL

Gold/Yellow, Unlined, Rolled Leather Hem, Shirred Elastic Back, Keystone Thumb.



3413HVI Grain Pigskin

"WATCH YOUR HANDS" Sizes: S-XXL

Unlined Grain Pigskin, Industry Grade, Orange High Visibility Fingertips, Keystone Thumb.



3711

Sizes: S-XL

Synthetic Grain Pigskin Texture, Shirred Elastic Back, Unlined, Cotton Hem, Keystone Thumb. CE 2231.

3730DP Synthetic Split Grain Cow Texture, Double Palm, Shirred Elastic Back, Unlined, Cotton Hem, Wing Thumb. Sizes: S-XL

3720 Gold Synthetic Pigskin Texture, Keystone Thumb, Shirred Elastic Back. Sizes: S-XL







4600 Memphis Blue Beast®

Sizes: XL-XXL

Premium Select Side Leather, Reinforced Palm.

4600LH Left Hand Only, Wing Thumb.

Size: XL

Sewn with Kevlar®, Foam/Red Jersey Lining

4500 Select Shoulder Blue Leather Double Reinforced Palm Pad.

Sizes: S, XL, XXL

4501 Regular Shoulder Blue Leather

Double Reinforced Palm Pad.

Size: L



Size: XL

Premium Select Side Leather, Wing Thumb.

Gunn Pattern, Black Cotton Drill Cuff Lining


4150 Select Shoulder Leather,
CE 4243. Size: L
4150LH Left Hand Only. Size: L
4152 Ladies' Economy

Shoulder Leather. Size: S

4150B Economy Shoulder Leather. Size: XL-XXL

4155 Regular Shoulder Leather.

Size:



Size: XL

Select Side Leather, Sewn with Kevlar® Thread, Reinforced Palm, Reinforced Wing Thumb, Foam Lined.

4720 Memphis Red Ram®

Size: XL

Premium Select Side Leather, Wing Thumb.

Black Cotton Drill Cuff Lining

4300 Select Shoulder Size: L

4300B Economy Shoulder

Size: L No Logo

4300N No Logo Size: L

4730 Memphis War Horse™

Sizo: XI

Premium Select Side Leather, Foam Lining, Wing Thumb.

4620 Memphis Kodiak®

Size: XL

Premium Select Side Leather, Reinforced Palm, Wing Thumb.









4720





4740 Memphis Bobcat™

Size: XL

Premium Select Side Leather, Reinforced Straight Thumb.

4320

Select Shoulder Leather, Sewn with Kevlar®, Black Cotton Drill Cuff Lining.

Size: L

4320LH Left Hand Only. Size: L

4860 Memphis Welding

Sizes: S-XXL

Point of Purchase Hang Tag, Grain Goat Leather Gunn Pattern, Blue Split 5" Cowhide Cuff, Sewn with Black Kevlar® Thread.






4622 Memphis Red Fox®

Size: XL

Select Side Leather, Sewn with Kevlar® Thread, Reinforced Palm, Wing Thumb, Foam Lined.



Sizes: S-XXL

Premium Grade Black Grain Pigskin, Full Back, Wing Thumb, 4.5" Bell Gauntlet Split Cow Cuff, Sewn with Kevlar®.



49600




4620A Memphis Aluminized Welder

Size: XL

Premium Brown Side Leather, 1 Piece Aluminum Back, Reinforced Palm, Wing Thumb, Sewn with Kevlar®, Fully Welted, FR Sleeve Lining.

Back of Hand: Aluminized TR Backing Fabric Reflects 90% of Radiant Heat Resisting Up to 1832°F.



Sizes: M-XXL

Point of Purchase Hang Tag, Sewn with Kevlar®, Premium Select Shoulder Leather Welder, Wing Thumb, Black Cotton Drill Lining. CE 4243.



4620A

4622

4150T





4550 Memphis High Heat

Size: XL

Select Shoulder Clute Pattern, Generous Cut, Cotton Drill Cuff Lining, Palm Red Jersey Lining, Reinforced Straight Thumb, Protects to 400°F.

4750 Memphis High Heat


Size: XL

Select Side Split Leather, Double Wool Lined Palm, Sewn with Kevlar®, 3.5" 16 oz. Duck Cuff, Protects to 500°F.



4550

4750



Sizes: S-XL

Premium Grain Cow Palm and Back, Wing Thumb, 4.5" Gauntlet Split Cow Cuff, Sewn with Kevlar®.

4940 Premium Grain Cow, Reinforced Straight Thumb, 5" Bell Gauntlet Split Cow Cuff, Sewn with Kevlar®. Sizes: S-XI

4950LB Select Grade,

(Not sewn with Keylar®). Size: L

4952 Select Grade, Sewn with Kevlar®.

Sizes: S-XI

4850 Gloves for Glory™

Sizes: M-XXL

Premium Grade Grain Goatskin, Gunn Pattern, Wing Thumb, 4.5" Split Cow Gauntlet Cuff.

4850LH Left Hand Only. Sizes: S-XL

4850RH Right Hand Only. Sizes: S-XL





4950

4840 Memphis Red Ram™

Sizes: S-XL

Premium Grade Grain Goatskin, Straight Thumb, 5" Bell Split Cow Cuff.



49610L Memphis Red Ram™

Select Grade Grain Pigskin, Clute Pattern Back, Outside Seam, Straight Thumb, Reinforced Thumb Strap, 4.5" Gauntlet Split Pig Cuff, Sewn with Kevlar®.



45





4901 Memphis Welding

Sizes: M-XL

Premium Grain Cow, Gunn Pattern, 4.5" Grain Leather Gauntlet, Cuff, Sewn with Kevlar®, Fleece Lined.

4902 Industry Standard Grade, Grain Cow,

4.5" Canvas PE Gauntlet Cuff.

4900LN 100% Cotton Palm Lining, 4.5" Gauntlet Duck Cuff.

Size: L



4900



Sizes: 7, 8, 9, 10, 11, 12 Premium Grade Grain Goatskin, Straight Thumb, Clute Pattern, 2.5" Grain Goat Band Cuff.



4984 Memphis Big Buck™

Sizes: S-XL

Premium Grain Deerskin, Gunn Pattern, Full Leather Back, Unlined, Straight Thumb, 4.5" Split Cow Cuff, Sewn with Kevlar®.

4982 Premium Grain Deerskin, Clute Pattern, with Thumb Strap, Reinforced Thumb Crotch Unlined, Straight Thumb, 2.5" Split Cow Cuff, Sewn with Kevlar®.

Sizes: S-XL



4800 Red Ram™ Bundler's Glove

Sizes: 7, 8, 9, 10, 11, 12

Premium Grade Grain Goatskin, Straight Thumb Clute Pattern, 2.5" Grain Goat Band Top Cuff, Fingerless with Finger Tabs for Easy Removal.



4921 Memphis Red Ram™

Sizes: S-XXL

Select Grade Grain Cow, Double Leather Grain Palm, Index, and Thumb, Split Cow Back and Cuff, Gunn Pattern, Wing Thumb, 2.5" Leather Safety Cuff, Sewn with Kevlar®.

4921LH Left Hand Only. Sizes: S-XL



3204T Memphis Welding

Sizes: S-XXL

Point of Purchase Hang Tag, Select Grain Cowhide with Split Back, Sewn with Kevlar®, Rolled Leather Hem.



3204T

Memphis Welding Apparel





38030MW Leather Jacket

Sizes: M-XXXL

30" Length, Riveted in all major stress points. All button snaps black anodized to prevent arc flashback. Leather reinforced snaps on buttons. Soapstone pocket on each sleeve. Take up snaps for waist and adjustable snaps at wrist for perfect fit.

38242MW

Leather Split Leg Bib Apron

Riveted in all major stress points. Large front chest pocket. "D" Ring to hold accessories. Crossed back straps with quick release buckle. Quick side release buckles down the legs.

38236MW 24" x 36" --

38242MW 24" x 42"

38142MW Leather Bib Apron

Riveted in all major stress points. Large front chest pocket. "D" Ring to hold accessories. Crossed back straps with quick release buckle.

38130MW 24" x 30"

38136MW 24" x 36"

38142MW 24" x 42"

Leather Waist Apron

Heavy duty adjustable waist strap with quick release buckle.

38318MW 24" x 18"

38324MW 24" x 24"



38505MW Shoe Protector

Sizes: One size fits all Adjustable Gray Select Split Cow Leather, Sewn With DuPont™ Kevlar®.



38100MW and 38120MW Leather Cape with Snap-on Bib

Sizes: M-XXXL

Riveted in all major stress points. All button snaps black anodized to prevent arc flashback. Leather reinforced snaps on buttons. Soapstone pocket on each sleeve. Adjustable snaps at wrist.

38100MW Leather Cape

Sizes: M-XXXL

38114MW 14" Length Snap-on Bib

38120MW 20" Length Snap-on Bib



38525MW Rod Holder

Industrial grade select gray split cow leather, Sewn with Kevlar[®].

MEDITORI



38418MW Leather Sleeve

18" Length Protects above elbow down to wrist. Adjustable take up snaps at both ends of sleeve for snug fit.

Leather Sleeve with Support Strap

Leather protects top of shoulder down to wrist. Adjustable wrist snaps for snug fit. Support sling has adjustable strap with quick release buckle.

38423MW 23" Length **38425MW** 25" Length



38600MW 38" Chaps Industrial grade select gray split cow leather, Sewn with Kevlar®.



Limited Flammability Garments











39100

L/F Cotton Cape Sleeve with Bib

Anodized button snap closures and open back. Provides increased ventilation while protecting front of body, arms and shoulder.

39100 Cape. Sizes: S-XXL 39114 22" x 14" Bib 22" x 20" Bib 39120



39030

L/F Cotton Jacket

Anodized snap button front. Snap sleeves for snug fit. Large inside pocket. Soapstone shoulder pocket.

39030 30" S-XXXL 39045 45" L-XL





L/F Cotton Bib Apron Shoulder and waist adjustable straps.

39136 24" x 36" 39142 24" x 42"

L/F Cotton 18" Sleeve with Snap Wrist, Elastic at top and anodized button snap at wrist.



39418 L/F Cotton Sleeve

2 1/4" heavy duty elastic at top and wrist.

39418 18" Sleeve 39423 23" Sleeve



L/F Cotton Welding Apparel

- · USA treated limited flammability cotton fabric.
- · 100% 9 oz. cotton specially treated to be limited flammability.
- · Limited Flammability, Tested in Accordance with ASTM D6413 Test Method.
- · Provides economic protection from sudden flame exposure, sparks and light molten splash.
- · Anodized button snap closures.
- · Breathable lightweight cool 100% cotton.
- · Washable: maintains flame resistance up to 50 home washings and 25 commercial washings up to 165° F.



USS Defense®



Black Frame, Black TPR

- UD2130G Gray Filter 3.0
 UD2150G Gray Filter 5.0

Law® Series Soft Nose Pads



Law® Series 2 Frame

- LW2120 Green Filter 2.0
- Green Filter 3.0 LW2130
- LW2130G Gray Filter 3.0
- LW2150 Green Filter 5.0
 - LW2150G Gray Filter 5.0

Crews VL



Black Frame, Black TPR

- VL1130G Gray Filter 3.0
- VL1150G Gray Filter 5.0

Reaper®





Safety Glass Version

- RP2120 Green Filter 2.0
- RP2130 Green Filter 3.0
- RP2150 Green Filter 5.0

Dallas®





Polished Black Frame

DL1130 Green Filter 3.0 **DL1150** Green Filter 5.0



Onyx Frame

- T11130 Green Filter 3.0 T11150 Green Filter 5.0

Blackjack



Rimless Design

- S21130
- Green Filter 3.0 S21150 Green Filter 5.0

Solaris



Slate Frame

SO1130 Green Filter 3.0

Storm[®]



- ST1130 **ST1150**
- Green Filter 3.0 Green Filter 5.0

Yukon®



Dielectric Frame

- 98120 Green Filter 2.0
- 98150 Green Filter 5.0

Supported PVC





6632 Blue Coat™

Sizes: M-XXXL

Triple Dipped, Special Oil-Resistant Formula, 12" Gauntlet, Seamless Knit Liner. CE 4121.



Sizes: M-XXXL Double Dipped, 10" Gauntlet, Seamless Knit Liner. CE 4121.

6620KV Red Coat® Kevlar®

Double Dipped, 12" Gauntlet, 13-Gauge, Seamless Kevlar®/Cotton Plaited Liner. CE 4343. Size: S-XXL





6410SC Memphis Oil Hauler™

Size: L

Green PVC on Hi-Vis Orange PVC, Premium Double Dipped, Jersey Liner, Sandy Finish, Safety Cuff. CE 4111.

> **6224HV Premium PVC** Size: L Hi-Vis Premium PVC, 12" Gauntlet, Jersey Liner, Smooth Finish, Hi-Vis Orange Finger Tips. CE 4121.

6600 Size: L Industry Standard Yellow Single Dipped PVC, Smooth, Interlock Lined, Knit Wrist.

6612 Size: L

Industry Standard Yellow Single Dipped PVC, Smooth, Interlock Lined, 12" Gauntlet Wrist.





6410SCHV Memphis Oil Hauler™

Size: L Hi-Vis Orange on Hi-Vis Lime, Premium Double Dipped, Jersey Liner, Sandy Finish, Safety Cuff. CE 4111.

Industry Standard Black, Double Dipped, Sandy Finish

Interlock Lining

6520S Knit Wrist 6521S 10" Gauntlet 6522S 12" Gauntlet 6524S 14" Gauntlet 6528S 18" Gauntlet

Jersey Lining

6520SJ Knit Wrist 6521SJ 10" Gauntlet 6522SJ 12" Gauntlet 6524SJ 14" Gauntlet 6521SC Safety Cuff

Industry Standard Green

6420 Knit Wrist 6421 10" Gauntlet 6422 12" Gauntlet 6424 14" Gauntlet

Industry Standard Black, Single Dipped

Smooth Finish, Interlock Lining

 6100 Knit Wrist
 6200 10" Gauntlet
 6212 12" Gauntlet
 6300 14" Gauntlet
 6300RH 14" Gauntlet, Right Hand
 6218 18" Gauntlet

Rough Finish, Interlock Lining

6212R 12" Gauntlet **6300R** 14" Gauntlet





6454S Premium PVC

Size: L

Premium Red, Double Dipped, Sandy Finish, Jersey Lining, 14" Gauntlet Wrist. CE 4121.

6450S Knit Wrist.

6451S 10" Gauntlet Wrist. 6452S 12" Gauntlet Wrist.



Size: L

Premium Black, Double Dipped, Sandy Finish, Interlock Lining. CE 4121. **Jersey Lining**

6100SJ Knit Wrist Interlock Lining

10" Gauntlet 6200S 10" Gauntlet 6200SJ 12" Gauntlet 6212S 12" Gauntlet 6212SJ

6300SJ 14" Gauntlet 6300S 14" Gauntlet



6412 Premium PVC

Sizes: L

Premium Green, Double Dipped, Sandy Finish, Jersey Lining, 12" Gauntlet Wrist. CE 4121.

6400 Knit Wrist.

10" Gauntlet Wrist. 6410 6414 14" Gauntlet Wrist. 18" Gauntlet Wrist. 6418



Size: L

Industry Standard, Orange Double Dipped PVC, Sandy Finish, Foamed Lined,

Safety Cuff.

Knit Wrist. 6702F 6712F 12" Gauntlet Wrist. 6710FS Safety Cuff.



Textured Finish, Interlock Lining

6500S Knit Wrist 6510S 10" Gauntlet 6512S 12" Gauntlet 14" Gauntlet 6514S

Textured Finish, Jersey Lining

6500SJ Knit Wrist 6510SJ 10" Gauntlet 12" Gauntlet 6512SJ 6514SJ 14" Gauntlet

6714FF Harbor Master®

Premium Fluorescent Orange, Double Dipped, Sandy Finish, Both Foam and Polar Fleece Linings, Internal Knit Wrist, 14" Gauntlet. CE 4121.

Double Dipped, Sandy Finish, Foam Lined and Fully Coated, Fluorescent Orange. CE 4121.

6700F Knit Wrist. 6710F Safety Cuff. 6710T Safety Cuff, Tan Color







Supported Nitrile





MG9756 Memphis

Sizes: S-XL

13-Gauge, Seamless Cotton/Polyester Shell, MicroFinish® Nitrile Coating, 12" Gauntlet Cuff. CE 4131.



Sizes: M-XL 13-Gauge, Kevlar, Interlock Lined, Thin Nitrile Outer Dip, Gauntlet Style 14 Inch Cuff.





9750 Predator™

Size: L

Premium Nitrile Palm Coated, Knit Wrist. CE 4221.

9750S Knit Wrist, Ladies

9760 2.5" Safety Cuff. Sizes: S-XL

Premium Nitrile Fully Coated

9751 Knit Wrist. Size: L 9761 2.5" Safety Cuff. Size: L 9770 Foam Lined, 2.5" Safety Cuff.

Size: L



9761R Predator™

Size: S-XL

Extra Rough Nitrile Fully Coated, 2.5" Safety Cuff. CE 4242.

9751R Knit Wrist. Size: L

Extra Rough Nitrile Palm Coated

2.5" Safety Cuff. Size: L 9760R 9750R

Knit Wrist. Size: L



9780 Predalite™

Sizes: S-XL

Premium Nitrile Palm Coated, Knit Wrist. CE 3111.

2.5" PVC Safety Cuff. Sizes: S-XL 9785

Fully Coated

9781 Knit Wrist. CE 3111. Sizes: S-XL 9786 2.5" PVC Safety Cuff. CE 4121.

Sizes: S-XL

9760K Predator™ Size: L Kevlar® Reinforced Palm, Extra Cut Protection, Jersey Back for Breathability, Nitrile Palm Coated, Safety Cuff. CE 4432.

9760KW Predator™ Size: L Knit Wrist.

Supported Nitrile







Sizes: S-XL

97961

18-Gauge, Seamless Nylon Shell, PVC/Nitrile Bi-Polymer, Black Sandy Finish Palm for Better Grip. 12" Gauntlet Cuff. CE 3131.

Predator™ Size: L

Industry Standard Nitrile Coating, Jersey Liner.

Palm Coated, Knit Wrist. Size: L 97951 Fully Coated, Knit Wrist. Size: L Palm Coated, 2.5" Safety Cuff. Size: L 97960 Fully Coated, 2.5" Safety Cuff. Size: L

Industry Standard Rough Nitrile Coating, Jersey Liner.

97962 Palm Coated, 2.5" Safety Cuff. Size: L

Predalite[™] Sizes: S-XL

Industry Standard Nitrile Coating,

Interlock Lining.

97980 Palm Coated, Knit Wrist. Sizes: S-XL 97981 Fully Coated, Knit Wrist. Sizes: S-XL


MG9796 Memphis Predaflex™

Sizes: S-XL

Cotton brushed interlock liner, Sandy Nitrile finish, Shoulder Length. CE 3111, ANSI Abrasion level 5

9792 Predaflex[™] Size: L Flexible Fully Coated Nitrile, Brushed Interlock Liner, 12" Gauntlet.

9794 14" Gauntlet, Size: L



Sizes: M-XXL

Cut and Sewn Nitrile Coated on Soft Cotton Interlock Lining. CE 4111.

9710 Slip-On, Ladies' Size: S-L

9720 Perforated Back, Slip-On. Size: M-XL

9730 Perforated Back, Slip-On. Ladies' Size: S-L

9725 Nylon Mesh Back, Slip-On. Size: M-XL

9735 Nylon Mesh Back, Slip-On.

Ladies' Size: S-L

9745 Shirred Elastic Back, Slip-On. Insulated Foam Lining. Size: S-XL

> Waterproof, Double Dipped Nitrile. Sizes: S-L









Supported Rubber





6850 Blue Grit®

Sizes: S. L.

Textured Rubber Coating, Interlock Lining, 10" Length. Features Waterproof

Protection. CE 4121.

6852 12" Length. Sizes: S, L

6862 Nitri-Grit™

Sizes: S-L

Textured Nitrile and Rubber Coating, Interlock Lining, 12" Length, Features Extra Abrasion Protection and Waterproof Protection. CE 3121.



6845 Sizes: S-XL Natural Rubber, Crinkle Finish, Interlock Lining, 12" Gauntlet.



6820 Tufftex™

Size: L

Premium Grade, Natural Rubber, Crinkle Finish, Plasticized Safety Cuff, Cotton Jersey Shell. CE 2241.

6825

Premium Grade, Natural Rubber, Crinkle Finish, Knit Wrist, Cotton

Jersey Shell. Size: L

6832

Cotton Seamless Knit Shell.

CE 3132. Sizes: S, L





6885 Plyflex™

Sizes: S-XXL

Textured Latex Coating, 12" Length, Interlock Lining, Provides Excellent Dexterity and Flexibility in Wet and Dry

Conditions. CE 4141.



Rubberized Safety Cuff, Interlock Lining. 6810

Crinkle Finish Natural Rubber,

Economy, Duck Safety Cuff.

Size: L

6800 Size: M-XXL

Knit Wrist, Jersey Lined. 6830

Size: L

6831 Knit Wrist, Fully Coated,

Jersey Lined. Size: L

6840 Rubberized Safety Cuff,

Jersey Lined. Size: L

Supported Neoprene/Vinyl





Memphis Black Jack® Size: L

Fully Coated, Multi-Dipped, Etched Rough Finish, Brushed Interlock Lining.

6944 14" Gauntlet, Foam Lining,

Protects to 600°F 12" Gauntlet,

Protects to 480°F



Size: L

Smooth Finish, Fully Coated, Brushed Interlock Lining, 31" Shoulder Length.
CE 3121.

6922 12" Gauntlet. Size: L
 6924 14" Gauntlet. Size: L
 6948 18" Gauntlet. Size: L

6912 Memphis Neomax[™] Sizes: S-XL Sandy Finish, Double Dipped, Brushed Interlock Lining, 12" Gauntlet. CE 2121.

6914 14" Gauntlet. Sizes: S-XL



Sizes: S-L

Textured Vinyl Coated, Whizzbang® Two-Piece Interlock Liner. CE 3121.

9891 Whizz-Knit Seamless Liner. Sizes: S-L

9892 Whizzbee Jersey Liner, Seams Out Pattern, Sizes: S-L

9894 Whizz-Knit II Seamless Knit Liner, Knit Wrist. Size: L

6962 Duoprene® Sizes: S-XL Sandy Finish, Double Dipped, Brushed Interlock Lining, 12" Gauntlet. CE 2121.

6964 14" Gauntlet. Size: L

9880

9800 Size: M-L Cut and Sewn Russet, Vinyl Impregnated on Soft Cotton Interlock Lining, Stretch, Slip-On Cuff.

9800J Size: XL
9810 Ladies' Size: S-L
9800BT 2.5" band top. Size: L
9811 Yellow, Stretch with
Russet Double Palm. Size: M-L
9850 Yellow, Non-stretch. Size: M-L

Cut and Sewn Vinyl Laminated, Garden Style Gloves, 2" Band Top.

9870 White, Nylon Back, Slip-On. Size: M-XL

9875 White, Nylon Back, Slip-On. Size: Ladies' S-L

9885 Blue, Slip-On. Size: S, L **9880Y** Yellow. Size: S, L

Blue. Size: S, L









6912

Disposables Nitrile





NitriShield® Color Fusion

Chlorinated, Textured Grip,

100 Gloves Per Dispenser,

10 Dispensers Per Case. 6010

6010G

60100

6010P

6010W

· Available in sizes S-XL

6010GY

4 mil Thickness, 9.5" Length,

Grades, Class 1 Medical Device,

3-in-1 - Industrial/Food Service/Medical

Blue

Grey

Pink

White

Green

Orange

Powder-Free Nitrile



NitriShield®

Nitrile, Industrial/Food Service Grade, Chlorinated, Textured Grip.

4 mil Thickness

100 Gloves Per Dispenser, 10 Dispensers Per Case.

6015 Powder-Free - Also in XXL

6020 Powdered

8 mil Thickness

50 Gloves Per Dispenser, 20 Dispensers Per Case

6025 Powdered

6030 Powder-Free - Also in XXL Powder-Free, 12" Length 6032



NitriShield Stealth®

Black Powder-Free Nitrile, Industrial/Food Service Grade, Textured Grip, Lightweight, High Dexterity, 100 Gloves Per Dispenser, 10 Dispensers Per Case.

6060 3 mil Thickness, Economy Grade

Also in XXL

NitriShield Stealth® Xtra 6062

6 mil Thickness, 12" Length.

Also in XXL



NitriMed™

Powder-Free Nitrile, Class 1 Medical Device, Chlorinated, Textured Grip, 100 Gloves Per Dispenser, 10 Dispensers Per Case.


6010 4 mil Thickness 6012 NitriMed™ Extra

6 mil Thickness, 12" Length.

Also in XXL

6010E 3 mil Thickness, Economy Grade





1 Slot *6062 Product Shown in Dispenser.



300 Acrylic Dispenser

3 Slots *5010 Product Shown in Dispenser.

All Disposable Offerings are Available in S-XL. XXL Noted.

DuraShield

Nitrile, Industrial/Food Service Grade, Industry Standard Thickness, Textured Grip, 100 Gloves Per Dispenser, 10 Dispensers Per Case.

6001 4 mil, Powder-Free Also in XS, XXL, XXXL

6002 4 mil, Powdered

6004 8 mil, Heavy Weight

Powder-Free

6005 8 mil, Heavy Weight Powdered

Food Service Favorite!

60011 3 mil, Economy Grade,

Powder-Free

New Softer Formulation. 3 mil, Economy Grade,

Powdered

60021



Disposables Latex / Vinyl / Polyethylene



Latex, Industrial/Food Service Grade, 100 Gloves Per Dispenser, 10 Dispensers Per Case

Powder-Free, Double Chlorinated, 5 mil Thickness

Smooth Grip 5055 5056 **Textured Grip**

Powdered, 5 mil Thickness

Smooth Grip 5060

Industry Standard Thickness

Powder-Free, Smooth Grip 5054 Powdered, Smooth Grip 5059 Food Service Favorite!



Med-Tech"

Powder-Free Latex, Class 1 Medical Device, Double Chlorinated, High Risk Blue, 12" Length, 50 Gloves Per Dispenser, 10 Dispensers Per Case

15 mil Thickness 5048 11 mil Thickness 5049*

*NFPA 2008 Certified



7010BK

7010BK VitriShield™

Vinvl/Nitrile Blend, Industrial/Food Service Grade, Powder-Free, 4 mil Thickness, Black with Aloe Coating, Rolled Cuff, 100 Gloves Per Dispenser, 10 Dispensers Per Case.

7010 VitriShield™

Vinyl/Nitrile Blend, Industrial/Food Service Grade, Powder-Free, Blue 4 mil Thickness, Rolled Cuff, 100 Gloves Per Dispenser, 10 Dispensers Per Case.



SensaGuard™ 5040 Food Service Favorite!

HDPE Polyethylene, Industrial/Food Service Grade, Reversible, Powder Free, Embossed Grip, 500 Gloves Per Dispenser,

20 Dispensers Per Case.

Vinyl, Industrial/Food Service Grade

Green, 6.5 mil Thickness, 100 Gloves Per Dispenser, 4 Dispensers Per Case.

5025 Powdered

Blue, 3 mil, Lightweight/High Dexterity, 100 Gloves Per Dispenser, 10 Dispensers Per Case.

5030 Powdered 5035 Powder-Free

Clear, 3 mil, Lightweight/High Dexterity, 100 Gloves Per Dispenser,

10 Dispensers Per Case.

5014 Powder-Free 5019 Powdered



All latex, vinyl, and polyethylene disposable glove component materials comply with relevant federal regulations for food contact.



Sensatouch™

Latex, Class 1 Medical Device, 5 mil Thickness, 100 Gloves Per Dispenser, 10 Dispensers Per Case

5045 Powder-Free, Double Chlorinated,

Textured Grip - also in XXL

5050 Powdered, Smooth Grip



Sensatouch™

Clear Vinyl, Class 1 Medical Device, 5 mil Thickness, 100 Gloves Per Dispenser, 10 Dispensers Per Case.

5000 Powdered 5010 Powder-Free

SensaGuard™

Clear Vinyl, Industrial/Food Service Grade, 5 mil Thickness, 100 Gloves Per Dispenser, 10 Dispensers Per Case.

5015 Powder-Free 5020 Powdered

Unsupported





Nitri-Chem™

5336S Size: 6, **5337S** Size: 7, **5338S** Size: 8, **5339S** Size: 9, **5330S** Size: 10, **5331S** Size: 11 18 mil, Flock-Lined Nitrile, 13" Length, Straight Cuff, Diamond Grip.


5316 Size: 6, **5317** Size: 7, **5318** Size: 8, **5319** Size: 9, **5320** Size: 10, **5321** Size: 11 15 mil, Flock-Lined Nitrile, 13" Length, Straight Cuff, Diamond Grip.

5317E Size: 7, **5318E** Size: 8 **5319E** Size: 9, **5320E** Size: 10, **5321E** Size: 11 Industry Standard, 15 mil, Flock-Lined Nitrile, 13" Length, Textured Grip, Poly Bag, 12 Pairs Per Bag.

5307 Size: 7, **5308** Size: 8, **5309** Size: 9, **5310** Size: 10, **5311** Size: 11 11 mil, Unlined Nitrile, 13" Length, Textured Grip, Bulk Packed, 12 Pairs Per Bag.

5307E Size: 7, **5308E** Size: 8 **5309E** Size: 9, **5310E** Size: 10, **5311E** Size: 11 Industry Standard, 11 mil, Unlined Nitrile, 13" Length, Textured Grip, Bulk Packed/12 Pairs Per Bag

5316U Size: 6, **5317U** Size: 7, **5318U** Size: 8, **5319U** Size: 9, **5320U** Size: 10, **5321U** Size: 11 15 mil, Unlined Nitrile, 13" Length, Straight Cuff, Diamond Grip.



5430 Sizes: S-XL 28 mil, Flock Lined Neoprene/Latex Blend, 12" Length, Straight Cuff.





INDUSTRY APPLICATIONS Nitrile

Heavy Duty Non-slip Grip, Straight Cuff, Poly Bagged in Pairs, Manufacturing Facility ISO9002 Certified, **C** € Certified.

Chem-Tech™

5406S Size: 6, **5407S** Size: 7, **5408S** Size: 8, **5409S** Size: 9, **5400S** Size: 10, **5401S** Size: 11 28 mil, Flock-Lined, Neoprene on Latex, 12" Length, Straight Cuff.

INDUSTRY APPLICATIONS Neoprene

Handling Automotive Parts, Metal Cleaning, Mechanical Applications



5410E Sizes: LE, ME, SE, XLE
20 mil, Industry Standard, Flock-Lined
Neoprene on Latex, Straight Cuff.

5430

5435 Size: S-XL 30 mil, Flock-Lined, Black Neoprene, Straight Cuff.

Premium Latex Canner, Amber Color, Rolled Cuff.

5110 18 mil. Sizes: S-XL5110T 10 mil. Sizes: S-XL

5500 Size: 10 ¹/₂

50 mil, Heavy Latex, Amber Color, Rolled Cuff.

• Extra Thick, High Quality Latex Provides a Tough Performer for Plywood, Lamination and Other Glue-related Applications.

554423L Size: L 44 mil, Unlined Black 100% Heavyweight Latex, Smooth Finish, 24" Length.



5409S

FLOCKED

Unsupported Latex / Butyl





Latex Canner, Amber Color

5170E Size: 7-7.5, 5180E Size: 8-8.5, 5190E Size: 9-9.5, 5199E Size: 10-10.5 18 mil, Unlined Latex, Canners Glove, Straight Cuff.

5070E Size: 7-7.5, 5080E Size: 8-8.5, **5090E** Size: 9-9.5, **5099E** Size: 10-10.5

Economy, 16 mil.

5171BE 14 mil, Unlined Chlorinated Latex, 12" Length, Canners Glove, Diamond Grip, Blue Color.

> CP14 MCR Guard™ Sizes: S-XL 14 mil. Smooth Finish Butyl. 14" Gauntlet, Rolled Cuff.

CP14R Rough Grip. Sizes: S-XL CP25

25 mil, Smooth Finish, 14" Gauntlet, Rolled Cuff. Sizes: S-XL

For protection from most hazardous chemicals and gases.



18 mil, Premium Latex Canner, Blue Color

5070B Size: 7-7.5, 5080B Size: 8-8.5, 5090B Size: 9-9.5, 5099B Size: 10-10.5

Dark Blue Color.

5170B Size: 7-7.5, 5180B Size: 8-8.5, 5190B Size: 9-9.5, 5199B Size: 10-10.5

Light Blue Color.


5170BE Size: 7-7.5, 5180BE Size: 8-8.5, 5190BE Size: 9-9.5, 5199BE Size: 10-10.5

Economy, 14 mil.




5270B Size: 7-7.5, 5280B Size: 8-8.5, 5290B Size: 9-9.5, 5299B Size: 10-10.5 12" Length.

5270PB Size: 7-7.5, 5280PB Size: 8-8.5, 5290PB Size: 9-9.5, 5299PB Size: 10-10.5 12" Length, Polybag Per Pair.



5270 Size: 7-7.5, 5280 Size: 8-8.5, 5290 Size: 9-9.5, 5299 Size: 10-10.5 13" Length.

5270P Size: 7-7.5, 5280P Size: 8-8.5, 5290P Size: 9-9.5, 5299P Size: 10-10.5 12" Length, Polybag Per Pair.



5255L Size: L 18 mil, 15" Length, Pebble Grip, Yellow. 5250 Size: S-XL 15 mil, 12" Length, Yellow. **5212Y** Size: S-XL

12 mil, 12" Length, Yellow. **5212B** Size: S-XL 12 mil, 12" Length, Blue.









String Knits



Cotton/Polyester Blend

7-Gauge Regular Weight

9500L White, Hemmed

Sizes: S-L

9600L White, Hemmed

Sizes: S-L

9500LB Black, Hemmed

Sizes: L. S

9500LM Natural, Hemmed

Sizes: XSM-XLM

9501LM Natural

Sizes: XSM-LM

9509LM Fingerless, Natural,

Sizes: SM, LM

9512G Pastel Green, Hemmed

Sizes: S-L

9635L Natural, Hemmed

Sizes: S-L

9636L Natural, Hemmed

Sizes: S-L

9636LM Natural

Sizes: SM-LM

9637LM Gray

Sizes: XSM, SM, LM

9638L Natural, Hemmed

Sizes: S-L

Heavy Weight

9506L Natural, Hemmed

Sizes: S-L

9506LB Black, Hemmed

Sizes: S, L

9507L Gray

Sizes: S-L

9507LM Gray

Sizes: SM, LM

9507LMH Gray, Hemmed

Sizes: S-L

Economy Weight

9634L Natural, Hemmed

Sizes: S-L

9637 Gray, Hemmed

Sizes: S-L

9639LM Gray. Sizes: SM-LM

10-Gauge

9610LB Black, Hemmed,

Sizes: S, L

9611LM Gray. Size: LM

13-Gauge

9612P Powder Pink, Hemmed

Sizes: XS-M









100% Stretch Nylon

9630LM 10-Gauge, White,

Sizes: SM, LM

9633LM 13-Gauge, White,

Sizes: XSM, SM, LM, XLM

100% Cotton

9510LM 7-Gauge, Natural,

Hemmed, Regular Weight,

Sizes: SM, MM, LM

9506LM 7-Gauge, Natural,

Hemmed, Heavy Weight,

Sizes: SM-LM

9638LM 7-Gauge, Natural,

Economy Weight

Sizes: SM, MM, LM, XLM

9610LM 10-Gauge, Natural

Sizes: SM, LM

9613LM 13-Gauge, Natural

Sizes: SM, LM

100% Polyester, 7-Gauge

9615LM White, Heavy Weight

Textured. Sizes: SM-XLM

9616LM White, Regular Weight

Sizes: XSM-LM

100% ACRYLIC, 7-GAUGE

9617LM Orange, Size: L

Multi-Color Assorted Blend

9642 Economy Weight

Sizes: S-L

9642LM Regular Weight

Sizes: SM-LM

9643LM Heavy Weight

Sizes: SM-LM

THERMASTAT™ One Size Fits All 10-Gauge, 100% DuPont® Thermastat™

9620 White 9622 Blue

Thermastat™, a hollow-core hydrophobic polyester fiber that traps air inside the fiber, keeping your hands warm. These fibers then move moisture away from your skin, keeping your hands dry.

 Industry applications include utilities, poultry and beef processing, refrigerated warehousing, commercial fishing, and commercial landscaping.



Cotton/Polyester Blend, 7-Gauge

Two-Sided PVC Dots Regular Weight

9660L White, Hemmed,

Fingertips Dipped.

Sizes: S, L

9660LM Natural. Sizes: XSM, SM, LM, XLM

9660LW Natural, White Dots*. Sizes: LW

9662LM Gray. Sizes: SM, LM

9508LM Natural, Fingerless. Sizes: SM, LM

9667L Natural, Hemmed,

Fingertips. Sizes: S, L

Pastel Green, Hemmed 9514G

Sizes: S-L

Economy Weight

9667LM Natural. Sizes: SM, LM

9668L Natural, Hemmed. Sizes: S, L

One-Sided PVC Dots Regular Weight

9506LD1 100% Cotton, Natural,

Hemmed. Sizes: S, L

White, Hemmed, 9650L

Fingertips Dipped.

Sizes: S. L.

9650LM Natural. Sizes: XSM, SM, LM

9657L Natural, Hemmed,

Fingertips. Sizes: S, L

9650LW Natural, White Dots.*

Sizes: SW, LW

Economy Weight

9657LM Natural, Hemmed.

Sizes: SM, LM

9658L Natural, Hemmed. Sizes: S, L

Blue PVC Blocks Regular Weight

9660LMB Two-Sided Blocks.

Sizes: S. L.

9650LMB One-Sided Blocks.

Sizes: S. L.

13-GAUGE

Two-Sided PVC Dots, Regular Weight

9614P

Powder Pink, Hemmed. Sizes: XS, S, M

100% Acrylic, 7-Gauge **Two-Sided PVC Dots** Regular Weight

9662

Hi-Vis Yellow. Sizes: S, L

9663

Hi-Vis Orange. Sizes: S, L

*Component materials comply with FDA regulations for food contact.











Honey Grip®

9675L Acrylic/Polyester. Sizes: S-XL

9675LM Cotton/Polyester

Heavy Weight. Sizes: SM-XLM

9670 Red Hare™ Sizes: S-L 10-Gauge, Nitrile Palm Coat, 100% Cotton Shell.

PVC Palm Coat

7-Gauge, Cotton/Polyester Blend Regular Weight.

9670LM Regular Style. Sizes: SM, LM 9679LM Fingerless. Sizes: SM, LM



Honey Grip® - Gray 9676LM Cotton/Polyester.

Sizes: MM-XLM

9677LM Fingerless. Sizes: MM-XLM



9614PH

Cotton/Polyester **Honevcomb Pattern**

7-Gauge, Pastel Green Shell. 9514GH Sizes: S-L

13-Gauge, Powder Pink Shell. 9614PH Sizes: XS-M



943 Sizes: M-XXXL

Orange Canvas Dotted Palm, 5mm Rubber Meta-carpal Padding Back of Hand and Knuckle Area, Reinforced Thumb and Forefinger Crotch, Knit Wrist.

943G Sizes: M-XXXL

Green Corded Double Palm, 5mm Rubber Meta-carpal Padding Back of Hand and Knuckle Area, Reinforced Thumb and Forefinger Crotch, Knit Wrist.

Knit Wrist

Nap-In Double Palm

9018 Cotton Blend, Knit Wrist. 9018C 100% Cotton, Knit Wrist. 9018CB 21/2" Band Top. 9018CD Corded, Knit Wrist. 9018CDPC Corded, Poly/Cotton,

Knit Wrist.

9018CR Red Knit Wrist. 9018CRPC Corded, Poly/Cotton,

Red Knit Wrist.

9018CDPCS Corded, Poly/Cotton,

Safety Cuff.

Nap-Out

9118B 2.5" Band Top. 9118G 5" Gauntlet. 9018CDPCR Corded, Poly/Cotton,

Red Knit Wrist.

100% Cotton, Knit Wrist, Nap-In Double Palm, Corded, Hi-Vis

9018CDO Orange. Size: L 9018CDY Green. Size: L Yellow. Size: L

Cotton Blend, Knit Wrist, Nap-In Double Palm, Corded, Hi-Vis 9018CDYBO Orange. Size: L 9018CDYBG Green. Size: L 9018CDYBY Yellow. Size: L

Dotted Double Palm Heavy Weight Hi-Vis Cotton Canvas With Knit Wrist, Clute Pattern, Straight Thumb.

9018DG Green. Size: L 9018DO Orange. Size: L 9018DY Yellow. Size: L

9018FRG Size: L

Flame Resistant, Hi-Vis Green Nap-in Double Palm, Knit Wrist, Tested in accordance to ASTM F1358-08 to meet ANSI/ISEA 105-2011.

9018FRO Hi-Vis Orange.

Size: L



Clute Pattern 8 oz. Cotton Canvas, Knit Wrist Straight Thumb

8100C Deluxe, White.

Size: L 8100 White. Size: L 8102 White. Size: S 81001 100% Cotton, Tan. Size: L

Tan. Size: L

Wing Thumb

8100P

8100A Cotton Blend

Knit Wrist. Size: L

8100B 2.5" Band Top.

Size: L

8100W Knit Wrist. Size: L

Reversible Pattern

8100R Knit Wrist. Size: L

Clute Pattern

Brown Jersey, Knit Wrist

7100 Size: L 7102 Size: S 7100D Size: L

7100P 100% Cotton.

Size: L

7100C Deluxe, Heavy

Weight. Size: L



Two Piece Reversible Natural Jersey, Knit Wrist

80001 Natural. Size: L 80021 Natural. Size: S 8010 Natural, Heavy Weight. Size: L

Reversible Jersey Knit Wrist, Straight Thumb 7100Rl Brown, Size: L

7102RI Brown. Size: S

Brown Jersey, Knit Wrist, Clute Pattern, Plastic Dots

7800 Dots. Size: L
 7802 Dots. Size: S
 7810 Mini Dots. Size: L
 7812 Mini Dots. Size: S

Gunn Pattern Red Fleece Lined, Brown Jersey, Slip-On Pattern,

Straight Thumb

7900 Brown. Size: L

Straight Thumb

8200 Knit Wrist. Size: L **8200B** 2.5" Band Top.

Size: L

8200G 4.5" Gauntlet Cuff.

Size: L

Wing Thumb

8200A Cotton Blend, Knit Wrist. Size: L 8200CD Corded, Knit Wrist.

Size: L

Clute Pattern Industry Heavy Weight 12 oz. Cotton Canvas Wing Thumb

8300A Cotton Blend, Knit Wrist, Size: L

Straight Thumb

8300 Knit Wrist. Size: L

8300C Premium,

Knit Wrist. Size: L

8 oz. Dotted Canvas, Knit Wrist

8808S Economy Weight, 7 oz.

Size: L

8808 Regular Weight. Size: L

8802 Regular Weight. Ladies Size: S

8800 Medium Weight.

Size: L

8800B Napped Canvas
Blaze Orange Dotted
Palm, Index Fingers

and Thumb. Size: I

Size: L

10 oz. Heavy Napped Canvas Dotted Palm, Index Fingers and Thumb

8800C Premium Quality. Size: L

Size:



Dotted Cotton Canvas
Knit Wrist, Clute Pattern
Straight Thumb
8 oz. Regular Weight
8808G Green. Size: L
8808O Orange. Size: L
8808Y Yellow. Size: L

Nylon Inspectors Reversible/Hemmed 100% Nylon, Low Lint

8700 Sizes: Men's M-XL 8710 Sizes: Ladies' S-L

Medium Weight 100% Stretch Nylon

8720 Sizes: Men's M-L 8730 Sizes: Ladies' S-L

Inspectors with Fourchettes, Reversible/Hemmed, 100% Stretch Nylon, Low Lint, Inset Thumb

8750 Regular Weight.

Size: S, L

8760 Heavy Weight.

Size: S, L

100% Stretch Polyester

8771 Regular Weight.

Size: S, L Heavy Weight.

Size: S, L

Inspectors Reversible/Unhemmed Blended Lisle

 8600
 Size: L

 8610
 Size: S

 100% Cotton Lisle

 8600C
 Size: L

 8610C
 Size: S

8781

8614C 14" Length. Size: L

Medium Weight Knit Lisle 100% Cotton

8620C Hemmed. Size: L 8621C Hemmed. Size: S

Heavy Weight 100% Cotton 8612C Size: L

8613C Ladies Size: L

Full Chore Style Quilted Palm and Back Knit Wrist

8526C Heavy Weight 8526 Regular Weight.

Size: L

Knit Wrist, Size: L

Canvas Back, Regular Weight

8516G 5" Plasticized, Gauntlet Cuff.

8516

Size: L

8516S 2.5" Safety Cuff.

Size: L



8808G, 8808O, 8808Y







Terry Cloth, Knit Wrist Reversible/Seamless Pattern Regular Weight

9400KM (18 oz.) Size: L 9401KM (18 oz.) Size: M 9402KM (18 oz.) Size: S 9405KM (20 oz.) Reinforced Thumb Crotch. Size: L

Heavy Weight

9403KM (24 oz.) Size: L

Continuous Knit Wrist, Loop-In 9411KM (22 oz.) Size: L

Regular Weight, Loop-In

9428KM (14 oz.) Gray. Size: L 9429KM (14 oz.) Gray. Size: S 9427KM (16 oz.) Grav. Size: L 9410KM (16 oz.) Natural. Size: L 9412KM (16 oz.) Natural. Size: S 9413KM (16 oz.) Gray. Size: L 9414KM (16 oz.) Gray. Size: S (16 oz.) Knit Wrist, 9408KM

Gray, Palm Coat.

Size: S

9416KM (16 oz.) Black. Size: S 9423KM (18 oz.) Size: L 9424KM (18 oz.) Size: S 9420KM (22 oz.) Gray. Size: L 9422KM (22 oz.) Gray. Size: S

Regular Weight

9475M (16 oz.) 15" Loop-Out Terrycloth Sleeve. 9478M (16 oz.) 18" Loop-Out

Terrycloth Sleeve.

Terry crotti Sieeve

Heavy Weight

9415KM

9426KM (20 oz.) Loop-In, Knit Wrist. Size: L

(24 oz.) Loop-out,

Terry, Gray. Size: L 9411KMC (22 oz.) Loop-In.

(22 oz.) Loop-In, Terry, Knit Wrist. Size: L

9400G (20 oz.) 4.5" Gauntlet Cuff.

Size: L

Light Weight, Grey, Loop-In, Continuous Knit Wrist 9425KM (14 oz.) Size: L

Hot Mill™ / Hotline™ / Red Brick®







9124KI Hot Mill[™] Size: L Knuckle Strap, 2.5" Band Top, Nap-in, Regular Weight.

 9124K
 2.5" Band Top.

 9124KIG
 4.5" Gauntlet Cuff.

 9124G
 4.5" Gauntlet Cuff.

 9124C
 2.5" Band Top

 100% Cotton Liner.

Economy Weight

9124 2.5" Band Top, Nap-in.

Heavy Weight, 100% Cotton 9128 28 oz. 2.5" Band Top. **9132** 32 oz. 2.5" Band Top.

Heavy Weight, Burlap-Lined 3-Ply, Knuckle Strap

9132G 5" Gauntlet Cuff. 9132K 2.5" Band Top. 9136K Premium Quality 2.5" Band Top. 9432G11 Hotline™ Size: L (32 oz.) Extra Heavy Weight Terrycloth, 11" Gauntlet, Clute Pattern and Straight Thumb.

9432P Extra Heavy Weight,

Double Layer U Shaped Pad, Slit at End. Size: L

9432SFR (32 oz.) Extra Heavy

Weight 18" Terry Sleeve, Loop Out, Elastic Top and Hemmed Bottom.





9432GFR Hotline™ Size: XL Flame Resistant to 450°F, 5" Gauntlet Cuff, Inset Thumb, Extra Heavy Weight (32 oz.), Lined and Quilted Throughout.



Heavy Weight Blue, Limited Flammability, 6" Gauntlet Duck Cuff.





9460K Red Brick® Size: L Protects to 600°F,

Heavy Loop-in Terry Cloth, 2-sided Nitrile Blocks.

9462K Size: S **2-Ply Heavy Weight 9450K** Size: L

9433 Hotline[™] Size: L Protects to 400°F

Extra Heavy Weight (32 oz.) Seamless Loop-Out Terry Cloth, Gunn Pattern, Knit Wrist, Black Stripe, Reversable.

9429

Protects to 250°F Heavy Weight (28 oz.) Size: L





Glove Accessories / Vending Gear







300 Acrylic Dispenser 3 Slots *5010 product shown in dispenser.



100 Acrylic Dispenser 1 Slot *6062 product

shown in dispenser.



8HCD - 8 Peg **Counter Display**



4HCD - 4 Peg **Counter Display**



GCO

Nylon Glove/Utility Clip Nickel Metal Clasp - Clip to Belt **Loop with Hook and Loop Closure** Black **GCB**

GCO Orange



UCDO **UCDB**

Utility Clips Dielectric - Clip to Clip UCDB Black **UCDO** Orange



Dielectric - Clip to Belt Loop UCDBB Black **UCDBO** Orange

This is Just a Sample of the Items Available for Use in Vend Packs for Vending Machine Use.

See the Product Listing for the Complete List of All Vend Packaged Safety Gear.



T3118B



9680VP



SURVL



9673VP



CLMOP



Things to Consider When Choosing a Lens

- Protective eyewear is available in a variety of tinted lenses as well as clear. These tints are not merely decorative, but are designed to enhance the workers vision under various lighting conditions.
- The amount of visible light that passes through each lens and how the lens tint affects vision are important factors in lens selection.
- Luminous (light) transmission, amount of visible light passing through a medium (a lens in this case) is important. The American National Standards Institute (ANSI) provides guidelines for clear and filter plano (non-prescription) lenses in its Z87.1-2015 edition.
- For instance, the luminous transmission of a clear lens must be between 85% and 100%.
- All Crews and U.S. Safety styles absorb 99.9% of UV radiation.
- Noted styles also meet Military MIL-PRF-31013 Test Regiment for High Velocity Impact Protection.

Lens Coatings

- · Duramass® Hard Coat—Our standard scratch resistant coating
- Duramass® Anti-Fog Coat—Our standard anti-fog coating
- MAX3[™] Hard Coat—Three times the scratch resistance than traditional coatings for US Safety Glasses
- MAX6™ Anti-Fog Coat—Six times the anti-fog properties than traditional coatings for US Safety Glasses
- BossMan[™]—High quality mirror lens coating for US Safety Glasses (Includes Duramass® Lens Coatings)

Anti-Fog Coating

- Duramass® AF and MAX6™ coatings provide anti-fog, antistatic, anti-scratch, and 99.9% UV prevention.
- To be used in high humidity environments, hot or cold weather, or where sudden shifts in temperature occur.
- · Provides excellent fog preventing properties.

Clear

- 90% of light is transmitted the remainder of light is blocked by the coating on the lens.
- · Provide excellent optics for general applications.
- Most popular lens because it allows the majority of light to pass through the lens while not distorting the visible color spectrum.
- General purpose providing maximum impact protection and maximum visibility.

Amber

- 80% of light transmitted.
- Excellent for maximum contrast enhancement, particularly in low light situations.
- The amber lens color blocks virtually all blue light to reduce haze and glare making all blue look black or gray.
- The disadvantage is that when you eliminate blue light, you distort color recognition.

Light Blue

- 68% of light transmitted.
- Option to Indoor/Outdoor lens.
- · Reduces glare from artificial light such as halogen and fluorescent.

Orange

- 57% of light is transmitted.
- Reduces eye fatigue by absorbing blue and green light.
- Excellent for indoor and low light applications; cloudy or hazy days.
- Enhances visual contrast to improve depth perception.

Vermilion

- 55% of light transmitted.
- This lens reduces the light proportional to the way your eye sees it. It reduces all colors equally allowing for optimum color recognition.
- It works to reduce brightness while maintaining color.

• Great for electricians, computer applications as well as outdoors where all color must be observed and not distorted.

Indoor/Outdoor Clear Mirror

- 36% of light is transmitted.
- · Clear lens with a mirrored coating on the outside.
- Allows more visible light through than other tinted lenses and may be used indoors.
- Best for workers going inside to outside, like forklift drivers, for reducing glare from artificial light such as halogen and florescent. Lens is not transitional.

Brown

- 13% of light transmitted
- Distinguishes color while reducing glare and brightness for outdoor applications. Meets the traffic signal recognition requirements of ANSI Z80.3.
- Commonly used in construction or outdoors where sunlight and glare cause eyestrain and fatigue.

Gray

- 13% of light transmitted.
- · Reduces the amount of light that passes through the lens.
- Commonly used in construction or outdoors where sunlight and glare cause eyestrain and fatigue.

Polarized

- 13% of light transmitted.
- Reduction of reflected light (glare).
- · Improves optical clarity.
- · Enhances contrast and depth perception.
- · Minimizes eye fatigue.



Mirror - Silver, Blue, Fire, Emerald, Black, and Blue Diamond

- 9%-13% of light is transmitted.
- · Gray lens with mirrored coating on the outside.
- Commonly used in construction or outdoors where sunlight and glare cause eyestrain and fatigue.
- The "mirror" coating reflects light reducing the amount of light that passes through the lens.

Filter Shade Lens

- Filter shades lenses protect against ultraviolet and infrared radiation that is generated when working with molten metal and in welding, cutting, soldering, and brazing operations.
- Filter shades are marked with a number on the lens indicating the shade number.
- · Available in Green or Gray lens options.
- Gray Infrared (IR) filters for true color recognition.
- · Gray Filter 3.0 lens 12% of light is transmitted.
- Gray Filter 5.0 lens 2% of light is transmitted.
- · Green Filter 2.0 lens 30% of light is transmitted.
- Green Filter 3.0 lens 12% of light is transmitted.
- · Green Filter 5.0 lens 2% of light is transmitted.

Welding Filter Shade Section Operation Recommended Filter Shade Torch Soldering 2 Torch Brazing, Soldering 3 Light Cutting up to 1"* 3 Medium Cutting 1" to 6"* 5 Heavy Cutting more than 6"* 5 Gas Welding, light, up to 1/8"* 5 Gas Welding, medium, 1/8" to 1/2"* 5 *Indicates thickness of material to be cut.

 MCR Safety recognizes that these are general definitions and recommends you should always consult with your safety director at the facility where the products are to be used to insure the proper application.







U.S. Safety glasses are designed to provide solution-based eyewear protection. This brand is distinguished with application based, stylish design elements and superior coatings for work and play.

Our Superior Coatings Include: MAX3™, MAX6™ and BossMan™.



- · Superior Hard Coating Provides 3 Times More Scratch Resistance than Competitive Offerings.
- · Abrasion Resistance up to 600g Weight Without Scratching (current industry performance is 200g).
- · Passes EN166 K Mark Test for Scratch/Abrasion.

BossMan™ Silver Mirror Lens



- · Superior Anti-Fog Coating Provides 6 Times Better Anti-Fog Performance than Competitive Offerings.
- In Extreme Fogging Conditions, MAX6[™] Remains Clear or Fogs for No More Than 10 Seconds, While Current Industry AF Offerings Take 60 Seconds or Longer To Dissipate.
- · Passes EN166 N Mark Test for Anti-Fog.





MAX6™ Demo

View the Superior Anti-Fog Properties of Our New MAX6™ Coating.

Backdraft®

- · Frameless Design, Inner TPR Side Shields, Soft Nose Pad
 - **BD110P** BD110PF
 - BD112P
 - BD112PF
- **BD117 BD119**
- Clear **MAX3**™ Scratch Resistant Coating Clear **MAX6**™ Anti-Fog Coating Gray **MAX3**™ Scratch Resistant Coating Gray **MAX6**™ Anti-Fog Coating BossMan™ Silver Mirror
 - BossMan[™] Indoor-Outdoor Clear Mirror

DM122R



Dominator[™] **DM2**

- Co-Injected Wire Core Adjustable TPR Nose Pad
- · Co-Injected Impact Absorbing Brow Guard and Temples

Black Frame, Gray TPR

- DM1210P Clear MAX3[™] Scratch Resistant Coating DM1210PF Clear MAX6[™] Anti-Fog Coating DM1212P Gray MAX3[™] Scratch Resistant Coating DM1212PF Gray MAX3[™] Anti-Fog Coating DM1212PF Gray MAX3[™] Anti-Fog Coating Coating DM121PF Gray MAX3[™] Anti-Fog Coati

- DM1219 BossMan™ Indoor-Outdoor Clear Mirror DM1218B BossMan™ Blue Diamond Mirror

Black Frame, Red TPR

- OM1220P Clear MAX3™ Scratch Resistant Coating
- DM1220PF Clear MAX6™ Anti-Fog Coating
 DM1222P Gray MAX3™ Scratch Resistant Coating
 DM1222PF Gray MAX6™ Anti-Fog Coating
- BossMan[™] Indoor-Outdoor Clear Mirror BossMan[™] Fire Mirror DM1229
- **DM122R**







Dominator™ DM3

Dominator[™] **DM3**

- · Co-Injected Wire Core Adjustable TPR Nose Pad
- · Co-injected Soft Wire Core Adjustable TPR Temples

Gun Metal Color Frame, Red TPR

- DM1310P Clear MAX3™ Scratch Resistant Coating
- Clear MAX6™ Anti-Fog Coating DM1310PF
- Gray **MAX3**™ Scratch Resistant Coating Gray **MAX6**™ Anti-Fog Coating DM1312P
- DM1312PF
- BossMan[™] Indoor-Outdoor Clear Mirror BossMan[™] Fire Mirror BossMan[™] Fire Mirror **Polarized DM1319**
- **DM131R** DM131RZ

Clear Frame, Blue TPR

- DM1320PF Clear MAX6™ Anti-Fog Coating
- Gray **MAX6**™ Anti-Fog Coating DM1322PF
- Light Blue MAX6™ Anti-Fog Coating DM1323PF BossMan™ Indoor-Outdoor Clear Mirror **DM1329**
- BossMan™ Blue Diamond Mirror DM1328B
- DM1328BZ BossMan™ Blue Diamond Mirror Polarized

Black Frame, Black TPR

- DM1330PF Clear MAX6™ Anti-Fog Coating
 DM1332PF Gray MAX6™ Anti-Fog Coating
 DM1334PF Amber MAX6™ Anti-Fog Coating
- BossMan™ Black Mirror
- DM1337B DM1337BZ BossMan™ Black Mirror Polarized

Yellow Frame, Blue TPR

- DM1340PF Clear MAX6™ Anti-Fog Coating
- BossMan[™] Blue Diamond Mirror DM1348B

Dominator™ DM3 Magnifier

Tortoise Frame, Tan TPR Clear MAX6™ Anti-Fog Coating

- DM13H10PF +1.0 Diopter DM13H15PF +1.5 Diopter DM13H20PF +2.0 Diopter DM13H25PF +2.5 Diopter

Tortoise Frame, Tan TPR Brown MAX6™ Anti-Fog Coating

- DM13H10BPF +1.0 Diopter DM13H15BPF
- DM13H20BPF +2.0 Diopter

DM13H25BPF +2.5 Diopter

Hornet DX1®

- · Replaceable Vented Hypo-Allergenic Closed Cell Foam Gasket
- · Removable Elastic Strap

Black Frame, Grav TPR

- O HDX110AF Clear Anti-Fog Coating
- Clear MAX6™ Anti-Fog Coating HDX110PF
- HDX112AF
- Gray Anti-Fog Coating Gray MAX6™ Anti-Fog Coating HDX112PF **HDXGASKET** Removable Foam Lined Gasket
 - **HDXSTRAP** Spoggle Strap **HDXINSERT** RX Insert

HDXGASKET



HDXINSERT

&Strap







Hornet DX1®





U.S. Safety Glasses









Pantera® PN3

- · Closed Cell Foam Brow Guard, Clear Down Front
- PN1310PF* 6 Base Clear MAX6™ Anti-Fog Coating



Sand Viper®

· Vented EVA Hypo-Allergenic Closed Cell Foam Seal, Interchangeable Head Band





Sand Viper®

SV110AF Clear Anti-Fog Coating Gray Anti-Fog Coating SV112AF SV118AF Blue Mirror Anti-Fog Coating

Sand Viper® Magnifier

Clear

SVH15AF 1.5 Diopter, Clear Anti-Fog Coating SVH20AF 2.0 Diopter, Clear Anti-Fog Coating SVH25AF 2.5 Diopter, Clear Anti-Fog Coating





Inter-changeable Temples and Headband included with each pair.

Solaris

· Soft Vented Closed Cell Foam Brow Pad

SO110 Clear SO112 Gray

SO117 Silver Mirror

Indoor/Outdoor Clear Mirror SO119

Green Filter 3.0 SO1130



SO119 Indoor/Outdoor Clear Mirror Lens



GRAVIT

FEED BOX



USS Defense®

USS Defense®

- · Cutting Edge Military Ballistic Full Frame
- · Co-Injected TPR Temples and Nose Pads

Translucent Dark Blue Frame, Gray TPR

→ UD120P Clear MAX3™ Scratch Resistant Coating

Clear MAX6™ Anti-Fog Coating UD120PF

Gray MAX3™ Scratch Resistant Coating UD122P

Gray MAX6™ Anti-Fog Coating UD122PF

UD129

UD128B

Bossman[™] Indoor-Outdoor Clear Mirror Bossman[™] Blue Diamond Mirror BossMan[™] Blue Diamond Mirror **Polarized** UD128BZ

Black Frame with Closed Cell Foam Lining, Black TPR

UD210PF Clear **MAX6**[™] Coating Gray MAX6™ Coating UD212PF

UD217 Bossman™ Silver Mirror UD219AF Bossman™ I/O Clear Mirror Anti-Fog

New Gray Infrared (IR) Filters for True Color Recognition

· Stylish IR Option

· Also available on Crews VL, and Law

UD2130G Gray Filter 3.0 UD2150G Gray Filter 5.0





BossMan™ Blue Diamond Mirror Polarized Lens

Gun Metal Color Frame, Gray TPR

UD110P Clear MAX3™ Scratch Resistant Coating

UD110PF Clear MAX6™ Anti-Fog Coating

UD112PF Gray MAX6™ Anti-Fog Coating

UD112PF Gray MAX6™ Anti-Fog Coating

Bossman™ Indoor-Outdoor Clear Mirror **UD119**

UD11R Bossman™ Fire Mirror

BossMan™ Fire Mirror Polarized **UD11RZ**

Crews Glasses





BearKat®

· Single Lens, Universal Nose Bridge, TPR Sleeves

BK010* Clear Uncoated

→ BK110* Clear

BK110AF Clear Anti-FogBK012 Gray Uncoated

BK112 Gray

BK112AF Gray Anti-FogBK113 Light Blue

BK114 Amber
BK116 Orange

BK117 Silver Mirror
BK118 Blue Mirror

BK119 Indoor/Outdoor Clear Mirror

BearKat® Magnifier

Clear			Gray	
	BKH10*	+1.0 Diopter	◯ BKH10G	+1.0 Diopter
	BKH15*	+1.5 Diopter	─ BKH15G	+1.5 Diopter
	BKH20*	+2.0 Diopter	○ BKH20G	+2.0 Diopter
\bigcirc	BKH25	+2.5 Diopter	○ BKH25G	+2.5 Diopter

BearKat® Soft Nose Pad



BearKat® Soft Nose Pad

· Single Lens, Soft TPR Nose Pads, TPR Sleeves

BK310* Clear

BK310AF Clear Anti-Fog

BK312 Gray

BK312AF Gray Anti-Fog
BK313 Light Blue
BK314 Amber

BK317 Silver MirrorBK318 Blue Mirror

BK319 Indoor/Outdoor Clear Mirror

BearKat® Small Frame



BearKat® Small Frame

• 17% Smaller than BearKat®

BK210* Small Clear
BK212 Small Gray
BK213 Small Light Blue
BK219 Small Indoor/Outdoor Clear Mirror

BK220* Small Pink temples Clear

BK222 Small Pink temples Gray

BK229 Small Pink temples Indoor/Outdoor

Clear Mirror



Blackjack

· Wraparound Lens, Metal Alloy Hybrid Temples

S2110 Clear

S2110AF Clear Anti-Fog

S2112 Gray

S2112AF Gray Anti-Fog **S2117** Silver Mirror

S2119 Indoor/Outdoor Clear Mirror

S21130 Green Filter 3.0 S21150 Green Filter 5.0

Blackjack Elite

· Slim Design, 15% Smaller than Blackjack

S2210 Clear

S2210AF Clear Anti-Fog

S2212 Grav

Indoor/Outdoor Clear Mirror **S2219**

DIELECTRIC



BlackKat® **BL112** Gray Lens

BlackKat®

· Featherweight, 24% Lighter, Only 22 Grams (compared to an average 29 grams)

BL010 Clear Uncoated

BL110 Clear BL112 Grav

BL119 Indoor/Outdoor Clear Mirror

Checklite

· Single Lens, Spatula Temples

○ CL010* Clear Uncoated

Clear Uncoated, 12 Pair Dispenser

CL010D*
CL110D* Clear

Clear, 12 Pair Dispenser

Clear Anti-Fog CL110AF

CL012 Gray Uncoated CL112

Gray with Smoke Temples CL112AF Gray Anti-Fog with Smoke Temples

CL113 Light Blue with Lt. Blue Temples CL114 Amber with Amber Temples

Silver Mirror with Smoke Temples CL117 Blue Mirror with Smoke Temples **CL118**

CL119 Indoor/Outdoor Clear Mirror

with Clear Temples

Checklite Mini

· 12% Smaller than Checklite

CL210 Small Clear

CL212 Small Gray with Smoke Temples

Checklite Foam

· Closed Cell Foam Lining

CL310AF Clear Anti-Fog

CL312AF Gray Anti-Fog with Smoke Temples Indoor/Outdoor Clear Mirror Anti-Fog CL319AF

with Clear Temples





Gray Anti-Fog Lens with Smoke Temples





Checkmate®

· Single Lens, Bayonet Temples

CK100 Clear Uncoated

CK110 Clear

CK110AF Clear Anti-Fog

CK112 Gray **CK114** Amber

CK117 Silver Mirror **CK118** Blue Mirror

CK119 Indoor/Outdoor Clear Mirror

Checkmate® Soft Nose Pad



Checkmate® Soft Nose Pad

· Bayonet Temples, Non-Slip Grips and Nose Piece

Clear Temple

CK210 Clear

CK210AF Clear Anti-Fog

Smoke Temple

CK212 Gray

Gray Anti-Fog CK212AF

Yellow Nosepiece and Temple Sleeves

CK220 Clear **CK224** Amber

CK22Y Banana Yellow Mirror

Indoor/Outdoor Clear Mirror Anti-Fog CK229Y

Light Blue Temple

CK233 Light Blue

Crews CR2



Crews CR2

· Ladies Full Frame Design, No TPR to Pull Hair

Black/Clear Frame

CR1210 Clear

CR1212 Gray

CR1219 Indoor/Outdoor Clear Mirror

Tortoise Frame with Diamond Studs

CR1220 Clear

CR1222 Gray

Indoor/Outdoor Clear Mirror **CR1229**

CR122B Brown

Crews CT931



Crews CT931

· Single Lens, Black Spatula Temples

CT93110 Clear

CT93110AF Clear Anti-Fog

CT93112 Gray

CT93112AF Gray Anti-Fog

CT93119 Indoor/Outdoor Clear Mirror



Crews CT932

· Modern Telescoping, Ratchet Temples

CT93210 Clear

CT93210AF Clear Anti-Fog

CT93212 Gray

CT93212AF Gray Anti-Fog

CT93214 Amber

CT93218B Blue Diamond Mirror

CT93219 Indoor/Outdoor Clear Mirror

Crews CT937

· Wraparound, Ultra-Lightweight Design, Close Orbital Seal

Black Frame

CT93710 ClearCT93712 GrayCT93714 Amber

CT93718B Blue Diamond Mirror

CT93719 Indoor/Outdoor Clear Mirror

Blue Frame

CT93728B Blue Diamond Mirror

CT93729 Indoor/Outdoor Clear Mirror

Red Frame

CT93730 Clear

CT93738B Blue Diamond Mirror

CT93739 Indoor/Outdoor Clear Mirror

Silver Frame

CT93740 Clear

CT93749 Indoor/Outdoor Clear Mirror





Crews VL

 Athletic Design, Streamlined 5-Point Ratcheting Bayonet Temples

Black Frame, Black TPR Temples

VL110 Clear Lens, Clear Nosepiece

VL110AF Clear Anti-Fog Lens, Clear Nosepiece

VL112 Gray Lens, Black Nosepiece

VL112AF Gray Anti-Fog Lens, Black Nosepiece
VL113 Light Blue Lens, Clear Nosepiece
VL114 Amber Lens, Clear Nosepiece

VL117 Silver Mirror Lens, Black Nosepiece
 VL119 I/O Clear Mirror Lens, Clear Nosepiece

Red/White/Navy Blue Frame, Red TPR Temples

VL120 Clear Lens, Clear Nosepiece

VL120AF Clear Anti-Fog Lens, Clear Nosepiece

VL122 Gray Lens, Black Nosepiece

VL122AF Gray Anti-Fog Lens, Black Nosepiece
 VL127 Silver Mirror Lens, Black Nosepiece
 VL129 Indoor-Outdoor Clear Mirror Lens,

Clear Nosepiece

Black Frame, Black TPR

· New Gray Infrared (IR) Filters for True Color Recognition

· Stylish IR Option

· Also available on USS Defense®, and Law

VL1130G Gray Filter 3.0 VL1150G Gray Filter 5.0





Crews Glasses





Dallas®

· Famous Market Design, Full TPR Temples

Polished Black Frame

0	DL110	Clear
---	-------	-------

DL110AF Clear Anti-Fog

DL112 Gray

DL112AF Gray Anti-Fog **DL113** Light Blue

DL114 Amber **DL116** Orange

Silver Mirror **DL117 DL118B** Blue Diamond Mirror

DL119AF Indoor/Outdoor Clear Mirror Anti-Fog

Green Filter 3.0 **DL1130 DL1150** Green Filter 5.0









Nuclear Orange Frame

DL210AF Clear Anti-Fog DL212AF Gray Anti-Fog DL217 Silver Mirror

DL219AF Indoor/Outdoor Clear Mirror Anti-Fog



Metallic Blue Frame

DL310AF Clear Anti-Fog DL312AF Gray Anti-Fog

DL318B Blue Diamond Mirror

DL319AF Indoor/Outdoor Clear Mirror Anti-Fog



Digital Camo Frame

DL410 Clear Anti-Fog DL412 Gray Anti-Fog



Dallas® Magnifier

· Famous Style Combined with Excellent Fit and Comfort

Dallas® Magnifier Clear With Polished Black Frame

DLH10 +1.0 Diopter

DLH15 +1.5 Diopter DLH20 +2.0 Diopter

DLH25 +2.5 Diopter Dallas® Magnifier Gray With Polished Black Frame

DLH10G +1.0 Diopter

DLH15G +1.5 Diopter
DLH20G +2.0 Diopter

○ DLH25G +2.5 Diopter

Desperado®



Desperado®

· Unique Single Wrap Around Dual Focus Lens

Black Frame

DS110 Clear

> DS110AF Clear Anti-Fog

DS112 Gray

DS119 Indoor/Outdoor Clear Mirror

Silver Frame

DS149 DS14R

Indoor/Outdoor Clear Mirror

Fire Mirror







ForceFlex® with Full Frame

ForceFlex® with Full Frame

· Patented Multi-Injected Lens with Flexible TPU Full Frame Allows the Frame to Flex and Fit Large to Small Faces

· Patented Multi-Injected Lens with Flexible TPU Half Frame Allows the Frame to Flex and Fit Large to Small Faces

Black Frame

Black Frame

FF210

FF212

FF214

FF220

FF222

FF232

FF120 Clear FF122 Grav FF124 Amber

FF128B Blue Diamond Mirror

ForceFlex® with Half Frame

Clear

Gray

Clear

Gray

Gray

Translucent Brown Frame

Translucent Yellow Frame

Amber

Translucent Orange Frame

FF132 Gray FF137 Silver Mirror





GRAVITY FEED BOX

Frame Options



ForceFlex® with Half Frame



to see the Ballistic Impact Testing



Scan the QR code





ForceFlex® Next Generation

· Patented Multi-Injected Lens with Flexible TPU Full Frame Allows the Frame to Flex and Fit Large to Small Faces

Black Frame, Black TPR

○ FF310AF Clear Anti-Fog Gray Anti-Fog Lens FF312AF Silver Mirror FF317 Fire Mirror FF31R

FF318B Blue Diamond Mirror

FF319AF Indoor/Outdoor Clear Mirror Anti-Fog

Blue/White Frame, White TPR

○ FF320AF Clear Anti-Fog FF322AF Gray Anti-Fog FF327 Silver Mirror Blue Diamond Mirror FF328B

ForceFlex® Next Generation



Crews Glasses





HellKat®

· Great Orbital Coverage, TPR Nose Pads and Temple Inserts

Lens/Temple/TPR Color

HK110 Clear/Clear/Red

HK110AF Clear Anti-Fog/Clear/Red

HK112 Gray/Smoke/Red

HK112AF Gray Anti-Fog/Smoke/Red
HK113 Light Blue/Light Blue/Black
HK114 Amber/Amber/Black
Silver Mirror/Smoke/Red

HK118 Blue Diamond Mirror/Smoke/Black

HK119 Indoor-Outdoor

Clear Mirror/Clear/Red



Hellion®

• Extended Brow Guard and Side Panels, TPR Nose Pad

Black Frame/Black TPR

HL110AF Clear Anti-Fog

HL112AF Gray Anti-Fog

HL119AF Indoor/Outdoor Clear Mirror Anti-Fog



Black Frame/Green TPR

HL120AF Clear Anti-Fog

HL122AF Gray Anti-Fog



Inertia[®]

Unique Flarefit Temple Design, Lightweight PC Frame

Black Frame

IA110 Clear

IA110AF Clear Anti-Fog

IA112 Gray

IA112AF Gray Anti-Fog

IA119 Indoor/Outdoor Clear Mirror

Silver Frame

☐ IA120AF Clear Anti-Fog☐ IA122AF Gray Anti-Fog

Gray Anti-Fog
Blue Diamond Mirror

● IA128B

White Frame

☐ IA130AF☐ IA132AF

Clear Anti-Fog Gray Anti-Fog

■ IA138B Blu

Blue Diamond Mirror



Klondike®

· Telescoping Temples, Soft Nose Piece

Black Frame

Clear

○ KD110AF Clear Anti-Fog

C KD112 Gray

KD112AF Gray Anti-Fog
KD113 Light Blue
KD114 Amber

KD114AF Amber Anti-Fog

KD116 OrangeKD117 Silver Mirror

KD119 Indoor/Outdoor Clear Mirror

KD119AF Indoor/Outdoor Clear Mirror Anti-Fog

KD11B Brown

Blue Frame

Clear

Klondike® Lite

· Matte Black Frame, Fixed Temples, Soft Nose Piece

KD410 ClearKD412 Gray

Klondike® Metal

· Lightweight Metal Frame, Spring Hinge Temples

Metal Frame

KD210 Clear
KD212 Gray
KD213 Light Blue

KD219 Indoor/Outdoor Clear Mirror

Klondike® Plus

• Telescoping and Ratchet Temples, Soft Nose Piece

Plus Black Frame

Clear

KD310AF Clear Anti-Fog

Caray Gray

KD312AF Gray Anti-FogKD313 Light BlueKD314 Amber

KD319 Indoor/Outdoor Clear Mirror

KD319AF Indoor/Outdoor Clear Mirror Anti-Fog
KDRX Prescription Insert for Klondike Plus

(KD3) Series Frame Options

Klondike® Plus Magnifier

Plus Black Frame

K3H10 +1.0 Diopter Clear

K3H15 +1.5 Diopter Clear K3H20 +2.0 Diopter Clear K3H25 +2.5 Diopter Clear K3H10G +1.0 Diopter Gray K3H15G +1.5 Diopter Gray K3H20G +2.0 Diopter Gray K3H25G +2.5 Diopter Gray

+1.5 Diopter Amber +2.0 Diopter Amber KD110
Clear Lens



Klondike® Plus



All Klondike Plus® safety glasses feature 5-position, ratchet-action temples and telescoping temples for maximum adjustability, comfort, and fit





Law® Series, Soft Nose Pads



Law® Series, Soft Nose Pads

• Single Lens, Non-Slip Temple Inserts, TPR Nose Pads

LW210 Clear

LW210AF Clear Anti-Fog

LW212 Gray

LW212AF Gray Anti-Fog LW213 Light Blue LW214 Amber

LW217 Silver MirrorLW218 Blue Mirror

LW219 Indoor/Outdoor Clear Mirror

LW2120 Green Filter 2.0 Green Filter 3.0

LW2150 Green Filter 5.0

· New Gray Infrared (IR) Filters for True Color Recognition

· Stylish IR Option

Also available on Crews VL and USS Defense®

LW2130G Gray Filter 3.0

LW2150G Gray Filter 5.0



Law[®] Series, Foam Seal



Law® Series, Foam Seal

- · Single Lens, Open Cell Foam Lining
- LW310AF Clear Anti-Fog
- LW312AF Gray Anti-Fog

Law® Series OTG "Over the Glass"



Law® Series OTG "Over the Glass"

- Nylon Frame, 5 Position Ratchet Temples for Over Rx Frame Use
- OG110AF Clear Anti-Fog
- OG112AF Gray Anti-Fog







Mossy Oak® Dallas®

· Forrest Floor Camo Pattern Frame, Great for Shooting

MODL110 Clear
MODL112 Gray
MODL114 Amber
MODL117 Silver Mirror

MODL119AF Indoor/Outdoor Clear Mirror Anti-Fog

Mossy Oak® Dallas®

Mossy Oak® Storm





Mossy Oak® is a registered trademark of Haas Outdoors, Inc. and is used with permission.

Mossy Oak® Storm

· Forrest Floor Camo Pattern, 5 Position Ratchet Temples

M0110 Clear
M0112 Gray
M0114 Amber
M0117 Silver Mirror

MO119 Indoor/Outdoor Clear Mirror

MO11B Brown
WO11V Vermillion

MO11V Vermillion Lens

Rattler®

· Closed Cell Foam Seal Gasket, Ratchet Temples

Black Frame

RT110AF Clear Anti-Fog
RT112AF Gray Anti-Fog
RT114AF Amber Anti-Fog

Silver Frame

RT120AF Clear Anti-Fog
RT122AF Gray Anti-Fog

RT129AF Indoor/Outdoor Clear Mirror Anti-Fog

Rattler® Magnifier

Individually Boxed

RTH10AF +1.0 Diopter
RTH15AF +1.5 Diopter
RTH20AF +2.0 Diopter

RTH25AF +2.5 Diopter



+1.0 Diopter Lens

Inter-changeable Temples and Headband included with each pair.

GRAVIT

Rattler®





Reaper® Glasses with Temples





Reaper® Glasses with Temples

· Perfect Fit With or Without Foam Gasket

Safety Glass Version

RP210AF	Clear Anti-Fog
	Grav Anti-Fog

RP218B Blue Diamond Mirror

RP219AF Indoor/Outdoor Clear Mirror Anti-Fog

RP21R Fire Mirror
RP2120 Green Filter 2.0
RP2130 Green Filter 3.0
RP2150 Green Filter 5.0

RPGASKET Removable Foam Gasket

RPGASKET

Removable Foam Gasket

All Reaper® goggles and safety glasses feature removable closed cell foam gaskets for maximum comfort, orbital seal and fit.

Rubicon® with Metal Temples







Rubicon® with Metal Temples

- · Frameless Lens, Bayonet Metal Temples with Spring Hinge
- · Great to Wear with Hard Hats

T4110AF Clear Anti-Fog
T4112AF Gray Anti-Fog
Light Blue

T411G Emerald Mirror T411R Fire Mirror





Shock

RP218B

Blue Diamond Mirror Lens



Shock

• Dual Color Axis Design, TPR Nose Pads and Temples

Onyx/Graphite Gray Frame

SH110AF Clear Anti-Fog
SH112AF Gray Anti-Fog Lens
SH118B Blue Diamond Mirror

Trans Blue/Silver Frame

SH120AF Clear Anti-Fog

Chameleon/Clear Chrome Frame

SH130AF Clear Anti-Fog
SH13G Emerald Mirror

Crimson/Stone Frame

SH140AF Clear Anti-FogSH14R Fire Mirror

Carbon/Silver Frame

SH152AF Gray Anti-Fog



Storm®

• 5 Position Ratchet Temples, Non-Slip Grips

Black Frame

ST110 Clear

ST110AF Clear Anti-Fog

ST112 Gray

ST112AF Gray Anti-Fog

ST114 Amber

ST117 Silver Mirror

ST119 Indoor/Outdoor Clear Mirror

ST11V Vermillion
 ST1130 Green Filter 3.0
 ST1150 Green Filter 5.0

Navy Frame

ST120 Clear

Red Frame

ST130 Clear







Swagger®

Swagger®

• Wider Coinjected TPR Temple Design for More Coverage

Black Frame

SR110 Clear SR112 Gray

SR112Z Gray Polarized

SR114 Amber

SR117 Silver Mirror

SR118B Blue Diamond Mirror

SR119AF Indoor/Outdoor Clear Mirror Anti-Fog

SR11R Fire Mirror

White Frame

SR120 Clear

SR122AF Gray Anti-Fog
SR127 Silver Mirror

SR128B Blue Diamond Mirror

Red Frame

SR130 Clear

SR132AF Gray Anti-Fog
SR137 Silver Mirror
SR13R Fire Mirror

Clear Frame

SR140AF Clear Anti-Fog Black TPR Temples
SR142AF Gray Anti-Fog Black TPR Temples
SR148B Blue Diamond Mirror Blue TPR Temples

SR14R Fire Mirror Red TPR Temples













Tribal® with Assorted Frames · Sleek Dual Lens, Non-Slip Temple Sleeves

and Nose Pads



Graphite Frame With Vent

- TB110AF Clear Anti-Fog
- TB112AF Gray Anti-Fog
- **TB112AFZ** Gray Anti-Fog Polarized*
- Emerald Mirror **TB11G** TB113AF Light Blue Anti-Fog
- * Does not pass Military Impact Protection



Champagne Frame With Vent

TB120AF TB12R

Clear Anti-Fog Fire Mirror



Graphite Frame With Red Tribal® Pattern TB13R Fire Mirror



TB148B Blue Diamond Mirror

Triwear™ with Assorted Frames

Anti-Fog & T1148B Blue Diamond Mirror Lens Detachable Cord

Triwear™ with Assorted Frames

· Hybrid Temple Design, Non-Slip Sleeves and Nose Piece

Onyx Frame

- T1110AF Clear Anti-Fog
- T1112AF Gray Anti-Fog Lens
- Indoor/Outdoor Clear Mirror Anti-Fog T1119AF
- T111R Fire Mirror T11130 Green Filter 3.0 T11150 Green Filter 5.0

Steel Color Frame

- T1140AF Clear Anti-Fog
- Gray Anti-Fog Lens T1142AF T1148B Blue Diamond Mirror
- **Emerald Mirror** T114G
- T114R Fire Mirror

Metal With Platinum Frame

- T3110AF Clear Anti-Fog T3112AF Gray Anti-Fog Lens
- Blue Diamond Mirror T3118B
- T3119AF Indoor/Outdoor Clear Mirror Anti-Fog
- T311R Fire Mirror



Yukon®

- · Visitor Spec, Vented Side Shields, OTG
 - 9800 Clear Uncoated, Bulk Packed
- 9800B 12pr 9800, Boxed
- 9800D 12pr 9800 in Dispenser Box
- Clear, Bulk Packed 9810
- 9810B 12pr 9810, Boxed
- 98120 Green Filter 2.0
- 98150 Green Filter 5.0

Yukon® XL

- 9800XL Clear Uncoated, Bulk Packed
- 9800XLB 9800XL, Boxed
- 9800XLD 12pr 9800XL, in Dispenser Box
- 9810XL Clear, Bulk Packed
- 9810XLB 9810XL, Boxed
- 9810XLD 12pr 9810XL in Dispenser Box

T311R

Fire Mirror Lens









Hydroblast®

Hydroblast®

· 7 Point Ratchet Strap Hinge, Super Soft TPR Seal, Tested for Chemical Splash, OTG

Indirect Vented with Elastic Strap

HB1210AF Clear Anti-Fog
HB1210PF Clear MAX6™ Anti-Fog Coating
HB1212AF Gray Anti-Fog

→ HB1212PF Gray MAX6™ Anti-Fog Coating

Indirect Vented with Rubber Strap

○ HB1220AF Clear Anti-Fog

→ HB1220PF Clear MAX6™ Anti-Fog Coating

─ HB1222AF Gray Anti-Fog

─ HB1222PF Gray MAX6[™] Anti-Fog Coating









Predator® PD2

Predator® PD2

· 7 Point Ratchet Strap Hinge, Open Cell Foam Seal, Tested for Dust Protection, OTG

PD1210AF Clear Anti-Fog

PD1210PF Clear MAX6™ Anti-Fog Coating

PD1212AF Gray Anti-Fog

PD1212PF Gray MAX6™ Anti-Fog Coating









Sand Viper®

Sand Viper®

· Vented EVA Hypo-Allergenic Closed Cell Foam Seal, Interchangeable Head Band

SV110AF Clear Anti-Fog Coating SV112AF **Gray Anti-Fog Coating** SV118AF Blue Mirror Anti-Fog Coating

Inter-changeable Temples and Headband included with each pair.



Sand Viper® Magnifier

Clear

1.5 Diopter, Clear Anti-Fog Coating SVH15AF SVH20AF 2.0 Diopter, Clear Anti-Fog Coating SVH25AF 2.5 Diopter, Clear Anti-Fog Coating



Crews Goggles



Cambridge





Cambridge

- · Strong Design, Indirect Vented
- CM110AF Clear Anti-Fog, Elastic StrapCM110AFN Clear Anti-Fog, Neoprene Strap

ForceFlex®







ForceFlex®

- Injected Molded TPR Gray Frame, Black PVC Gasket,
 3 Point Ratcheting Temples, Ventless
- FFG110AF Clear Anti-Fog, Elastic Strap
 FFG112AF Gray Anti-Fog, Elastic Strap

GX1™



DIELECTRIC

GX1™

- Softest Goggle Offering, Wide Peripheral View, Indirect Vented, OTG
- GX110AF Clear Anti-Fog, Silicone Strap
 - GX112AF Gray Anti-Fog, Silicone Strap



PGX1

• Elite Design, Liquid Diversion Channel, Indirect Vented, OTG

With Elastic Strap

PGX110AF Clear Anti-Fog
PGX112AF Gray Anti-Fog

With TPR Strap

PGX120AF Clear Anti-Fog

PGX122AF Gray Anti-Fog



GRAVITY

BOX

DIELECTRIC

RT110AF

Clear Anti-Fog



Rattler®

 Closed Cell Foam Seal Gasket, Ratchet Temples

Black Frame

RT110AF Clear Anti-Fog
RT112AF Gray Anti-Fog
RT114AF Amber Anti-Fog

Silver Frame

RT120AF Clear Anti-FogRT122AF Gray Anti-Fog

RT122AF Gray Anti-FogRT129AF Indoor/Outdoor Clear Mirror Anti-Fog

Rattler® Magnifier

· Individually Boxed

RTH10AF +1.0 Diopter
RTH15AF +1.5 Diopter

RTH20AF +2.0 Diopter

RTH20AF +2.0 Diopter

RTH25AF +2.5 Diopter

RTH10AF +1.0 Diopter Lens Anti-Fog

Inter-changeable Temples and Headband included with each pair.

GRAVITY FEED BOX

Reaper®

· Removable Closed Cell Foam Gasket

RP110AF Clear Anti-Fog
RP112AF Gray Anti-Fog
RP117 Silver Mirror
RP118B Blue Diamond Mirror

RP119AF Indoor/Outdoor Clear Mirror Anti-Fog

RPGASKET Removable Foam Gasket



RPGASKET Removable Foam Gasket

All Reaper® goggles and safety glasses feature removable closed cell foam gaskets for maximum comfort, orbital seal and fit.

Reaper®

Rattler®







Standard Goggle

· Economy Grade

Perforated Goggles, Direct Vented

- 2120 Clear, Small Size with Elastic Strap2220 Clear, Regular Size with Elastic Strap
- 2220R Clear with Rubber Strap
- 2225R2225RBClear Anti-Fog with Rubber StrapClear Anti-Fog with Rubber Strap, Boxed

Chemical Goggles, Indirect Vented

- 2230R Clear with Rubber Strap
- 2230RBClear with Rubber Strap, BoxedClear Anti-Fog with Rubber Strap
 - 2235RB Clear Anti-Fog with Rubber Strap, Boxed

Ventless Goggles

2237R Clear Anti-Fog with Rubber Strap



Stryker[™]

- · Mid Grade Goggles, Indirect Vent
- 2310AF Clear Anti-Fog with Rubber Strap
- 2312AF Gray Anti-Fog with Rubber Strap
- 2320AF Clear Anti-Fog with Elastic Strap
 Gray Anti-Fog with Elastic Strap

Verdict®





Verdict®

- · Optional Foam Lining, Indirect Ventilation
- 2400 Clear with Elastic Strap
- 2400F Clear with Foam Lining with Elastic Strap
- 2410 Clear Anti-Fog with Elastic Strap
- 2410B Clear Anti-Fog, Boxed with Elastic Strap2410F Clear Anti-Fog with Foam Lining
 - and Elastic Strap
- 2410NF Clear Anti-Fog with Foam Lining
 - and Neoprene Strap



Double Matrix

483000

Double Matrix

483000 Polycarbonate Head Gear, Ratchet Suspension.

483CAP Double Matrix With Cap Attachment without

Suspension, for Slotted Hard Hats.

489999 Cap Attachment Only for Matrix and Double

Cap Attachment Only for Matrix and Double Matrix, for Slotted Hard Hats.

Single Matrix

482000 Polycarbonate Frame Material,

Ratchet Suspension.

482CAP Cap Attachment Less Suspension,

for Slotted Hard Hats.

Single Matrix



ValuGard

462000 Head Gear With Ratchet Suspension.




U.S. Safety Head Gear



Double Matrix Face Shields



Single Matrix Face Shields



ValuGard Face Shields



Head Gear / Face Shield Combos



Head Gear / Face Shield Combos

4830440 Double Matrix Head Gear (483000)
with Double Matrix Clear Acetate Visor (494400).

48205400 Single Matrix Head Gear (482000)
with Single Matrix Clear Acetate Visor (485400).

48205420 Single Matrix Head Gear (482000)
with Single Matrix Green Acetate Visor (485420).

482000HAM Single Matrix Head Gear (482000)
with Single Matrix Clear PETG Visor (486400).

462000HAM ValuGard Head Gear (462000)

with ValuGard Clear PETG Visor (486500).



101

Dielectric Nylon Head Gear Bracket for Hardhat, Shown with Face Shield 181542.

....

Aluminum Rim Head Gear Bracket for Hardhat, Shown with Face Shield 181541.

Economy Black Aluminum Face Shield Bracket for Hardhat.

Head Gear Brackets



Ratchet Take-Up Head Gear, Shown with Face Shield 181640.

XO Skeleton®

Features and Benefits:

- Head Gear with integrated one piece molded PC face shield providing better optical quality
- Z87+, AS/NZS 1337.1 compliant
- Face shield's curvature on sides and underneath chin providing optimum protection
- Duramass® hardcoating to reduce scratching after repeated use
- Ratchet action adjustment with terrycloth sweatband to provide both a precise fit and maximum comfort
- · Retail packaging



104 Head Gear with Integrated Clear Face Shield.

XO Skeleton®



105 Head Gear with Integrated Gray Face Shield.

Head Gear / Face Shield Combos

Head Gear / Face Shield Combos

103540 Ratchet Take-Up Head Gear (103)

with Clear Polycarbonate Visor (181540E)

103560 Ratchet Take-Up Head Gear (103)

with Clear Polycarbonate Visor (181560)

103640 Ratchet Take-Up Head Gear (103)

with Clear PETG Visor (181640)

103640





Crews Face Shields



Crews Visors are designed to fit Crews Head Gear Brackets (101), (102) (102E) and (103) located on page 91



O 101640 PETG Clear Universal Visor 10" X 15.5", .040" thick, Sold by qty of 25.



○ 181640A PETG Clear Universal Visor 8" X 16", .040" thick, 181640 Aluminum bound for adjustability. Sold by qty of 25.



181640 PETG Clear Universal Visor 8" X 16", .040" thick, Sold by qty of 25.



Clear Universal Visor 8" X 16", .040" thick, with 1" Hook and Loop Strip. Sold by qty of 25.



181540 POLYCARBONATE Clear Universal Visor 8" X 15.5", .040" thick, Sold by qty of 25.



○ 181540E POLYCARBONATE Economy Clear Universal Visor 8" X 15.5", .040" thick, Sold by qty of 25.



181560 POLYCARBONATE
Clear Universal Visor
8" X 15.5", .060" thick,
Sold by qty of 25.



102040 PETG
Clear Universal Visor
10" X 20", .040" thick,
Sold by qty of 25.



181541 POLYCARBONATE Medium Green Universal Visor 8" X 15.5", .040" thick, Sold by qty of 25.



181542 POLYCARBONATE
Dark Green Universal Visor
8" X 15.5", .040" thick,
Sold by qty of 25.



102040PC
POLYCARBONATE
Clear Universal Visor
10" X 20", .040" thick,
Sold by qty of 25.





U.S. Safety Accessories



2612 Black Case with Clip Flap Over Snap.



2625 Black Open End Vinyl Case (Extra-Large) with Pocket Clip.



5967 Black Open End Vinyl Case For Eyewear with or without Sideshields.



208USS Black Satin Eyeglass Bag Holds 1 Pair of Glasses. Excellent for Lens Cleaning.




205 Black Eyeglass BagDrawstring Top, Eyeglass bag for RX or Plano Styles



6979 Black Eyewear Retainer Leash for Small Temples.6980 for Medium-Large Temples.







212	Elastic Spoggle Strap
214	Break-Away Cord
215C	Snakeskin Cord with Foam Insert
215N	Neoprene Strap with Crews Logo
215 216	Black Deluxe Cord Blue Deluxe Cord

Badge Holders

BD-2 Black Breakaway Style with Deluxe Clip.

BD-4 Retractable Badge Holder with Deluxe Clip.

BD-MCR Black Lanyard with Crews Logo Repeated.



Lens Care



LCS1 Lens Cleaning Station Contains: 2 boxes of 300 tissues; one 8-oz. bottle of anti-fog, anti-static cleaning spray. 6 boxes per case.



LCS2 Lens Cleaning Station Contains: 4 boxes of 300 tissues; one 16-oz. bottle of anti-fog, anti-static cleaning spray. 4 boxes per case.



LCT
Anti-Static, Anti-Fog
Cleaning Towelettes
100 individually packaged
towelettes per box,
10 boxes per case.



Fog Buster Anti-Fog 2 Step Lens Treatment System 10 individually packaged applications per box, 15 boxes per case.

Crews Cases / Bags

200 Eyeglass Case Black vinyl. Belt clip on back.



Eyeglass Case Black vinyl. Hook and loop closure on flap, belt clip on back.



LFT

204
Eyeglass Case
Holds 1 pair of
glasses and
2 replacement
lenses. Web belt
loops on back.
hook and loop
closure.



Eyeglass Case
Large black
vinyl eyeglass
case with
zipper closure
and belt loops
on back.



207
Hard Shell Eyeglass Case
Crush-proof case with padded interior lining and handy clip attachment.



CREWS GLAGSES An Mich Selecty Branet

208
Black Satin Eyeglass Bag
Holds 1 pair of glasses.
Excellent for lens cleaning.







Gravity Feed Box

When you see this lcon beside the glasses in this catalog it represents the retail packaging available for these products.



ESC₁₀

10 Pair Eyewear Sample Case Perfect for Show Displays and Sales Travel Display Only.

Glasses not included.



ESC₁₆

16 Pair Eyewear Sample Case Perfect for Show Displays and Sales Travel Display Only.

Glasses not included.



ED12 12 Unit Rotating Counter Display

Holds 12 pair of eyewear. Displays 6 pair on each side. White tower with clear acrylic shelves and full length mirror, mounted on a rotating base. Glasses not included.



ESC-10 10 Unit Sample Case with Foam Inserts.

Glasses not included.

ESC-6 6-Unit Sample Case with Crews Logo

Not Shown. Glasses not included.



GAD27CWS Crews Brand Rotating Tower Display

27 Pair Display, 3 Sides, 9 Pair Per Side Glasses not included.

GAD27USS U.S.Safety Brand Rotating Tower Display

27 Pair Display, 3 Sides, 9 Pair Per Side Glasses not included.



BAD6 6-Unit Black Flat Acrylic Counter Display

Display Only. Glasses, labels, and stickers not included.



ED7C Crews® Eyewear Counter Display

Holds 7 pair of eyewear. Clear acrylic tower with black cap and base, Crews® label and mirror.

Glasses not included.

BAD6PEG 6-Unit Black Flat Acrylic Counter Display

Display Only. Glasses, labels, and stickers not included.





Rainwear Style Number Guide

1st and 2nd Numbers

- 02 .02mm Polyethylene
- 04 .10mm PVC
- 05 .10mm PVC
- 07 .20mm PVC
- 20 .35mm PVC/Polyester
- 22 .35mm PVC/Polyester Jacket with Zipper Front
- 23 .32mm PVC/Polyester
- .35mm PVC/Polyester Jacket with Corduroy Collar
- 26 .35mm PVC/Polyester 60" Ridercoat and 2603 Suit
- 29 .35mm PVC/Polyester
- 30 .28mm PVC/Nylon/PVC, LFR
- 34 .28mm PVC/Nylon/PVC with Corduroy Collar, LFR
- 36 .28mm PVC/Nylon/PVC 60" Ridercoat, LFR
- .42mm PVC/Hi Tensile Polyester/PVC, LFR
- .42mm PVC/Hi Tensile Polyester/PVC, LFR 3981 Only 39 -
- 39 .28mm PVC/Nylon/PVC, LFR
- 40 .35mm PVC/Wavelock Nylon/PVC, LFR
- 50 .16mm Polyester/Polyurethane
- 51 .40mm Polyurethane/Cotton Polyester
- 55 .22mm Nylon/Polyurethane, LFR
- .35mm Polyester/PU/Polyester
- .40mm PVC/Non-Woven Polyester/Nylon Lining 60 -
- .18mm PVC/Nylon 70 -
- .35mm Neoprene/Nylon, LFR
- .35mm Neoprene/Nylon w/ Hook and Loop Closure, LFR

Limited Flammability - Tested in Accordance with ASTM D6413 Test Method.



Flame Resistant - Tested in Accordance with ASTM F1506 Test Method.

3rd Number

- 0 Yellowo
- 1 Flat Orange, or Fluorescent Orange
- 2 Clear O
- 3 Blue
- 4 Red
- 7 Black
- 8 Olive Green, Kelly Green, or Lime Green

4th Number

- 0 Poncho (3 digit style #'s)
- 1 1 Piece Coverall
- 2 2 Piece Suit
- 3 3 Piece Suit
- BF Bib Style Pants w/ No Fly
- BP Bib Style Pants w/ Fly
- C 49" Raincoat w/ Detachable Hood
- CH 49" Raincoat w/ Attached Hood
- CN 49" Raincoat w/ No Hood
- J Jacket w/ Detachable Hood
- JH Jacket w/ Attached Hood
- JN Jacket w/ No Hood
- PW Waist Pants
- R Reflective
- SR Silver Reflective

Specialty Items: Insulated jackets/pants/vest. Part number not reflected in number guide. Variable thickness because of insulation.


	Men's		Ladies	
Sizing is Denoted	Jacket	Pants	Jacket	Pants
S - Small	34 - 36	28 - 30	6 - 8	10 - 12
M - Medium	38 - 40	32 - 34	10 - 12	14 - 16
L - Large	42 - 44	36 - 38	14 - 16	18 - 20
XL - Extra large	46 - 48	40 - 42	18 - 20	22 - 24
X2 - XX Large	50 - 52	44 - 46	22 - 24	26 - 28
X3 - XXX Large	54 - 56	48 - 50	26 - 28	30 - 32
X4 - XXXX Large	58 - 60	52 - 54	30 - 32	34 - 36
X5 - XXXXX Large	62 - 64	56 - 58	24 - 36	38 - 40
X6 - XXXXXX Large	66 - 68	60 - 62	38 - 40	42 - 44
X7 - XXXXXXX Large	70 - 72	64 - 66	42 - 44	46 - 48

How to Measure:

For Chest / Bust Size - Measure just under the arms and across the broadest part of the chest area. Hold tape firm and level.

Waist - Measure around waist, over shirt (not over pants) at the height you normally wear pants.





Max Comfort™ FR GEAR





Custom Patchwork

Options Available

On All Garments

- Lifetime FR Guarantee
- All Products Meet Category HRC2/CAT2
- NFPA 2112 and NFPA 70E UL Certified Garments
- OSHA 29 CFR 1910.269

Target Industries Include:

· Arc Flash · Chemical Plants · Combustible Dust

Commercial Construction • Electrical • Flash Fire • Oil and Gas
 Page of Mills - Retreated - Refine view - Utility Westward

• Paper Mills • Petrochemical • Refineries • Utility Workers



S1 Work Shirt

6.5 oz. FR Max Comfort™ 88% Cotton/12% Nylon ATPV 9.5 cal/cm² (HRC2/CAT2)* Sizes:

Regular M-X4 Tall M-X4

Available Colors

Gray (G)
Navy Blue (N)

Tan (T)

Features

- Extended Tail
- Major Seams Double (2 Needle)
 Reinforced Nomex Stitching

P1

Relaxed Fit Jeans

14.75 oz. FR Max Comfort™ 100% Cotton Denim ATPV 20.0 cal/cm² (HRC2/CAT2)* Sizes:

Waist 28" to 50"/ Length 30" to 36"

Color

Indigo Blue (D)

Features

 Major Seams Double (2 Needle) Reinforced Nomex Stitching

CC1

Contractor Coverall

7 oz. FR Max Comfort™
100% Cotton
ATPV 9.3 cal/cm² (HRC2/CAT2)*
Sizes: See Chart

Available Colors

Gray (G)
Navy Blue (N)
Red (R)
Royal Blue (B)

Tan (T)

Features

- Two 3/4" Bi-Swing Back Gussets
- Major Seams Double (2 Needle) Reinforced Nomex Stitching
- 2 Front Pockets, One with Pen Pocket
- 2 Back Pockets, Plus Tool Pocket on Right Leg
- Elastic Back



7 oz. FR Max Comfort™ 88% Cotton/12% Nylon ATPV 9.3 cal/cm² (HRC2/CAT2)* Sizes: See Chart

Available Colors



Common Features of the DC1R and DC1 Deluxe Coveralls

- Two 1 1/2" Bi-Swing Back Gussets
- Major Seams Triple (3 Needle) Reinforced Nomex Stitching
- 2 Front Flap Snap Pockets, One with Pen Pocket
- 2 Back Pockets, One with Snap
- · Elastic Back

DC1 Deluxe Coverall

7 oz. FR Max Comfort™ 88% Cotton/12% Nylon ATPV 9.3 cal/cm² (HRC2/CAT2)* Sizes: See Chart

Available Colors



Coverall Sizes:			
Chest	Length		
34"to 60"	Regular		
36"to 66"	Tall		





Available Colors

Navy Blue (N)



*ATPV = Arc Thermal Performance Value HRC = Hazard Risk Category, CAT = Category

- Lifetime FR Guarantee
- **All Products Meet Category** HRC2/CAT2 or HRC3/CAT3
- NFPA 2112 and NFPA 70E **UL Certified Garments**
- OSHA 29 CFR 1910.269



DC3 **Deluxe Insulated Coverall**

7.5 oz. Max Comfort™ 88% Cotton/12% Nylon Water Repellent Outer Shell 11.5 oz. Quilted FR Modacrylic Lining ATPV 35 cal/cm2 (HRC3/CAT3)* Sizes:

Regular S-X5 Tall L-X5

Color

Navy Blue (N)



Insulated Bib Overall

7.5 oz. Max Comfort™ 88% Cotton/12% Nylon Water Repellent Outer Shell 11.5 oz. Quilted FR Modacrylic Lining ATPV 35 cal/cm2 (HRC3/CAT3)* Regular S-X5

Tall L-X5

Available Colors

Gray (G)

Navy Blue (N)



BP4 Insulated Bib Overall

12 oz. Max Comfort™ 100% Cotton Canvas Water Repellent Outer Shell 11.5 oz. Quilted FR Modacrylic Lining ATPV 38 cal/cm2 (HRC3/CAT3)* Sizes: Regular S-X5

Tall L-X5

Tan-Duck (T)





FR







PK3 Insulated **Moderate Climate Parka**

7.5 oz. Max Comfort™ 88% Cotton/12% Nylon Water Repellent Outer Shell 11.5 oz. Quilted FR Modacrylic Lining ATPV 35 cal/cm2 (HRC3/CAT3)* Sizes:

Regular S-X5

Tall L-X5

Available Colors

Gray (G) Navy Blue (N)

B3

Insulated Bomber Jacket

7.5 oz. Max Comfort™ 88% Cotton/12% Nylon Water Repellent Outer Shell 11.5 oz. Quilted FR Modacrylic Lining ATPV 35 cal/cm2 (HRC3/CAT3)* Sizes:

Regular S-X5

Tall L-X5

Color

Navy Blue (N)

Long Sleeve Henley

7 oz. Max Comfort™ 100% Cotton ATPV 9.6 cal/cm2 (HRC2/CAT2)* Sizes:

Regular S-X5

Available Colors

Gray (G)

Navy Blue (N) Tan (T)

SS₁ **Hooded Sweatshirt**

12 oz. Max Comfort™ 100% Cotton Interlock Fleece Shell ATPV 18 cal/cm² (HRC2/CAT2)* Sizes:

Regular S-X5

Color

Navy Blue (N)

SS2 **Hooded Sweatshirt Pullover**

12 oz. Max Comfort™ 100% Cotton Interlock Fleece Shell ATPV 18 cal/cm2 (HRC2/CAT2)*

Sizes: Regular S-X5

Color

Black (BK)

Max Comfort[™] FR GEAR





- Lifetime FR Guarantee
- Max Comfort Outer Shell Fabrics Meets the Requirement of:
- NFPA 2112 and NFPA 70E
- CAN/CGSB 155.20-2000
- CAN/CSA Z96-09 CLASS 1/LEVEL FR
- CAN/CGSB 155.22-97, OSHA 29 CFR 1910.269

Target Industries Include:

Arc Flash · Chemical Plants · Combustible Dust
 Commercial Construction · Electrical · Flash Fire · Oil and Gas

· Paper Mills · Petrochemical · Refineries · Utility Workers





FR Gear Flame Test

View the Flame Test Method Demo

DC4 Non-Insulated Deluxe Coverall with X

Garment is UL Certified to CAN/CGSB 155.20-2000.
9 oz. Max Comfort™
88% Cotton/12% Nylon
ATPV 11.7 cal/cm² (HRC2/CAT2)*

Sizes: See Chart

Color

Royal Blue (B)

Sizes:			
Length			
Regular			
Tall			



ATPV 38 cal/cm² (HRC3/CAT3)* Sizes: Regular S-X5 Tall L-X5

Color

Royal Blue (B)



BP5 Insulated Extreme Climate Bib Overall

9 oz. Max Comfort™
88% Cotton/12% Nylon
11.5 oz. Quilted
FR Modacrylic Lining
3 oz. Wind and Vapor Barrier
ATPV 38 cal/cm² (HRC3/CAT3)*
Sizes:
Regular S-X5

Tall L-X5

Royal Blue (B)



9 oz. Max Comfort™ 88% Cotton/12% Nylon 11.5 oz. Quilted FR Modacrylic Lining 3 oz. Wind and Vapor Barrier ATPV 38 cal/cm² (HRC3/CAT3)* Sizes:

Regular S-X5 Tall L-X5

Color

Royal Blue (B)



FR Gear Display

FRPOP Components include: 2-Grid Walls 3-Shelves 1-Hanging Bar 1-Base 1-Waterfall Signage

Stock Patches Available



USA and State Flags 3.5" by 2" American: \$1.30 State: \$1.90



Custom Patch Program

	Patch Size		
Quantity	3"	4"	
50	\$3.40	\$4.00	
100	\$2.50	\$3.00	
200	\$2.20	\$2.50	
500	\$1.80	\$2.05	
1000	\$1.70	\$1.90	
2000	\$1.60	\$1.85	

Calculate patch size dimensions by adding length + height, then divide by 2, rounded up to the nearest whole number.

Patch prices include up to 7 colors of thread.

Size Examples





Flame Resistant Hi-Vis







This Icon denotes that these garments have been certified Flame Resistant. Garments are tested in Accordance with ASTM F1506 Electrical Arc Standard, meet NFPA 70E Standard for Electrical Safety in the Workplace, and rainwear meets ASTM F1891 Specification for Arc and Flame Resistance.



BJ38JH Big Jake Jacket

Sizes: M-X5
Class 3, Flame Resistant,
Tested in Accordance
with ASTM F1891,
PVC/Nomex® Rain Jacket
with D-Ring Access,

HRC2/CAT2, ATPV 8.9 cal/cm2.



BJ38BP Big Jake Bib Pants

Sizes: M-X5
Class E, Flame Resistant,
Tested in Accordance
with ASTM F1891,
PVC/Nomex® Rain Pant,
HRC2/CAT2
ATPV 8.9 cal/cm2.





FRMCL2ML Sizes: M-X4

Class 2, Flame Resistant, Tested in Accordance with ASTM F1506 Electrical Arc Standard. Meets NFPA 70E Standard for Electrical Safety in the Workplace. Arc Rating: 5.1 cal/cm2. Mesh Modacrylic/Aramid Blend, Inherently FR, 2" Reflexite® Flame Resistant Reflective Material. Look and Feel of Cotton, D-Ring Access. Fluorescent Lime.



FRMBCL2L Sizes: M-X4

Class 2, Flame Resistant, Tested in Accordance with ASTM F1506 Electrical Arc Standard. Meets NFPA 70E Standard for Electrical Safety in the Workplace. Arc Rating: 5.4 cal/cm2. Woven Modacrylic/Aramid Blend, Inherently FR, 2" Reflexite® Flame Resistant Reflective Material. Look and Feel of Cotton, 5-Point Break-Away, Hook and Loop Front Closure, Fluorescent Lime.



FRMCL2L Sizes: M-X4

Class 2, Flame Resistant, Tested in Accordance with ASTM F1506 Electrical Arc Standard. Meets NFPA 70E Standard for Electrical Safety in the Workplace. Arc Rating: 5.4 cal/cm2. Woven Modacrylic/Aramid Blend, Inherently FR, 2" Reflexite® Flame Resistant Reflective Material. Look and Feel of Cotton, D-Ring Access. Fluorescent Lime.

Hi-Vis ANSI Class 3 Jackets





SSCL3LZ Hoodie Sizes: M-X5 Class 3, Luminator™, Polyester Lime/Black Hoodie, Zipper Front, Attached Drawstring Hood, Hand Warmer Pockets, 2" Silver Reflective Stripes.




BBCL3L Insulated Bomber Jacket Sizes: L-X4 Class 3, Two Tone Bomber Jacket, Insulated and Water Resistant, Fluorescent Lime/Black, 2" Silver Reflective Stripes.

VBBCL3L Value Bomber Jacket Sizes: S-X5
Class 3, Two Tone Value Bomber Jacket, Insulated and Water
Resistant, Fluorescent Lime/Black, 2" Silver Reflective Stripes.



BMRCL3L Insulated Jacket Sizes: L-X4 Class 3, Luminator™, Hi-Vis Insulated Jacket, Attached Drawstring Hood, Fluorescent Lime, 2" Silver Reflective Stripes.





BPCL3L 4-in-1 Insulated Bomber Jacket Sizes: L-X4 Class 3, Luminator™, 4-in-1 Insulated Bomber Jacket, Zip Out Liner, Zip Off Outer Sleeves, 2" White Reflective Stripes.



BRCL3L Reversible Bomber Jacket Sizes: M-X5 Class 3, Luminator™, Reversible Bomber Jacket, Fluorescent Lime to Black, PU/Cotton Polyester Material, Attached Hide-Away Hood, Teflon Treated on Fluorescent Lime Side, 2″ Silver Reflective Stripes.



BP2CL3O Insulated Bomber Jacket Sizes: M-X5 Class 3, Luminator™, 2-in-1 Bomber Jacket with Removable Zip Out Fleece Liner, PU/Cotton Polyester Material, Attached Hide-Away Hood, 2" Silver Reflective Stripes.

Hi-Vis ANSI Class 3 Suits



598SJH Jacket

Sizes: M-X4 Class 3, Luminator™, Breathable Polyester/PU Jacket, Fluorescent Lime/Black, 2" White Reflective Stripes.



598SPW Pants

Sizes: M-X4 Class E, Luminator™, Breathable Polyester/PU Elastic Pant, Fluorescent Lime/Black, 2" White Reflective Stripes.





598RJH Jacket

Sizes: M-X4 Class 3, Luminator™, Breathable Polyester/PU Jacket, Fluorescent Lime, 2" White Reflective Stripes.



598RPW Pants

Sizes: M-X4
Class E, Luminator™,
Breathable Polyester/
PU Elastic Pant,
Fluorescent
Lime, 2" White
Reflective Stripes.





591SJH Jacket

Sizes: M-X4
Class 3, Luminator™,
Breathable Polyester/PU
Jacket, Fluorescent
Orange/Black, 2" Silver
Reflective Stripes.



591SPW Pants

Sizes: M-X4 Class E, Luminator™, Breathable Polyester/PU Elastic Pant, Fluorescent Orange/Black, 2" Silver Reflective Stripes.





500RJH Jacket

Sizes: S-X4
Class 3, Luminator™,
.16mm Polyester/PU
Jacket with Attached
Hood, Fluorescent Lime,
2" Silver Reflective
Stripes.



Sizes: M-X4 Class E, Luminator™, .16mm Polyester/PU Elastic Waist Pant, Fluorescent Lime, 2" Silver Reflective Stripes.





Hi-Vis ANSI Class 3 Suits / Coats

105



Hi-Vis ANSI Class 3 Vest



Class 3 Protection / Guidelines and Scenarios

Class 3 garments should be considered for occupational activities where risk levels exceed those scenarios for Class 2. Examples of pedestrian workers in this class, as per ANSI 107 standards, may include:

- Roadway workers
- Utility workers
- Emergency response personnel
- · Survey crews
- · Law enforcement
- Flagging crews
- Towing operators
- Road assistance / courtesy patrols
- · School crossing guard



WCCL3L Sizes: L-X4

Class 3, 100% Polyester Mesh Safety Vest, 3" Orange/2" Silver Reflective Stripes, Zipper Front Closure, 2 Outside, 1 Inside Pockets, Fluorescent Lime.

WCCL3O Sizes: L-X4

3" Orange/2" Silver Reflective Stripes, Fluorescent Orange.

SURVCL3L Sizes: L-X4

Class 3, 100% Polyester Mesh Surveyor Vest, 3" Orange/2" Silver Reflective Stripes, 5-Point Break-Away, Hook and Loop Front Closure, 4 Outside Pockets. Mic-Tab Holder, Fluorescent Lime.

SURVCL3O Sizes: L-X4

3" Lime/2" Silver Reflective Stripes, Fluorescent Orange.



CL3ML Sizes: L-X4 Class 3, 100% Polyester Mesh Safety Vest, 2" Silver Reflective Stripes, Hook and Loop Front Closure, 1 Outside, 1 Inside Pocket, Fluorescent Lime. **CL3SOV** Sizes: L-X4 Class 3, *Solid* 100% Polyester Safety Vest, 2" Lime Vinyl Reflective Material, Snap Front Closure, 2 Outside, 2 Inside Pockets, Fluorescent Orange. VCL3SL Sizes: L-X4 Value Class 3, *Solid* 100% Polyester Safety Vest, 2" Silver Reflective Stripes, Hook and Loop Front Closure, 2 Outside, 1 Inside Pocket, Fluorescent Lime.





Limited Flammability Class 2 Vest



<u>Limited Flammability</u> – Items that are considered as having "limited flammability" properties have been tested using Test Method ASTM D6413 to observe the materials reaction to open flame. This is not a standard.

These materials may melt and/or burn when in contact with flame, but will self-extinguish within a matter of seconds once the source of the flame is removed. By self-extinguishing, these materials will help reduce the potential of further burn injury as compared to other garments that are not treated.

Limited Flammability items should not be used as protection from Flash Fire or Electric Arc, always wear appropriate FR Clothing.



WCCL2LFR Sizes: M-X4

Class 2, 4 1/2" Orange/2" Silver Reflective Stripes, Zipper Front, Limited Flammability, Fluorescent Lime.

WCCL2OFR Sizes: M-X4

4 1/2" Lime/2" Silver Reflective Stripes. Fluorescent Orange.

VWCCL2LFR Sizes: M-X4

Value Class 2, 3 $^{1}\!/_{2}$ " Orange/2" Silver Reflective Stripes, Zipper Front, Limited Flammability, Fluorescent Lime.

VWCCL2OFR Sizes: M-X4

Value, 3 1/2" Lime/ 2" Silver Reflective Stripes, Fluorescent



VCL2SLFR Sizes: L-X4

Value Class 2, **Solid** 100% Polyester Safety Vest, 2" Silver Reflective Stripes, Hook and Loop Front, 3 Pockets, Limited Flammability, Fluorescent Lime.



CL2MLPFR Sizes: M-X4

Class 2, Mesh Break-Away, 2" Silver Reflective Stripes, 2 Pockets, Limited Flammability, Fluorescent Lime.

CL2MOPFR Sizes: M-X4

Fluorescent Orange.



VCL2MLFR Sizes: M-X4

Value Class 2 Mesh, 2" Silver Reflective Stripes, Hook and Loop Front, 3 Pockets, Limited Flammability, Fluorescent Lime

VCL2MOFR Sizes: L-X4

Fluorescent Orange.

Hi-Vis ANSI Class 2 Mesh Vest





SURVCL2L Sizes: M-X4

Class 2, 3" Orange/2" Silver Reflective Stripes, Zipper,

Black Side Panels, Fluorescent Lime.

SURVCL2O Sizes: M-X4

3" Lime/2" Silver Reflective Stripes, Fluorescent Orange.



LVCL2ML Sizes: S-X2 Ladies Sizing, Class 2, 2" Silver Reflective Stripes, Zipper Front, Fluorescent Lime.



CL2ML2 Sizes: M-X4

Class 2, Mesh, Break-Away, 2" Silver Dual Horizontal Stripes, Hook and Loop Closure, Fluorescent Lime.

CL2MO2 Sizes: M-X4, Fluorescent Orange.



WCCL2L Sizes: M-X5

Class 2, 4 1/2" Orange/2" Silver Reflective Stripes, Zipper Front, 2 Inner Pockets, Fluorescent Lime.

WCCL2O Sizes: M-X4

4 1/2" Lime/2" Silver Reflective Stripes, Fluorescent Orange.



WCCL2LA Size: Adjustable, Fits M-XL Class 2, 3" Orange/2" Silver Reflective Stripes, Adjustable Hook and Loop Straps, Fluorescent Lime. WCCL2LAX Size: Adjustable, Fits X2-X4



XCL2ML Sizes: M-X4

Class 2, Mesh, Break-Away, 2" Silver Reflective Stripes, Hook and Loop Closures, X Pattern Back, Fluorescent Lime.

XCL2MO Sizes: M-X4, Fluorescent Orange.







CL2MOV Sizes: M-X4 Class 2, Mesh, 2" Lime Reflective Stripes, Zipper Front, 2 Inner Pockets, Fluorescent Orange.



CL2ML Sizes: M-X4
Class 2, Mesh, Break-Away, 2" Silver Reflective Stripes,
Hook and Loop Closures, Fluorescent Lime.
CL2MO Sizes: M-X4, Fluorescent Orange.



VCL2ML Sizes: M-X4
Value Class 2, Mesh, 2" Silver Reflective Stripes,
Hook and Loop Front, 3 Pockets, Fluorescent Lime.
VCL2MO Sizes: M-X4, Fluorescent Orange.



CL2MLP Sizes: M-X4
Class 2, Mesh, 2" Silver Reflective Stripes, Zipper Front,
2 Pockets, Fluorescent Lime.

CL2MOP Sizes: M-X4, Fluorescent Orange.



VCL2MLZ Sizes: M-X4
Value Class 2, Mesh, 2" Silver Reflective Stripes,
Zipper Front, 3 Pockets, Fluorescent Lime.
VCL2MOZ Sizes: M-X4, Fluorescent Orange.



Value Class 2, Mesh, Break-Away, 2" Silver Reflective Stripes, Hook and Loop Front, Fluorescent Lime.

Hi-Vis ANSI Class 2 Solid Vest/Pants





SURVCL2PL Sizes: M-X4

Class 2, Tricot Fabric, 3" Orange/2" Silver Reflective Stripes, Zipper, Back Plan Pocket, Fluorescent Lime.

SURVCL2PO Sizes: M-X4

3" Lime/2" Silver Reflective Stripes, Fluorescent Orange.

SURVL Sizes: M-X4

Class 2, Surveyor Style, 3" Orange/2" Silver Reflective Stripes, Zipper Front, 6 Pockets, Fluorescent Lime.

SURVO Sizes: M-X4

3" Lime/2" Silver Reflective Stripes, Fluorescent Orange.



VA220R Sizes: L-X4

Class 2, 1 3/8" White Reflective, Zipper Front, 2 Inside Pockets, Fluorescent Lime.

VA221R Sizes: L-X4, Fluorescent Orange.



VCL2SL Sizes: M-X4

POCKET 2-out

1-in

Value Class 2, 2" Silver Reflective Stripes, Hook and Loop Front, 3 Pockets, Fluorescent Lime.

VCL2SO Sizes: M-X4, Fluorescent Orange.





CL2LC Sizes: M-X4

Class 2, Dielectric, Solid Front, Mesh Back, 2" Silver Reflective Stripes, Zipper Front, Fluorescent Lime.

CL2OC Sizes: L-X4, Fluorescent Orange.

CLZEC Sizes. IVI-A4

POCKET 2-out CLELC Mesh Pant

Sizes: M-X5
Class E, Luminator™,
Polyester Elastic Waist
Pants, Dual 2" Silver
Reflective Stripes,
Solid Upper/Mesh
Lower, Drawstring
Waist, Expandable
Zipper Ankle Gussets,
Two Reach Through
Front Pockets, Two
Rear Flap Pockets.







BWCL2L Body Warmer Sizes: L-X4 Class 2, Luminator™, Body Warmer, Water Resistant, Insulted Polyester, Fleece Liner, Zipper Front.



LTSCL2L Sizes: M-X4 Class 2, Long Sleeve Polyester Fabric, 2" Silver Reflective Stripes, Fluorescent Lime.



STSCL2ML Sizes: M-X4 Class 2, Short Sleeve, Birds Eye Mesh, 2" Silver Reflective Stripes, Breast Pocket, Fluorescent Lime.

STSCL2MSL Sizes: M-X4 Class 2, Short Sleeve, Birdseye Mesh 2" Silver Reflective Stripes Breast Pocket, Shaded Torso, Fluorescent Lime.



Class 2, Short Sleeve, Polyester Jersey Fabric, 2" Silver Reflective Stripes, Breast Pocket, Fluorescent Lime.

Short Sleeve, Polyester Jersey Material, No Reflective, Breast Pocket, Fluorescent Lime.

General Purpose Safety Vests



General Purpose Class Protection Work Conditions

General Purpose vests do not meet the requirements for performance level classification by ANSI standards. GP Vest are to be used for occupational activities where Class 1 protection is not necessary. GP vests are designed to give the wearer additional visual conspicuity beyond that of normal attire.

MCR Safety recommends the use of Value Series Class 2 vests for any Class 1 requirement.

Should you need assistance in determining the most appropriate garment for any application, please contact MCR Safety (www.mcrsafety.com) or ISEA (www.safetyequipment.org).

General Purpose Class Industry Applications:

- · Yard maintenance workers
- Crowd control
- · Warehouse workers
- Construction
- · Parking lot attendants



HS201V Sizes: L-X4 100% Polyester Fabric, Hybrid Half Mesh/Half Solid, Value Surveyor Vest, 1 3/4" Lime/1" White Reflective Stripes, Zipper Front Closure, 4 Outside Pockets, 2 with Flaps, 2 Inside Lower Pockets, Orange.

HS200V Sizes: L-X4 Orange/White Stripes, Lime.



V201R One Size 18" x 47" 100% Polyester Mesh Vest, 2" Lime/ 3/4" Silver Reflective Stripes, Hook and Loop Tab Closure and Elastic Side Straps, Orange.

V200R One Size 18" x 47" Orange/Silver Reflective Stripes, Lime.



S221R One Size 18" x 47" 100% Polyester Mesh Vest, 1 3/8" Lime Stripes, Hook and Loop Tab Closure and Elastic Side Straps, Orange.

S220R One Size 18" x 47" Lime Stripes, Lime.

S220WR One Size 18" x 47" White Stripes, Lime.



V231R One Size 18" x 47" 100% Polyester Mesh Vest, 2" Lime Stripes, with Hook and Loop Tab Closure and Elastic Side Straps, Orange.



V211R1 One Size 18" x 47"
100% Polyester Mesh Vest, 1" Lime
Stripes, Hook and Loop Tab Closure
and Elastic Side Straps, Orange.
V211SR One Size 18" x 47"
1" Silver Stripes, Orange.



V211R One Size 18" x 47"
100% Polyester Mesh Vest, 3/4" Lime
Stripes, Hook and Loop Tab Closure
and Elastic Side Straps, Orange.
V211RXL One Size 26" x 60"
Extra Large Version of V211R.
V211WR One Size 18" x 47"
3/4" White Stripes, Orange.





V200FS One Size 18" x 47" 100% Polyester Mesh Vest, 1" Red/ Orange Stripes, Hook and Loop Tab Closure and Elastic Side Straps, Lime.



CHEV2LP One Size 19" x 54" 100% Polyester Mesh Vest with 360° of Reflective Protection, 3 Chevron Designs in the Back and Adjustable Hook and Loop Closure. 1 3/8" White Stripes, Lime.

CHEV20 One Size 19" x 54" 100% Polyester Mesh Vest with 360° of Reflective Protection, 3 Chevron Designs in the Back and Adjustable Hook and Loop Closure. 1 3/8" Lime Stripes, Orange.



CHEV2L One Size 19" x 54" 100% Tear-Away Polyester Mesh Vest with 360° of Reflective Protection, 3 Chevron Designs on Back and Adjustable Hook and Loop Closures on Front and Shoulders. 1 3/8" White Stripes, Lime.



CHEV2OT One Size 19" x 54" 100% Tear-Away Polyester Mesh Vest with 360° of Reflective Protection, 3 Chevron Designs on Back and Adjustable Hook and Loop Closures on Front and Shoulders. 1 3/8" White Stripes, Orange.




V201 One Size 18" x 47" 100% Polyester Mesh Vest with Hook and Loop Tab Closure and Elastic Side Straps, Orange.

V200 One Size 18" x 47", Lime.



V201BA One Size 18.5" x 49" 100% Tear-Away Polyester Mesh Vest with Hook and Loop Closures on Shoulders, Side and Front, Orange.



V041 One Size 18" x 27" 100% .10 mm Single Ply PVC Vest with 9" Tie Closures, Orange.

Hi-Vis Public Safety Vests



Emergency and incident responders and law enforcement personnel within the TTC zone may wear high visibility safety apparel that meets the performance requirements of ANSI/ISEA 207-2006, or equivalent revisions, and labeled as ANSI 207-2006, in lieu of ANSI/ISEA 107-2004 apparel. (Section 6D.03.05 Worker Safety Considerations, Manual on Uniform Traffic Control Devices, 2009 Edition).



PSV303A One Size Fits M-X4

100% Solid Polyester Front, Mesh Back. 2" Silver Reflective Stripes, 5-Point Break-Away, Hook and Loop Front Closure. Mic-tab Holder, Pre-printed POLICE on Front, Blue Trim, Fluorescent Lime.

PSV304A One Size Fits M-X4 Pre-printed FIRE on Front, Red Trim. **PSV308A** One Size Fits M-X4

Pre-printed EMS on Front, Green Trim.



PSV300A One Size Fits M-X4

100% Polyester Solid Front, Mesh Back, 4" Orange/Dual 1" Silver Reflective Material, 5-Point Break-Away, Hook and Loop Front Closure. 1 Inside Pocket, Mic-tab Holder, Fluorescent Lime.



PSV402 One Size Fits M-X4

100% Polyester, Hybrid Half Mesh/Half Solid, Black Mesh, Dual 1" Silver Reflective Material, 5-Point Break-Away, Hook and Loop Front Closure. 1 Inside Pocket, 1 Pen/Pencil Pocket, Clear Badge Holder, Mic-tab Holder, Pre-printed POLICE on Front and Back, Fluorescent Lime.

PSV403 One Size Fits M-X4. Blue Mesh.



PSV200 Sizes: X2-X4

100% Polyester Mesh Front, Solid Panel in Center of Back for Imprint, 2" Silver Reflective Stripes, 5-Point Break-Away, Hook and Loop Front Closure. 1 Inside Pocket, Mic-tab Holder, Fluorescent Lime.

CITY Incident Command Vests / Foot Protection

Cotton/Polyester Vest, 1" White Vinyl Reflective Stripes, Hook and Loop Tab Front Closure, Elastic Side Straps. Front and Back Slot to Insert Interchangeable Title Information.

ICV203 Blue One Size: 21"x 48" ICV204 Red One Size: 21"x 48" ICV207 Black One Size: 21"x 48"



INCIDENT COMMAND

Many of today's environments require the quick identification of individuals coordinating or involved with site activities. Although incident command vests were initially designed for responders to disasters or hazardous situations, they are used in a wide variety of applications. These vests are used to help quickly identify the person or persons responsible for a particular area.



Foot Protection



Safety Toes[™], 'Slipp-R'[™]

Safety Overshoes, Steel Capped Toes, 100% Rubber, Slip Resistant, Waterproof, Black.

87001 Size: XX Small Size: X Small 87002 87003 Size: Small 87004 Size: Medium 87005 Size: Large 87006 Size: X Large

87007 Size: XX Large Starter Kit, 12 pair, 87008

1-XXS; 1-XS; 2-S; 3-M; 3-L; 1-XL; 1-XXL.

Wire Display Rack Not Included.



87008 Starter Kit Wire Display Rack Not Included.



BYR100 Sizes: 7-18 Plain Toe, Yellow Rubber Slush Boot, 17", Adjustable Top Strap, Over the Shoe Style. 6 Pairs/Case.



PBS120 Sizes: 6-14 Black PVC, Steel Toe, Cleated Sole, Polyester Lining, 15" Over The Sock Style. 6 Pairs/Case.

PBP120 - Same as PBS120 with Plain Toe.

Luminator[™] **Rainwear** (not ANSI Certified)









49" Coats

200C Coat

Sizes: S-X6

49" Coat with Cape-Vented Back, Underarm Air Vents, 2 Patch Pockets and Detachable Hood, Yellow.

LF

FR200C Coat

Sizes: M-X5

Same as 200C but has Limited Flammability, Tested in Accordance with ASTM D6413 Test Method, Yellow.

201C Coat

Sizes: M-X3

Fluorescent Orange.

200CH Coat

Sizes: M-X3

Model 200C with Attached Hood, Yellow.

230C Coat

Sizes: M-X4

Industry Standard Knee-Length Coat with Cape-Vented Back, 2 Patch Pockets and Detachable Hood, Yellow.



Classic Features

- Soft fabric
- · .35mm PVC on polyester fabric
- · Long term durability
- Well suited for a wide variety of job applications
- · Most popular garment in the industry

200BP



Suits

2303 Suit

Sizes: M-X7

Industry Standard PVC/Polyester 3 Piece Suit; Jacket with Detachable Hood and Bib Pants, Yellow.

2003 Suit

Sizes: S-X7

Complete 3 Piece Suit; Jacket, Detachable Hood and Bib Pants, Yellow.

FR2003 Suit



Sizes: M-X7
Same as 2003 but has Limited
Flammability, Tested in
Accordance with ASTM D6413
Test Method, Yellow.

2013 Suit

Sizes: M-X3

Fluorescent Orange.

2003F Suit

Sizes: M-X8

Complete 3 Piece Suit; Jacket with Detachable Hood and Bib Pants with Plain Front, Yellow.

2903 Suit

Sizes: S-X4

Complete 3 Piece Suit; Jacket with Detachable Hood and Elastic Waist Pants, Yellow.

Jackets

200J Jacket

Sizes: S-X6

Jacket with Detachable Hood, Yellow.

200JH Jacket

Sizes: L-X5

Jacket with Attached Hood, Yellow.

220JH Jacket

Sizes: M-X3

Jacket with Attached Hood, Zipper Front, Underarm Air Vents and Cape-Vented Back, Yellow.

Pants

200BP Bib Pants

Sizes: S-X6

Bib Pant with Snap Fly Front, Yellow.

200BF Bib Pants

Sizes: M-X5

Bib Pant with Plain Front, Yellow.

200PW Waist Pants

Sizes: S-X4

Elastic Waist Pant with Plain Front, Yellow.

200PW



Accessories

200S5 Apron 35" x 47" Yellow

Classic Plus Rainwear

240C





Suits

2403 Suit

Sizes: S-X4

Complete 3 Piece Suit; Jacket with Corduroy Collar, Cape-Vented Back and Detachable Hood; Bib Pants, Yellow.

2413 Sizes: M-X5 Orange. 2433 Sizes: M-X3 Blue. 2473 Sizes: M-X3 Black.

Jackets

240J Jacket

Sizes: S-X3

Jacket with Corduroy Collar; Cape-Vented Back, Underarm Air Vents and Detachable Hood, Yellow.

49" Coats

240C Coat

Sizes: S-X5

49" Coat with Corduroy Collar, Cape-Vented Back, 2 Slash, Reach Through Pockets, Badge Tab and Detachable Hood, Yellow.

241C Sizes: M-X5 Orange. 243C Sizes: L-X3 Blue. Sizes: M-X5 Black.



260C Coat

S-X5 Yellow

60" Long, 2 Inner Leg Snaps Which Form Chaps, Unisex Front Closure Snaps, Corduroy Collar with Snaps, Badge Holder, Cape-Vented Back, Detachable Hood and One Inside and One Outside Pocket. 267C Sizes: S-X5 Black.

FR267C Coat

Sizes: M-X5

Same as 267C, but has Limited Flammability, Tested in Accordance with ASTM D6413 Test Method, Black.

FR267CR Coat

Sizes: M-X7 Same as FR267C, with Reflective Stripes, Black.



Classic Plus Features

- Excellent value
- · .35mm PVC on polyester broadloom fabric
- · Versatile, good for outdoor and indoor use
- · Corduroy lined collar for comfort
- · Available in many colors



Concord / Dominator Rainwear



800CN Coat

Sizes: M-X4 49" Coat, No Hood, Snaps for Hood Attachment, Yellow.

800JH Jacket

Sizes: S-X4 Jacket with Attached Hood and Snap Storm Fly Front, Yellow.

800JN Jacket

Sizes: S-X3 Jacket, No Hood, Snap Storm Fly Front, and

Snaps for Hood Attachment, Yellow.

800CN **800BP Bib Pants**

Sizes: M-X3 Snap Fly Front, Yellow.

800BF Bib Pants

Sizes: S-X4 No Fly Front, Yellow.

800H Hood

One Size Detachable Hood, Yellow.

800S4P Apron

Sewn Edge 35" x 45", Yellow.

3881

Concord Protection



.35mm Neoprene Nylon

Concord Features

- · .35mm neoprene/nylon
- · Premium quality neoprene with a single coat over nylon fabric base
- Limited Flammability, Tested in Accordance with ASTM D6413 Test Method
- · Double stitched and taped seams
- Quick release suspenders
- Offers excellent resistance to most chemicals, oils, and acids

3882 Suit Sizes: S-X10

Complete 2 Piece Suit: Jacket with an Attached Hood, Inner Sleeve and Bib Pants, Green.

3881 Coverall

Sizes: M-X5 One Piece Coverall Features Zipper Front with Double Storm Flap, Attached Hood with Drawstring Closure, 10" X 10" Reinforced Crotch and Inner Sleeves with Elastic Wrist Closure, Green.

3981 Coverall

Sizes: S-X4 Inner Pant Cuffs.

2981 Coverall

Sizes: S-X4 Inner Pant Cuffs PVC/Polyester *(2981) Not Limited Flammability.



Dominator Features

- Roomy construction
- Specially designed Hi-Tensile strength polyester double coated with 2 thick layers of PVC for a combined thickness of .42mm
- Limited Flammability, Tested in Accordance with ASTM D6413 Test Method, (2981) Not Limited Flammability
- · Best protection against many chemicals and acids

Dominator Protection

388JH

388J Jacket Sizes: M-X3 Jacket with a Detached Hood, Double Enclosed Zipper Front and Inner Sleeves with Elastic Wrist

388JH Jacket

Closure, Green.

Sizes: S-X5

Attached Hood, Green.

388BF Bib Pants

Sizes: M-X5 Bib Pants, No Fly, 10" X 10" Reinforced Crotch Full Elastic Suspenders, Green.

368R5 Apron

One Size 35" x 48" .45mm PVC/Polyester, Limited Flammability, Green.








388BF



Cyclone / Hydroblast Rainwear



Cyclone





Cyclone Features

- Wave-lock nylon material coated on both sides with heavy weight PVC
- Limited Flammability, Tested in Accordance with ASTM D6413 Test Method
- · Excellent tear and abrasion resistance
- Offers excellent resistance to most industrial oil, acids, and chemicals
- Thickest wavelock material available in the industry .35mm PVC/Nylon/PVC

400J Jacket

Sizes: M-X3 Jacket with Detachable Hood and Storm Fly Snap Front, Yellow.



400PW Waist Pants

Sizes: M-X3 Elastic Waist Pants with Fly and Take Up Snaps at Ankles, Yellow.

400BP Bib Pants

Sizes: L-X3 Bib Pants with Fly and Take Up Snaps at Waist and Ankles, Yellow.

400PW



Hydroblast

FR2603 Suit




.35mm PVC/Polyester. 2 Piece Suit; Jacket Features Attached Hood, Drawstring Bottom, Hook and Loop Closure on the Front, Wrist and the Neck. Overalls Feature Full Elastic Suspenders and Hook and Loop Closure at the Ankles. Includes 10"X10" Shroud for Extra Neck Area Protection. Attaches To 181640SS Face Shield Which Fits all MCR Safety Head Gear. Limited Flammability, Tested in Accordance with ASTM D6413 Test Method, Yellow.

ĹF

2603 Suit

Sizes: M-X6

Same as FR2603, NOT Limited Flammability.



8402 Suit

Sizes: S-X5


.35mm Neoprene/Nylon. 2 Piece Suit; Jacket Features Attached Hood, Drawstring Bottom, Hook and Loop Closure on the Front, Wrist and the Neck. Overalls Feature Full Elastic Suspenders and Hook and Loop Closure at the Ankles. Limited Flammability, Tested in Accordance with ASTM D6413 Test Method, Yellow.



3902 Suit

Sizes: L-X5

.28mm Double Coated PVC Over Nylon Scrim. 2 Piece Suit; Jacket Features Attached Hood, Drawstring Bottom, Hook and Loop Closure Front, Wrists and Neck. Overalls Feature Full Elastic Suspenders and Hook and Loop Closure at the Ankles. Limited Flammability, Tested in Accordance with ASTM D6413 Test Method, Yellow.







Navigator / Wizard Rainwear



Navigator

5182Y Suit

Sizes: M-X4 .40mm Polyurethane on a Knitted Polyester Backing. Jacket with Plastic Snap Storm Fly Front, Plastic Take Up Snaps at the Wrists, **Detachable Drawstring** Hood, Cape Vented Back, D-Ring Access, Two Patch Pockets with Storm Flap. Bib Pants with Elastic Adjustable Suspenders with Clip Closure, Plastic Take Up Snaps at Waist and Ankle, Plastic Snap Fly Front, No Pockets, Yellow.



Polyure-

Knitted Polveste



Stretchable

550C Coat

Sizes: M-X3
49" Coat with
Corduroy Tip Collar,
Cape-Vented Back,
Underarm Air Vents,
Badge Holder, Slash
Pockets and
Detachable Hood.
Limited Flammability,
Yellow.

550J Jacket

Sizes: S-X3
Jacket with Detachable
Hood. Limited
Flammability, Yellow.

550BP Bib Pants

Sizes: M-X3
Bib Pants with Snap
Fly Front, Quick
Release Suspenders
and Full Elastic
Suspenders. Limited
Flammability, Yellow.

597JH Jacket

Sizes: M-X4
Polyester with
Breathable
Polyurethane Coating,
Jacket with Attached
Hood, Zipper Front
Closure with Storm
Flap, Covered Zipper
Slant Pockets,
Adjustable Elastic
Waist, Polyester
Lining, Black.



Navigator Features

Polyure thane

- High quality .22mm Polyurethane/ Nylon materials
- · Double sewn and taped seams
- Quick release suspenders



3003 Suit

Sizes: S-X7 Complete 3 Piece Suit; Jacket with Detachable Hood and Bib Pants, Yellow.

300J Jacket

Sizes: S-X5 Jacket with Detachable Hood, Yellow.

300BP Bib Pants

Sizes: S-X5 Bib Pants with Fly Front, Yellow.



300JH Jacket

Sizes: M-X3 Attached Hood, Yellow.

300C Coat

Sizes: S-X6 49" Coat with Detachable Hood, Yellow.

360C Coat

Sizes: M-X7 60" Long, Coat with Detachable Hood, Yellow.

300BF Bib Pants

Sizes: M-X2 No Fly, Yellow.



Wizard Features

- Double coated PVC over 210 denier nylon scrim material
- .28mm PVC/Nylon/PVC
- "Rip-Stop" material provides excellent resistance to snags and tears
- Limited Flammability, Tested in Accordance with ASTM D6413 Test Method
- Protects against most chemicals, oils and acids



Commodore

6003 Suit

Sizes: M-X3 Complete 3 Piece Suit; Jacket with Detachable Hood and Bib Pants, Yellow.


600J Jacket

Sizes: M-X3 Jacket with Detachable Hood, Yellow.

600BP Bib Pants

Sizes: M-X3 Bib Pants with Fly, Yellow.





Commodore Features


- · Heavy ribbed pattern of PVC on a soft lining of blended polyester/nylon
- Stays soft in cold temperatures
- Absorbs perspiration in hot weather
- Provides warm lining in cold weather PVC/Non-woven polyester/nylon

Challenger

7002 Suit

Sizes: M-X4 2 Piece Suit; Jacket with an Attached Hood, Cape Vented Back, Zipper Front, Additional Pocket, and Built-In Visor. .18mm Nylon/PVC Material, Elastic Wrists and a Drawstring Bottom. **Elastic Waist Pants** with a Reach Through Pocket, Yellow.





- Challenger Features.18mm PVC over a tough nylon material
- Available in yellow and blue
- Tough, yet lightweight
- Exceptional safety award

Zodiac

O503 Suit

Sizes: M-X4 3 Piece Suit; Jacket with Detachable Hood and Elastic Waist Pants, Yellow.





Zodiac Features

- .10mm single ply PVC
- Versatile garment at an affordable price
- · .10mm PVC Film



Schooner Series Panchos



Schooner II 2000 Pancho

.35mm PVC Polyester, 52"X 80", Attached Hood, Side Snap Closure, Yellow.



Schooner Poncho

.10mm PVC, 52"X 80", Attached Hood, Side Snap Closure, Tote Pouch.

O23 Blue

Schooner Jr Poncho .02mm Polyethylene, 50"X 80" Disposable, Attached Hood, Sealed

Sides, Tote Pouch. O20 Yellow O21 Orange O22 Clear

O40 Yellow O44 Red O41 Orange O47 Black O42 Clear O48 OD Green O43 Blue

Squall

O722 Suit

Sizes: S-X5 Complete 2 Piece Suit; Jacket with Attached Hood, Zipper Front, Cape-Vented Back, **Underarm Air Vents** and Elastic Waist Pants, Clear.

0703 Suit

Sizes: M-X5 Complete 3 Piece Suit; Jacket with Detachable Hood and Bib Pants, Yellow.

O703 Suit



O72C Coat

Sizes: S-X5 49" Coat with Detachable Hood, Clear.



.20mm

PVC

Squall Features

- .20mm single ply PVC
 - Non conductive hardware
- · Economically priced
- · Excellent for plant turnarounds

Safety Fencing

SF101R

4 ft x 100 ft, 12 Pound Roll Rectangle Openings in Material Measure 2 1/4" X 4", Orange.



SF051D

4 ft x 50 ft, 12 Pound Roll Diamond Openings in Material Measure 2" X 1 3/4", Orange.



SF101D

4 ft x 100 ft, 24 Pound Roll Diamond Openings in Material Measure 2" X 1 3/4", Orange.





Tyvek®

TY120S

Sizes: M-X4

Coverall with Collar, Zipper Front, Open Sleeves and Ankles. No Hood or Boots. Serged Seams. 25/Case

TY122S

Sizes: M-X4

Coverall with Zipper Front, Elastic Sleeves and Ankles. Attached Hood and Boots. Serged Seams. 25/Case

TY125S

Sizes: L-X4

Coverall with Collar, Zipper Front, Elastic Sleeves and Ankles. No Hood or Boots. Serged Seams. 25/Case

TY127S

Sizes: M-X4

Coverall with Zipper Front, Elastic Sleeves and Ankles. Attached Hood. Serged Seams. 25/Case

TY210S

Sizes: M-X4

Lab Coat with Collar, Front Snap Closure, Open Sleeves. No Pockets. Serged Seams. 30/Case

Tyvek® Features

- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops microporous particles better than other reusable garments
- The best balance of protection, durability and comfort



Spunbond / Polypropylene

12WPC Coveralls Size: L-X3 1.25 Oz. White Coverall with Zipper Front, Open Wrists and Ankles. 25/Case

12WPL Lab Coat Size: S-X4 1.25 Oz. White Lab Coat with Turn Down Collar, Open Sleeves, Two Pockets and Button Closure. 25/Case

12BNSC Shoe Cover One Size 1.25 Oz. Blue, Non-Skid Shoe Cover. 300/Case

S123E4 Sleeve Guard One Size 18" Blue Sleeve Guard. 200/Case

\$125E4 Sleeve Guard One Size 18" White Sleeve Guard. 200/Case

04WBCM Bouffant Cap Size: M .40 Oz. 21" White Bouffant Cap. 1000/Case

04WBCL Bouffant Cap Size: L .40 Oz. 24" White Bouffant Cap. 1000/Case

04WBG Beard Guard One Size .40 Oz. 18" White Beard Guard. 1000/Case

04WPCM Bouffant Cap Size: M .40 Oz. 21" White Pleated Bouffant Cap. 1000/Case





Features

- 1.25 oz. Polypropylene
- Excellent for splash protection from water and non oil based liquids
- Breathable comfort and ease of disposal
- Serged seams
- Sold in case lots





Aprons

39836

Denim Apron with 2 Pockets 36" Length.

200S5 35" x 47" Classic Series Apron .35mm PVC/Poly, Sewn Edge, Yellow.

388R5 35" x 48" Dominator Series Apron .42mm PVC, Raw Edge, Aqua Green.

368R5 35" x 48" Dominator II Series Apron .45mm PVC/Polyester, Sewn Edge, Green, Limited Flammability.

800S4P 35" x 45" Concord Series Apron .35mm Neoprene/Nylon, Sewn Edge, Yellow, Limited Flammability.



Vinyl Aprons

O63R4 35" x 45" O63R5 35" x 48" O63R7 35" x 55" 6 mil Blue Vinyl Apron, Raw Edge.

063S4 35" x 45" **063S5** 35" x 48" **063S7** 35" x 55" 6 mil Blue Vinyl Apron, Sewn Edge.

O73R4 35" x 45" 8 mil Blue Vinyl Apron, Raw Edge.

073S4 35" x 45" 8 mil Blue Vinyl Apron, Sewn Edge.







800S4P



200S5 388R5



063S4

Sleeves

39818 18" Denim Sleeve.

18" Vinyl Elastic Sleeves.

\$063E4 6 mil Blue. \$072E4 8 mil Clear. \$073E4 8 mil Blue. \$075E4 8 mil White.









S075E4



Content Cont	ESC.												D: 11		
Accessory 924LED 30 Content Kint 9855 53 Cut 931B010 10 Cut 9470K 17 0 sposselle 5056 57 Accessory UDBS 65 Content Kint 9858 75 Cut 931B010 10 Cut 9470K 17 0 sposselle 5059 57 Accessory UDBS 65 Content Kint 9858 75 Cut 931B010 10 Cut 9470K 17 0 sposselle 5059 57 Accessory UDBS 65 Content Kint 9858 75 Cut 931B010 10 Cut 957217 7 0 sposselle 5059 57 Accessory UDBS 65 Content Kint 9859 77 Cut 931B010 10 Cut 957201 7 0 sposselle 6001 56 Carvas 8000 62 Content Kint 9859 77 Cut 931B010 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Content Kint 9859 77 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Content Kint 9859 77 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Content Kint 9859 77 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Content Kint 9859 87 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Content Kint 9859 87 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 957201 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 95720 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 95720 10 Cut 95720 7 0 sposselle 6002 15 Accessory UDBS 65 Cut 931B0110 10 Cut 95720 10	Gloves			Coated Knit	96883	25	Cut	9312	19	Cut	9440KM	17	Disposable	5054	57 57
Accessory UCIDS 65 Conteck fint 9888 25 Cut 93381017 10 Cut 9572AFG 9 Disposable 5509 57 Accessory UCIDS 65 Conteck fint 9889 24 Cut 9318101710 10 Cut 9572AFG 9 Disposable 5509 57 Accessory UCIDS 65 Conteck fint 9890 24 Cut 9318101710 10 Cut 9572AFG 9 Disposable 6001 56 Carvas 81008 62 Conteck fint 9895 27 Cut 93180771 10 Cut 9572T7 7 Disposable 6001 56 Carvas 81008 62 Conteck fint 9895 27 Cut 93180771 10 Cut 9572T7 7 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 93180771 10 Cut 9572T97 7 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 93180771 10 Cut 9572T97 7 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 93180771 10 Cut 9572T97 9 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 93180771 10 Cut 9572T97 9 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 93180771 18 Cut 9572T8 9 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 93180771 18 Cut 9572T8 9 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 93180771 18 Cut 9572T8 9 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 9318077 18 Cut 9572T8 9 Disposable 6001 56 Carvas 81008 62 Conteck fint 9995 27 Cut 9318077 18 Cut 9572T8 9 Disposable 6001 56 Carvas 81008 67 Conteck fint 9995 22 Cut 931807 10 Cut 9572T8 9 Disposable 6001 56 Carvas 81008 67 Conteck fint 9995 22 Cut 931807 10 Cut 9572T8 9 Disposable 6001 56 Carvas 81008 67 Conteck fint 9995 22 Cut 931807 10 Cut 9572T8 1 Disposable 6002 56 Carvas 81008 67 Conteck fint 9995 22 Cut 931807 10 Cut 9572T 1 Disposable 6002 56 Carvas 81008 67 Conteck fint 9995 22 Cut 93180 10 Cut 9381 17 Cut 9381 18 Disposable 6002 56 Carvas 81008 67 Conteck fint 9995 22 Cut 93180 17 Cut 9381 18 Disposable 6002 56 Carvas 81008 67 Cut 9407 10 Cut 9395 11 Disposable 6002 56 Carvas 81008 67 Cut 9407 10 Cut 94															
Accession UCDIB 5	Accessory														
Accession UD198 85															
Campas 2000 22 Canted Krist 99897 24 Cut \$318077 10 Cut \$572077 7 Disposable 60012 56															
Carrows 1909 2															
Carewas 1006 2															
Cameras 1910 C															
Samas 1900 2	_							******							
Carrivas 1000PC 30															
Cariwas Cari															
Canwas 2000 62 Coated Kint FG256 25 Cut S3518K/T 18 Cut S9675 19 Disposabile 6015 56 Canwas 2000 62 Coated Kint FT390 25 Cut S348 19 Cut S968 15 Disposabile 6025 56 Canwas 2000 62 Coated Kint FT390 25 Cut S348 19 Cut S968 15 Disposabile 6025 56 Canwas 2000 62 Coated Kint M9694 25 Cut S348 19 Cut S968 15 Disposabile 6025 56 Canwas 2000 62 Coated Kint M9674 22 Cut S359 19 Cut S968 13 Disposabile 6025 56 Canwas 2000 62 Coated Kint M9678 22 Cut S359 19 Cut S968 13 Disposabile 6062 56 Canwas 2000 26 Coated Kint M9678 22 Cut S358 19 Cut S388 13 Disposabile 6062 56 Canwas 8000 62 Coated Kint M9678 22 Cut S368 19 Cut S388 13 Disposabile 6062 56 Canwas 8000 62 Coated Kint M9678 22 Cut S368 17 Cut S388 18 Disposabile 6010 56 Canwas 8000 62 Coated Kint M9678 22 Cut S368 17 Cut S368 18 Disposabile 6010 56 Canwas 5000 59 Coated Kint M9678 22 Cut S368 17 Cut S368 18 Disposabile 6010 56 Canwas 5000 59 Coated Kint M9678 22 Cut S368 17 Cut S368 18 Disposabile 6010 56 Canwas 5000 59 Coated Kint M9678 22 Cut S368 17 Cut S368 18 Disposabile 6010 56 Canwas 5000 59 Coated Kint M9678 22 Cut S368 17 Cut S368 18 Disposabile 6010 56 Canwas 5000 59 Coated Kint M9698 23 Cut S368 17 Cut S368 18 Disposabile 6010 56 Canwas 5000 59 Coated Kint M9698 23 Cut S368 17 Cut M960 20 Double Palm S9180 6010 56 Canwas 5000 59 Coated Kint M9698 23 Cut S368 17 Cut M960 10 Double Palm S9180 6010 56 Canwas 5000 59 Coated Kint M9698 23 Cut S368 17 Cut M960 10 Double Palm S9180 6010 6010 6010 6010 6010 6010 6010															
Canwas 2000 Cap Coated Kint F1500 25 Cirt 3946 19 Cut 49865 11 Disposabile 6020 56 Canwas 2000 Cap Coated Kint M67974 25 Cut 3948 19 Cut 4987 14 Disposabile 6020 56 Canwas 6000 62 Coated Kint M67974 25 Cut 3948 19 Cut 4983 14 Disposabile 6020 56 Canwas 6000 62 Coated Kint M67974 25 Cut 3948 19 Cut 4983 18 Disposabile 6020 56 Canwas 6000 62 Coated Kint M67978 22 Cut 3350 19 Cut 3980 18 Disposabile 6060 56 Canwas 8000 62 Coated Kint M67978 23 Cut 3366 17 Cut 3368 18 Disposabile 6060 56 Canwas 8000 62 Coated Kint M67978 23 Cut 3366 17 Cut 3368 18 Disposabile 6010 56 Canwas 6000 62 Canw															
Carrows Country Coun															
Carrows S2006 62 Context Kint N69694 26 Cut S348 19 Cut S938 14 Disposable 6030 56 Carrows S300C 62 Context Kint N8974 22 Cut S350 19 Cut S3340 18 Disposable 6000 56 Carrows S800E 62 Context Kint N89785 22 Cut S350 19 Cut S3380 18 Disposable 6000 56 Carrows S800E 62 Context Kint N89785 22 Cut S355 19 Cut S3840 18 Disposable 6000 56 Carrows S800E 62 Context Kint N89785 22 Cut S355 17 Cut S3861 18 Disposable 6000 56 Chemical 5110 58 Context Kint N89780 22 Cut S355 17 Cut S3861 18 Disposable 60100 56 Chemical 5255 59 Context Kint N89780 22 Cut S355 17 Cut S3861 18 Disposable 60100 56 Chemical 5255 59 Context Kint N89780 22 Cut S355 17 Cut S3861 18 Disposable 60100 56 Chemical 5255 59 Context Kint N89797 22 Cut S365 17 Cut S3678 13 Disposable 60100 56 Chemical 5300 58 Context Kint N89800 23 Cut S368 17 Cut S3678 13 Disposable 60100 56 Chemical 5300 58 Context Kint N89800 23 Cut S368 17 Cut S3678 18 Disposable 60100 56 Chemical 5300 58 Context Kint N89800 24 Cut S368 17 Cut S3678 18 Disposable 70100 57 Chemical 5317 58 Context Kint N89800 24 Cut S368 17 Cut Cut FIXV250 14 Double Palm 9018CD 62 Chemical 5435 58 Context Kint N89800 24 Cut S3788 17 Cut KIZ200 13,20 Disposable 70100 57 Chemical 5435 58 Context Kint N89800 24 Cut S3788 17 Cut KIZ200 13,20 Disposable 70100 57 Chemical 51706 59 Context Kint N89800 24 Cut S3788 17 Cut KIZ200 13,20 Disposable 70100 57 Chemical 51706 59 Context Kint N89800 24 Cut S3788 17 Cut KIZ200 13,20 Disposable 70100 57 Chemical 51706 59 Context Kint N89800 25 Cut S3787															
Carrayas S2004 62 Caeted Kint N98713 22 Curt S393 19 Curt S340 10 Disposable 6002 56 Carrayas S300C 62 Caeted Kint N98785 22 Curt S350 19 Curt S340 18 Disposable 6002 56 Carrayas S800C 62 Caeted Kint N98785 22 Curt S350 19 Curt S340 18 Disposable 6002 56 Carrayas S800C 62 Caeted Kint N98785 22 Curt S350 19 Curt S340 18 Disposable 6002 56 Caeted Kint N98785 22 Curt S350 19 Curt S340 18 Disposable 6000 56 Chemical 5250 59 Caeted Kint N98785 22 Curt S350 17 Curt S3881 18 Disposable 6000 56 Chemical 5250 59 Caeted Kint N98785 22 Curt S350 17 Curt S3887 18 Disposable 60100 56 Chemical 5270 59 Caeted Kint N98795 22 Curt S360 17 Curt S3887 18 Disposable 60100 56 Chemical 5270 59 Caeted Kint N98795 22 Curt S360 17 Curt S3887 13 Disposable 60100 56 Chemical 5300 58 Caeted Kint N9880 23 Curt S360 17 Curt S3887 13 Disposable 60100 56 Chemical 5300 58 Caeted Kint N9880 23 Curt S360 17 Curt S3887 13 Disposable 7010L 57 Chemical 5300 58 Caeted Kint N9880 24 Curt S360 17 Curt Curt S360 18 Curt S360 19 Cu															
Carrays Sa00C C Coated Krit M967785 22															
Carrays Section Sect	_														
Carrays Source Carrays S															
Chemical 520 55															
Chemical 520 59															
Chemical 5255 59															
Chemical SZ70 59													•		
Chemical S300 S8 Coated Knit N9890 24 Cut 3366 17 Cut D1100 3 Double Palm 9018C 62															
Chemical S307 S8															
Chemical 5317 58									17	Cut					62
Chemical 5380 58				Coated Knit		24		9367	17		FTKV350	14	Double Palm	9018CB	62
Chemical 5435 58				Coated Knit	N9690FCO	24		9368	17	Cut	KV100	14	Double Palm	n 9018CD	62
Chemical 5435 58				Coated Knit	N9690HV	24	Cut	9369	17	Cut	KV200	13,29	Dbl Palm	9018CDPC	62
Chemical 5070B 59				Coated Knit	N9690TC	24	Cut	9370	17	Cut	MC500	11,30	Dbl Palm	9018CDPCR	62
Chemical 5070B 59				Coated Knit	N9695	24	Cut	9370H	15	Cut	MG3211A	21	Dbl Palm	9018CDPCS	62
Chemical 5110T 58				Coated Knit	N9696	23	Cut	9371BE	16	Cut	ML300A	21	Dbl Palm	9018CR	62
Chemical 5170B 59				Coated Knit	N96970	22	Cut	9373	17	Cut	N6464	8	Dbl Palm	9018CRPC	62
Chemical 5170E 59 Cotton 8200 62 Cut 9374TL 16 Cut N9676GKD 8 Driver 3100 41				Coated Knit	N9699	23	Cut	9374T	16	Cut		8			
Chemical 5171BE 59				Cotton			Cut	9374TL	16			8			
Chemical 5212B 59	Chemical			Cotton	8300	62			17	Cut		8			
Chemical 5270B 59	Chemical			Cotton					17						
Chemical 5270PB 59 Cotton 8802 62 Cut 9378E 16 Cut N96930 14 Driver 3125 41 Chemical 5316U 58 Cotton 8808 62 Cut 9378KC 16 Cut N9878BNF 13 Driver 3130 41 Chemical 5336S 58 Cotton 9018 62 Cut 9379ARC 16 Cut PD2902 11,28 Driver 3150 39 Chemical 5406S 58 Cut 1400K 15,36 Cut 9379ARC 13 Cut PD2905A 21 Driver 3170 39 Chemical 5410E 58 Cut 17700K 15,34 Cut 9380 15 Display 100 65 Driver 3200 40 Chemical 554423 58 Cut 1711A 21 Cut 9381 19 Display 4HCD 65 Driver 3201 40 Coated Knit 9665 26 Cut 3204K 15 Cut 9382 19 Display 8HCD 65 Driver 32013 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9383 17 Disposable 5000 57 Driver 3202 40 Coated Knit 9669 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5000 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF 13 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 96731 25 Cut 9178NF 13 Cut 9389 17 Disposable 5010 57 Driver 3204 41 Coated Knit 96731 25 Cut 9178NF 12 Cut 9389 17 Disposable 5010 57 Driver 3204 41 Coated Knit 96731 25 Cut 9178NF 12 Cut 9389 17 Disposable 5010 57 Driver 3204 41 Coated Knit 96731 25 Cut 9178NF 12 Cut 9390 17 Disposable 5010 57 Driver 3205 41 Coated Knit 96731 25 Cut 9178NF 12 Cut 9390 17 Disposable 5010 57 Driver 3205 41 Coated Knit 96731 25 Cut 9178NF 10 Cut 9390 17 Disposable 5010 57 Driver 3205 41 Coated Knit 96731 25 Cut 9178NF 10 Cut 9390 17 Disposable 5010 57 Driver 3205 41 Coated Knit 96731 25 Cut 9212M13 10 Cut 9390 17 Disposable 5025 57 Driver 32054 41 Coated Knit 967316 26 Cut 9212M13 10 Cut 9390 17 Disposable 5025 57 Driver 32055 41 Coated Knit 9673F 26 Cut 9212M13 10 Cut 9393 17 Disposable 5030 57 Driver 32055 41 Coated Knit 9673F 26 Cut 9212M13 10 Cut 9393 17 Disposable 5040 57 Driver 32055 41 Coated Knit 96781 25 Cut 9212M13 10 Cut 9390 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 9212M13 10 Cut 9390 17 Disposable 5040 57 Driver 32111 40 Coated Knit 9679 26 Cut 9272NF 11 Cut 9393 12 Disposable 5040 57 Driver 32113 40 Coated Knit 9679 26 Cut 9272NF 11 Cut 9390 12 Disposable 5040 57 Driver 32113D 41 Coated Knit 9679 26 Cut 927	Chemical	5270B	59												
Chemical 5316U 58 Cotton 8808 62 Cut 9378KC 16 Cut N9878BNF 13 Driver 3130 41 Chemical 5336S 58 Cotton 9018 62 Cut 9379AFC 13 Cut PD2902 11,28 Driver 3150 39 Chemical 5406S 58 Cut 1400K 15,36 Cut 9379AFC 13 Cut PD2905A 21 Driver 3170 39 Chemical 5410E 58 Cut 1700K 15,34 Cut 9380 15 Display 100 65 Driver 3200 40 Chemical 554423 58 Cut 1711A 21 Cut 9381 19 Display 4HCD 65 Driver 3201 40 Coated Knit 9665 26 Cut 3204K 15 Cut 9382 19 Display 8HCD 65 Driver 32013 40 Coated Knit 9666 26 Cut 3601K 16 Cut 9383 17 Display 12HFD 65 Driver 32013 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9388 12 Disposable 5000 57 Driver 3203 40 Coated Knit 9669 26 Cut 9178NF 13 Cut 93891PU 12 Disposable 5000 57 Driver 3204 41 Coated Knit 96731 25 Cut 9178NF 13 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 96731 25 Cut 9178NF 13 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 96731G 26 Cut 9178NF 12 Cut 9390PU 17 Disposable 5015 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9212M13 10 Cut 9390PD 17 Disposable 5019 57 Driver 32054 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32054 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390PD 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9393 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673GW 25 Cut 9212M13 10 Cut 9393 17 Disposable 5035 57 Driver 32057 41 Coated Knit 9673FHV 26 Cut 92723NF 11 Cut 9391 17 Disposable 5040 57 Driver 32113 40 Coated Knit 9678 26 Cut 92723NF 11 Cut 9399 12 Disposable 5040 57 Driver 32113 40 Coated Knit 9678 26 Cut 92723NF 11 Cut 9399 12 Disposable 5040 57 Driver 32113 40 Coated Knit 9678 26 Cut 92723NF 11 Cut 940KM 17 Disposable 5040 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5040 57 Driver 3211	Chemical	5270P	59	Cotton											
Chemical 5336S 58 Cutt 1400K 15,36 Cut 9379ARC 13 Cut PD2902 11,28 Driver 3150 39 Chemical 5406S 58 Cut 1400K 15,36 Cut 9379ARC 13 Cut PD2905A 21 Driver 3170 39 Chemical 5410E 58 Cut 1771A 21 Cut 9380 15 Display 100 65 Driver 3200 40 Chemical 55442S 58 Cut 1771A 21 Cut 9381 19 Display 4HCD 65 Driver 3201 40 Coated Knit 9665 26 Cut 3204K 15 Cut 9382 19 Display 8HCD 65 Driver 32013 40 Coated Knit 9666 26 Cut 3601K 16 Cut 9383 17 Display 12HFD 65 Driver 32013 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9389 12 Disposable 5000 57 Driver 3203 40 Coated Knit 9669 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF 13 Cut 9389PV 13 Disposable 5010 57 Driver 3204 46 Coated Knit 96731 25 Cut 9178NF 12 Cut 9390P 17 Disposable 5015 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9178NF 16 Cut 9390P 17 Disposable 5010 57 Driver 32054 41 Coated Knit 96731G 26 Cut 9212M13 10 Cut 9390P 17 Disposable 5020 57 Driver 32054 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390P 17 Disposable 5020 57 Driver 32054 41 Coated Knit 9673GW 25 Cut 9218M13 10 Cut 9390P 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673FY 26 Cut 9218M13 10 Cut 9390P 17 Disposable 5030 57 Driver 32054 41 Coated Knit 9673FY 26 Cut 9218M13 10 Cut 9390P 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673FY 26 Cut 9218M13 10 Cut 9390P 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673FY 26 Cut 9218M13 10 Cut 9390P 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673FY 26 Cut 9212M13 10 Cut 9399 12 Disposable 5030 57 Driver 32011 40 Coated Knit 9678FY 26 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32111 40 Coated Knit 9678 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9678 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9678 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9678 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Dr	Chemical	5270PB	59												
Chemical 5406S 58 Cut 1400K 15,36 Cut 9379ARC 13 Cut PD2905A 21 Driver 3170 39 Chemical 5410E 58 Cut 1700K 15,34 Cut 9380 15 Display 100 65 Driver 3200 40 Chemical 554423 58 Cut 1711A 21 Cut 9381 19 Display 4HCD 65 Driver 3201 40 Coated Knit 9665 26 Cut 3204K 15 Cut 9382 19 Display 8HCD 65 Driver 32013 40 Coated Knit 9666 26 Cut 3601K 16 Cut 9383 17 Display 12HFD 65 Driver 3202 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9383 17 Display 12HFD 65 Driver 3203 40 Coated Knit 9669 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5000 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF 13 Cut 9389PV 13 Disposable 5010 57 Driver 3204 46 Coated Knit 96731 25 Cut 9178NF0 12 Cut 93891PU 12 Disposable 5014 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9178NF 16 Cut 9390P 17 Disposable 5019 57 Driver 32054 41 Coated Knit 9673HV 25 Cut 9212M13 10 Cut 9390P 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9218M13 10 Cut 9390P 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673FW 25 Cut 9218M13 10 Cut 9390P 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SFHV 26 Cut 9218M13 10 Cut 9390 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SFHV 26 Cut 9218M13 10 Cut 9390 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SFHV 26 Cut 9218M13 10 Cut 9390 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 9272NF 11 Cut 9394 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9678F1 25 Cut 9272NF 11 Cut 9394 17 Disposable 5030 57 Driver 32111 40 Coated Knit 96781 25 Cut 9272NF 11 Cut 9399 12 Disposable 5040 57 Driver 32113 40 Coated Knit 9678 25 Cut 9272NF 11 Cut 9399 12 Disposable 5048 57 Driver 32113 40 Coated Knit 9679 26 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9679 26 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9690 25 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9690 25 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9690 25 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Dri	Chemical	5316U	58												
Chemical 5410E 58 Cut 1700K 15,34 Cut 9380 15 Display 100 65 Driver 3200 40 Chemical 554423 58 Cut 1711A 21 Cut 9381 19 Display 4HCD 65 Driver 3201 40 Coated Knit 9665 26 Cut 3204K 15 Cut 9382 19 Display 8HCD 65 Driver 32013 40 Coated Knit 9666 26 Cut 3601K 16 Cut 9383 17 Display 12HFD 65 Driver 3202 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9389 12 Disposable 5000 57 Driver 3203 40 Coated Knit 96699 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF0 13 Cut 9389PV 13 Disposable 5014 57 Driver 3204T 46 Coated Knit 96731 25 Cut 9178NF0 12 Cut 9390P 17 Disposable 5015 57 Driver 32054 41 Coated Knit 9673HV 25 Cut 9212M13 10 Cut 9390P 17 Disposable 5025 57 Driver 32055 41 Coated Knit 9673SF 26 Cut 9214M13 10 Cut 9399 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9678SF 26 Cut 9218M13 10 Cut 9399 17 Disposable 5030 57 Driver 32011 40 Coated Knit 9678SF 26 Cut 9272NF 11 Cut 9394 17 Disposable 5040 57 Driver 32111 40 Coated Knit 9678 25 Cut 9272NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 9272NF 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9699 26 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Driver 3213DP 41 Coated Knit 9680 25 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Driver 3213DP 41 Coated Knit 9680 25 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 57 Driver 3213DP 41 Coated Knit 9680 25 Cut 9272NF 11 Cut 9430KM 17 Disposable 5049 5	Chemical	5336S	58												
Chemical 554423 58 Cut 1711A 21 Cut 9381 19 Display 4HCD 65 Driver 3201 40 Coated Knit 9665 26 Cut 3204K 15 Cut 9382 19 Display 8HCD 65 Driver 32013 40 Coated Knit 9666 26 Cut 3601K 16 Cut 9383 17 Display 12HFD 65 Driver 3202 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9389 12 Disposable 5000 57 Driver 3203 40 Coated Knit 9669 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF 13 Cut 93891PU 12 Disposable 5010 57 Driver 3204T 46 Coated Knit 96731 25 Cut 9178NF 0 12 Cut 9399 17 Disposable 5015 57 Driver 32054 41 Coated Knit 96731G 26 Cut 9178NT 16 Cut 9390P 17 Disposable 5019 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9212M13 10 Cut 9390P 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673SF 26 Cut 9214M13 10 Cut 9392 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SFHV 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 9212M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 9272NF 11 Cut 9394 17 Disposable 5035 57 Driver 32111 40 Coated Knit 9678 25 Cut 9272NF 11 Cut 9393 17 Disposable 5040 57 Driver 32111 40 Coated Knit 9678 25 Cut 9272NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32131DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32131DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9	Chemical	5406S	58												
Coated Knit 9665 26 Cut 3204K 15 Cut 9382 19 Display 8HCD 65 Driver 32013 40 Coated Knit 9666 26 Cut 3601K 16 Cut 9383 17 Display 12HFD 65 Driver 3202 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9389 12 Disposable 5000 57 Driver 3203 40 Coated Knit 96699 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF 13 Cut 93891PU 12 Disposable 5010 57 Driver 3204T 46 Coated Knit 96731 25 Cut 9178NF0 12 Cut 93891PU 13 Disposable 5014 57 Driver 3204T 46 Coated Knit 96731G 26 Cut 9178NF0 12 Cut 9390 17 Disposable 5015 57 Driver 32054 41 Coated Knit 96731HV 25 Cut 9178NF 16 Cut 9390PD 17 Disposable 5019 57 Driver 32054 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673 27 Cut 9212M13 10 Cut 9394 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723HV 11 Cut 9399 12 Disposable 5040 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9699 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 3213CHV6PU 10 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CHV6PU 10 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CHV6PU 10 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CHV6PU 10 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CHV6PU 10 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CHV6PU 10 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CHV6PU 10 Coat	Chemical	5410E	58												
Coated Knit 9666 26 Cut 4850K 16 Cut 9383 17 Display 12HFD 65 Driver 3202 40 Coated Knit 9669 26 Cut 4850K 16 Cut 9389 12 Disposable 5000 57 Driver 3203 40 Coated Knit 96699 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF 13 Cut 9389PV 13 Disposable 5014 57 Driver 3204T 46 Coated Knit 96731 25 Cut 9178NF0 12 Cut 9390 17 Disposable 5015 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9178T 16 Cut 9390P 17 Disposable 5019 57 Driver 32054 41 Coated Knit 96731HV 25 Cut 9212M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9392 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32056 41 Coated Knit 9673SFV 26 Cut 9218M13 10 Cut 9394 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFW 26 Cut 92723NF 11 Cut 9397 17 Disposable 5040 57 Driver 3211 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723NF 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 3213DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 3213DP 41	Chemical	554423	58												
Coated Knit 9669 26 Cut 4850K 16 Cut 9389 12 Disposable 5000 57 Driver 3203 40 Coated Knit 96699 26 Cut 6620KV 16,50 Cut 93891PU 12 Disposable 5010 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF 13 Cut 9389PV 13 Disposable 5014 57 Driver 3204T 46 Coated Knit 96731 25 Cut 9178NF 0 12 Cut 9390 17 Disposable 5015 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9178T 16 Cut 9390PD 17 Disposable 5019 57 Driver 32054 41 Coated Knit 96731HV 25 Cut 9212M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9392 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 92720NF 11 Cut 9394 17 Disposable 5035 57 Driver 3211 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723NF 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9679 26 Cut 92728PU 11 Cut 9432KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41		9665	26												
Coated Knit 96699 26 Cut 9178NF 13 Cut 9389PV 13 Disposable 5010 57 Driver 3204 41 Coated Knit 9673 25 Cut 9178NF0 12 Cut 9390 17 Disposable 5015 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9178NF 16 Cut 9390PD 17 Disposable 5019 57 Driver 32054 41 Coated Knit 96731HV 25 Cut 9212M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9390 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SFHV 26 Cut 9272NF 11 Cut 9394 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9674 27 Cut 9272NF 11 Cut 9394 17 Disposable 5035 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723PU 11 Cut 9399 12 Disposable 5045 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coat															
Coated Knit 9673 25 Cut 9178NF 13 Cut 9389PV 13 Disposable 5014 57 Driver 3204T 46 Coated Knit 96731 25 Cut 9178NF0 12 Cut 9390 17 Disposable 5015 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9178T 16 Cut 9390P 17 Disposable 5019 57 Driver 32054 41 Coated Knit 96731HV 25 Cut 9212M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9390 17 Disposable 5020 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SFHV 26 Cut 9272NF 11 Cut 9394 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9674 27 Cut 9272NF 11 Cut 9394 17 Disposable 5035 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723PU 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41															
Coated Knit 96731 25 Cut 9178NFO 12 Cut 9390 17 Disposable 5015 57 Driver 3205 41 Coated Knit 96731G 26 Cut 9178T 16 Cut 9390P 17 Disposable 5019 57 Driver 32054 41 Coated Knit 96731HV 25 Cut 9212M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9392 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 9272NF 11 Cut 9394 17 Disposable 5030 57 Driver 3211 40 Coated Knit 9674 27 Cut 92723HV 11 Cut 9397 17 Disposable 5035 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5040 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113CBP 41															
Coated Knit 96731G 26 Cut 9178T 16 Cut 9390P 17 Disposable 5019 57 Driver 32054 41 Coated Knit 96731HV 25 Cut 9212M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9392 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 92720NF 11 Cut 9394 17 Disposable 5035 57 Driver 3211 40 Coated Knit 9674 27 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113 4															
Coated Knit 96731HV 25 Cut 9212M13 10 Cut 9390PD 17 Disposable 5020 57 Driver 32055 41 Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9392 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 92720NF 11 Cut 9394 17 Disposable 5035 57 Driver 3211 40 Coated Knit 9674 27 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113 40															
Coated Knit 9673GW 25 Cut 9214M13 10 Cut 9392 17 Disposable 5025 57 Driver 32056 41 Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 92720NF 11 Cut 9394 17 Disposable 5035 57 Driver 3211 40 Coated Knit 9674 27 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92723PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41															
Coated Knit 9673SF 26 Cut 9218M13 10 Cut 9393 17 Disposable 5030 57 Driver 32057 41 Coated Knit 9673SFHV 26 Cut 92720NF 11 Cut 9394 17 Disposable 5035 57 Driver 3211 40 Coated Knit 9674 27 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 321313 Cut 9432KM 17 Driver 321313 Cut 9432KM 17 Driver 321313 Cut 9432KM 17 Driver 321313 Cut															
Coated Knit 9673SFHV 26 Cut 92720NF 11 Cut 9394 17 Disposable 5035 57 Driver 3211 40 Coated Knit 9674 27 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9430KM 17 Disposable 5049 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41 Cut 9432KM 17 Disposable 5049 57 Driver 32132DP 41															
Coated Knit 9674 27 Cut 92723HV 11 Cut 9397 17 Disposable 5040 57 Driver 32111 40 Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213CH 40 Cut 9432KM 17 Disposable 50															
Coated Knit 96781 25 Cut 92723NF 11 Cut 9399 12 Disposable 5045 57 Driver 32113 40 Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40 Cut 9432KM 17 Driver 3213 40 Cu															
Coated Knit 9679 26 Cut 92723PU 11 Cut 9430KM 17 Disposable 5048 57 Driver 32113DP 41 Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40															
Coated Knit 9680 25 Cut 92728PU 11 Cut 9432KM 17 Disposable 5049 57 Driver 3213 40															
000100 Milk 5000 25															
Coated Knit 9683 27 Cut 92/33FO 11 Cut 9435KNVI 17 DISPUSABLE 3030 37 DITVEL 32/3CHV3F 40															
	Coated Knit	9683	27	Gut	32/3370	11	Gut	J433KIVI	17	Dishoganie	3030	37	DIIVEI	0210011101	-+0



Driver	3213HVI	40	Leather	1211	37	Leather	16017	35	Jersey	7900	62	String Knit	9514G	61
Driver	3213P	40	Leather	1211J	37	Leather	16025	35	Jersey	8010	62	String Knit	9514GH	61
Driver	3214	41	Leather	1212	37	Leather	1680	35	Jersey	8100	62	String Knit	9600	60
Driver	3215	40	Leather	1220D	37	Leather	16810	35	Multitask	900	32	String Knit	9610B	60
Driver	3215HVI	40	Leather	1220DX	37	Leather	16811	35	Multitask	901	32	String Knit	9611M	60
Driver	3220	40	Leather	1220S	37	Leather	1685	38	Multitask	902	32	String Knit	9612P	60
Driver	3221	40	Leather	1220SX	37	Leather	1690	35	Multitask	903	32	String Knit	9613M	60
Driver	3224	41	Leather	1220WD	37	Leather	1700	34	Multitask	904	33	String Knit	9614P	61
Driver	3250	39	Leather	1230	37	Leather	1702	15,34	Multitask	905	32	String Knit	9614PH	61
Driver	3255	39	Leather	1230DP	37	Leather	1710	34	Multitask	906	32	String Knit	9615M	60
Driver	3260	39	Leather	1231	37	Leather	1711	34	Multitask	907	32	String Knit	9616M	60
Driver	3266	39	Leather	1235	37	Leather	1712	34	Multitask	908	31	String Knit	9617M	60
Driver	3280	39	Leather	1235K	37	Leather	1713	34	Multitask	909	32	String Knit	9620	60
Driver	3280CHVSP	39	Leather	1237	37	Leather	1714	34	Multitask	911DP	31	String Knit	9633M	60
Driver	3400	41	Leather	1240	37	Leather	1715	34	Multitask	912	30	String Knit	9634 9635	60 60
Driver	3401	41	Leather	12440R	36	Leather	1715P	34	Multitask Multitask	913 915	32 30	String Knit		60
Driver	3402	41	Leather	1250C	37	Leather Leather	1716 1717	34 34	Multitask	916	32	String Knit String Knit	9636M 9637	60
Driver Driver	3405 3406	41	Leather Leather	1300 1310	37 37	Leather	1717	34	Multitask	920	31	String Knit	9638	60
Driver	3406	41	Leather	1310	37	Leather	1710	34	Multitask	921	31	String Knit	9638M	60
Driver	3407	41 41	Leather	1311J	37	Leather	1734	34	Multitask	924	31	String Knit	9639M	60
Driver	3411	41	Leather	13113	37	Leather	1734	34	Multitask	924C	33	String Knit	9642	60
Driver	34111	42	Leather	1317	37	Leather	1900	35	Multitask	925	31	String Knit	9642M	60
Driver	3413HVI	42	Leather	1318	37	Leather	1910	35	Multitask	926	33	String Knit	9643M	60
Driver	3420	41	Leather	1320	38	Leather	1911	35	Multitask	931	32	String Knit	9650	61
Driver	3425	41	Leather	1320	38	Leather	1921	36	Multitask	935CH	31	String Knit	9650M	61
Driver	3440	38	Leather	1350	37	Leather	1925	36	Multitask	940	36	String Knit	9650MB	61
Driver	34411	38	Leather	1360	37	Leather	1925W	38	Multitask	943	62	String Knit	9650W	61
Driver	3450	39	Leather	1361	37	Leather	19251	38	Multitask	944	30	String Knit	9657	61
Driver	3451	39	Leather	1362	37	Leather	19261	38	Multitask	945	31	String Knit	9658	61
Driver	3452	39	Leather	1370	37	Leather	1930	35	Multitask	958	33	String Knit	9660M	61
Driver	3460	39	Leather	1380	37	Leather	1931	35	Multitask	968	33	String Knit	9660MB	61
Driver	3475	39	Leather	1400	36	Leather	1932	35	Multitask	970	30	String Knit	9660MOH	61
Driver	3500	42	Leather	1400A	36	Leather	1933	35	Multitask	975	30	String Knit	9660W	61
Driver	3501	42	Leather	1400B	36	Leather	1935	35	Multitask	990	31	String Knit	9662	61
Driver	3505	42	Leather	1400LH	36	Leather	1936	35	Multitask	995	31,33	String Knit	9662M	61
Driver	3555	39	Leather	1400RH	36	Leather	1940	35	Multitask	B100	29	String Knit	9663	61
Driver	3601	42	Leather	1401B	36	Leather	1950	36	Multitask	HV100	28	String Knit	9667	61
Driver	3603	42	Leather	1410A	36	Leather	1952	36	Multitask	HV200	33	String Knit	9667M	61
Driver	3611	42	Leather	1411A	36	Leather	1955	38	Multitask	HV300	29	String Knit	9668	61
Driver	36111	40	Leather	1411B	36	Leather	1956	38	Multitask	MB100	32	String Knit	9670	61
Driver	3613	42	Leather	1412A	36	Leather	1960	36	Multitask	MG2946	30	String Knit	9670IM 9675	61
Driver	3620	42	Leather	1413A	36 36	Leather	1965 1970	38 38	Multitask Multitask	MR100 PD2901	32 28	String Knit String Knit	9675M	61 61
Driver Driver	3711 3720	42 42	Leather Leather	1414A 1417A	36	Leather Leather	940HV	36	Multitask	PD2903	28	String Knit	9676M	61
Driver	3750	39	Leather	1417A	36	Inspector	8600	63	Multitask	PD2904	28	String Knit	9677M	61
Driver	3730DP	42	Leather	1420A	36	Inspector	8600C	63	Multitask	Y200	29	String Knit	9679M	61
Leather	1030	37	Leather	1420AS	36	Inspector	8610	63	Multitask	Y300	29	Supported	6100	50
Leather	1040	37	Leather	1440	36	Inspector	8610C	63	Multitask	ZB100	29	Supported	6100S	51
Leather	1042	37	Leather	14401DP	36	Inspector	8620C	63	String Knit	9500	60	Supported	6100SJ	51
Leather	1080	37	Leather	1450	38	Inspector	8621C	63	String Knit	9500M	60	Supported	6200	50
Leather	1150	37	Leather	1455B	37	Inspector	8700	63	String Knit	9501M	60	Supported	6212R	50
Leather	1200	37	Leather	1455C	37	Inspector	8710	63	String Knit	9506	60	Supported	6218	50
Leather	1200S	37	Leather	1455G	37	Inspector	8720	63	String Knit	9506B	60	Supported	6224HV	50
Leather	12010	37	Leather	1455N	37	Inspector	8730	63	String Knit	9506D1	61	Supported	6300	50
Leather	12010DP	37	Leather	1455P	37	Inspector	8750	63	String Knit	9506M	60	Supported	6300RH	50
Leather	12011	37	Leather	1455R	37	Inspector	8760	63	String Knit	9506ML	60	Supported	6400	51
Leather	1201DP	37	Leather	1500K	35	Inspector	8771	63	String Knit	9507M	60	Supported	6410SC	50
Leather	1201S	37	Leather	1500Y	35	Inspector	8781	63	String Knit	9507MH	60	Supported	6410SCHV	50
Leather	1205	38	Leather	16010	35	Jersey	7100	62	String Knit	9509M	60	Supported	6420	50
Leather	1210	37	Leather	16011	35	Jersey	7800	62	String Knit	9510M	60	Supported	6450S	51
Leather	1210S	37	Leather	16012	35	Jersey	7810	62	String Knit	9512G	60	Supported	6500S	51



Supported	6500SJ	51	Supported	9800	55	Welder	4501	43	Display	ED7C	95	Eyewear	RTH10AF	81
Supported	6520S	50	Supported	9810	55	Welder	4550	45	Display	ESC10	95	Eyewear	S2110	73
Supported	6520SJ	50	Supported	9811	55	Welder	4600	43	Display	ESC-10	95	Eyewear	SH152AF	82
Supported	6521SCO	51	Supported	9850	55	Welder	4600LH	43	Display	ESC16	95	Eyewear	S0119	71
Supported	6600	50	Supported	9870	55	Welder	4602	43	Display	GAD27	95	Eyewear	SR112	83
Supported	6612	50	Supported	9875	55	Welder	4620	43	Display	LCS1	94	Eyewear	SR128B	83
Supported	6620	50	Supported	9880	55	Welder	4622	44	Display	LCS2	94	Eyewear	SR13R	83
Supported	6700F	51	Supported	9885	55	Welder	4700	43	Display	LCT	94	Eyewear	SR148B	83
Supported	6702F	51	Supported	9890	55	Welder	4720	43	Display	LFT	94	Eyewear	ST110	83
Supported	6710F	51	Supported	9891	55	Welder	4620A	44	Eyewear	9800	84	Eyewear	SV110AF	71,85
Supported	6710T	51	Supported	9892	55	Welder	4730	43	Eyewear	BD117	68	Eyewear	T1148B	84
Supported	6714FF	51	Supported	9894	55	Welder	4740	44	Eyewear	BK110AF	72	Eyewear	T311R	84
Supported	6800	54	Supported	CP14	59	Welder	4750	45	Eyewear	BK229	72	Eyewear	T411G	82
Supported	6810	54	Supported	CP14R	59	Welder	4800	46	Eyewear	BK314	72	Eyewear	TB11G	84
Supported	6820	54	Supported	CP25	59	Welder	4840	45	Eyewear	BL112	73	Eyewear	TB13R	84
Supported	6825	54	Terry Cloth	9124	64	Welder	4850	45	Eyewear	CK114	74	Eyewear	TB148B	84
Supported	6830	54	Terry Cloth	9128	64	Welder	4850LH	45	Eyewear	CK22Y	74	Eyewear	UD128BZ	71
Supported	6831	54	Terry Cloth	9132	64	Welder	4850RH	45	Eyewear	CL110	73	Eyewear	VL127	75
Supported	6832	54	Terry Cloth	9429	64	Welder	4860	44	Eyewear	CL312AF	73	Faceshield	101640	92
Supported	6840	54	Terry Cloth	9433	64	Welder	4900	46	Eyewear	CM110AFN	86	Faceshield	102040	92
Supported	6845	54	Terry Cloth	9124C	64	Welder	4900LN	46	Eyewear	CR122B	74	Faceshield	487400	90
Supported	6850	54	Terry Cloth	9124G	64	Welder	4901	46 46	Eyewear	CT93110	74	Faceshield	489999	89
Supported	6862	54	Terry Cloth	9124K	64	Welder Welder	4902 4921	46 46	Eyewear	CT93212	75 75	Faceshield	494400	90
Supported	6885	54	Terry Cloth	9124KI 9124KIG	64 64	Welder	4921LH	46	Eyewear	CT93728B	75 76	Faceshield Faceshield	494420 494700	90 90
Supported	6912	55 55	Terry Cloth		64	Welder	4921LFI 4940	46 45	Eyewear	DL116 DL219AF	76 76	Faceshield	494700	90
Supported	6922		Terry Cloth Terry Cloth	9132G 9132K	64	Welder	49 4 0 4950	45 45	Eyewear	DL319AF	76 76	Faceshield	4945206	90
Supported	6932	55 55	Terry Cloth	9136K	64	Welder	4950LB	45	Eyewear	DL319AF	76	Faceshield	102040PC	92
Supported	6948 6950	55	Terry Cloth	9400G	63	Welder	4950LB 4952	45 45	Eyewear	DL412 DLH10	76	Faceshield	181540E	92
Supported	6962	55	Terry Cloth	9400KM	63	Welder	49600	43	Eyewear Eyewear	DM1218B	68	Faceshield	181640A	92
Supported	9700	53	Terry Cloth	9400KM	63	Welder	49610	45	Eyewear	DM1216B	68	Faceshield	181640SS	92
Supported Supported	9710	53	Terry Cloth	9407KM	63	Welder	4982	46		DM131RZ	69	Faceshield	181540	92
Supported	9720	53	Terry Cloth	9410KM	63	Welder	4984	46	Eyewear	DM1328BZ	69	Faceshield	181541	92
Supported	9725	53	Terry Cloth	9411KM	63	vveidei	4304	40	Eyewear Eyewear	DM1337BZ	69	Faceshield	181542	92
Supported	9730	53	Terry Cloth	9411KMC	63	Glasses			Eyewear	DM1348B	69	Faceshield	181560	92
Supported	9735	53	Terry Cloth	9415KM	63	Glasses	Item#	Pg#	Eyewear	DS112	76	Faceshield	181640	92
Supported	9740	53	Terry Cloth	9416KM	63	Accessory	200	94	Eyewear	FF122	77	Faceshield	486500	90
Supported	9745		,		63		200		,	FF212	77		400000	30
Supported			Tarry Cloth	4/I /I IK I\/I			201	Q/I	-VOWO2r				2410	88
Jupporteu		53 52	Terry Cloth	9420KM		Accessory	201	94	Eyewear			Goggle	2410 2235R	88 88
Sunnorted	9750	52	Terry Cloth	9423KM	63	Accessory	204	94	Eyewear	FF328B	77	Goggle	2235R	88
Supported	9750 9750R	52 52	Terry Cloth Terry Cloth	9423KM 9425KM	63 63	Accessory Accessory	204 204Z	94 94	Eyewear Eyewear	FF328B HB1210PF	77 85	Goggle Goggle	2235R 2322AF	88 88
Supported	9750 9750R 9751	52 52 52	Terry Cloth Terry Cloth Terry Cloth	9423KM 9425KM 9426KM	63 63	Accessory Accessory Accessory	204 204Z 205	94 94 93	Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF	77 85 69	Goggle Goggle Goggle	2235R 2322AF FFG112AF	88 88 86
Supported Supported	9750 9750R 9751 9751R	52 52 52 52	Terry Cloth Terry Cloth Terry Cloth Terry Cloth	9423KM 9425KM 9426KM 9427KM	63 63 63	Accessory Accessory Accessory Accessory	204 204Z 205 207	94 94 93 94	Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET	77 85 69 69	Goggle Goggle Goggle Goggle	2235R 2322AF FFG112AF GX110AF	88 88 86 86
Supported Supported Supported	9750 9750R 9751 9751R 9760	52 52 52 52 52 52	Terry Cloth Terry Cloth Terry Cloth Terry Cloth Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR	63 63 63 63 64	Accessory Accessory Accessory Accessory	204 204Z 205 207 208	94 94 93 94 94	Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT	77 85 69 69	Goggle Goggle Goggle Goggle Goggle	2235R 2322AF FFG112AF GX110AF PGX112AF	88 88 86 86 87
Supported Supported Supported Supported	9750 9750R 9751 9751R 9760 9760KW	52 52 52 52 52 52 52 52	Terry Cloth Terry Cloth Terry Cloth Terry Cloth Terry Cloth Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM	63 63 63 63 64 63	Accessory Accessory Accessory Accessory Accessory Accessory	204 204Z 205 207 208 208USS	94 94 93 94 94 93	Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP	77 85 69 69 69	Goggle Goggle Goggle Goggle Goggle Goggle	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF	88 88 86 86 87 87
Supported Supported Supported Supported Supported	9750 9750R 9751 9751R 9760 9760KW 9760R	52 52 52 52 52 52 52 52 52	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11	63 63 63 64 63 64	Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory	204 204Z 205 207 208 208USS 210	94 94 93 94 94 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117	77 85 69 69 69 69 78	Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101	88 88 86 86 87 87
Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761	52 52 52 52 52 52 52 52 52 52	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR	63 63 63 64 63 64 64	Accessory Accessory Accessory Accessory Accessory Accessory Accessory Accessory	204 204Z 205 207 208 208USS 210 212	94 94 93 94 94 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF	77 85 69 69 69 69 78 78	Goggle Goggle Goggle Goggle Goggle Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102	88 88 86 86 87 87 91
Supported Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R	52 52 52 52 52 52 52 52 52 52 52	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P	63 63 63 64 63 64 64 64	Accessory	204 204Z 205 207 208 208USS 210 212 214	94 94 93 94 94 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B	77 85 69 69 69 69 78 78	Goggle Goggle Goggle Goggle Goggle Goggle Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103	88 88 86 86 87 87 91 91
Supported Supported Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770	52 52 52 52 52 52 52 52 52 52 52 52	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR	63 63 63 64 63 64 64 64 64	Accessory	204 204Z 205 207 208 208USS 210 212 214 215	94 94 93 94 94 93 93 93 94 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110	77 85 69 69 69 78 78 78	Goggle Goggle Goggle Goggle Goggle Goggle Headgear Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104	88 88 86 86 87 87 91 91
Supported Supported Supported Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780	52 52 52 52 52 52 52 52 52 52 52 52 52	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K	63 63 63 64 63 64 64 64 64	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C	94 94 93 94 94 93 93 93 94 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212	77 85 69 69 69 78 78 78 79	Goggle Goggle Goggle Goggle Goggle Goggle Headgear Headgear Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104	88 88 86 86 87 87 91 91 91
Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780	52 52 52 52 52 52 52 52 52 52 52 52 52	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K	63 63 63 64 63 64 64 64 64 64	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N	94 94 93 94 94 93 93 93 94 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF	77 85 69 69 69 78 78 79 79	Goggle Goggle Goggle Goggle Goggle Headgear Headgear Headgear Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540	88 88 86 86 87 87 91 91 91 91
Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780 9781	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K 9462K	63 63 63 64 64 64 64 64 64 64	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216	94 94 93 94 94 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G	77 85 69 69 69 78 78 79 79 80	Goggle Goggle Goggle Goggle Goggle Headgear Headgear Headgear Headgear Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560	88 88 86 86 87 91 91 91 91 91
Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780 9781 9782	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K 9462K 9475M	63 63 63 64 63 64 64 64 64 64 64 64	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612	94 94 93 94 94 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF	77 85 69 69 69 78 78 78 79 79 80 80	Goggle Goggle Goggle Goggle Goggle Goggle Headgear Headgear Headgear Headgear Headgear Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103640	88 88 86 86 87 91 91 91 91 91 91
Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761R 9770 9780 9781 9782 9785	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432GFR 9432GFR 9432P 9432SFR 9450K 9460K 9462K 9475M 4150	63 63 63 64 63 64 64 64 64 64 64 63 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625	94 94 93 94 94 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V	77 85 69 69 69 78 78 78 79 79 80 80 81	Goggle Goggle Goggle Goggle Goggle Headgear Headgear Headgear Headgear Headgear Headgear Headgear Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103640 462000	88 88 86 86 87 91 91 91 91 91 91 91 91
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761R 9770 9780 9781 9782 9785 9786	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432GFR 9432FR 9432FR 9450K 9460K 9462K 9475M 4150 4150B	63 63 63 64 63 64 64 64 64 64 64 63 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967	94 94 93 94 94 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114	77 85 69 69 69 78 78 78 79 79 80 80 81 81	Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000	88 88 86 86 87 87 91 91 91 91 91 91 91 91 91
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761R 9770 9780 9781 9782 9785 9786 9790	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K 9462K 9475M 4150 4150B 4150LH	63 63 63 64 63 64 64 64 64 64 63 43 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114 0G110AF	77 85 69 69 69 78 78 78 79 79 80 80 81 81	Goggle Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000 483000	88 88 86 86 87 91 91 91 91 91 91 91 91
Supported Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761R 9770 9780 9781 9782 9785 9786 9790 9792 9794	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder Welder Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K 9462K 9475M 4150B 4150B 4150LH 4150T	63 63 63 64 63 64 64 64 64 64 63 43 43 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979 6980	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114	77 85 69 69 69 78 78 78 79 79 80 80 81 81	Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000	88 88 86 86 87 87 91 91 91 91 91 91 91 91 91 91 91 91
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761R 9770 9780 9781 9782 9785 9786 9790	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder Welder Welder Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K 9462K 9475M 4150 4150B 4150LH	63 63 63 64 63 64 64 64 64 64 63 43 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114 0G110AF PN112AF	77 85 69 69 69 78 78 78 79 79 80 80 81 81 80 70	Goggle Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000 483000 485400	88 88 86 86 87 87 91 91 91 91 91 91 91 91 91 91 91 91 91
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780 9781 9782 9785 9786 9790 9792 9794 97950 97951	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder Welder Welder Welder Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K 9462K 9475M 4150 4150B 4150LH 4150T 4152	63 63 63 64 64 64 64 64 64 63 43 43 43 44	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979 6980 BD-2 BD-4	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114 0G110AF PN112AF PN120AF	77 85 69 69 69 78 78 78 79 79 80 80 81 81 80 70 70	Goggle Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000 483000 485400 485420	88 88 86 86 87 87 91 91 91 91 91 91 91 91 91 91 91 91 91
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761R 9770 9780 9781 9782 9785 9786 9790 9792 9794 97950 97951 97960	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder Welder Welder Welder Welder Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432G11 9432GFR 9432P 9432SFR 9450K 9460K 9462K 9475M 4150 4150B 4150LH 4150T 4152 4155	63 63 63 64 64 64 64 64 64 63 43 43 43 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979 6980 BD-2 BD-4 BD-MCR	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXINSERT HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114 0G110AF PN112AF PN120AF PN1230PF PN1310PF	77 85 69 69 69 78 78 78 79 79 80 80 81 81 80 70 70	Goggle Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000 483000 485400 485420 486400	88 88 86 86 87 87 91 91 91 91 91 91 91 91 91 91 91 91 91
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780 9781 9782 9785 9786 9790 9792 9794 97950 97951	52 52 52 52 52 52 52 52 52 52 52 52 52 5	Terry Cloth Welder Welder Welder Welder Welder Welder Welder Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432GT1 9432GFR 9432SFR 9450K 9460K 9462K 9475M 4150 4150B 4150LH 4150T 4155 4300	63 63 63 64 63 64 64 64 64 64 63 43 43 43 43 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979 6980 BD-2 BD-4	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114 0G110AF PN112AF PN120AF PN120AF	77 85 69 69 69 78 78 78 79 79 80 80 81 81 80 70 70 70	Goggle Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000 483000 485400 485420 486400 48205400	88 88 86 86 87 87 91 91 91 91 91 91 91 91 91 91 91 91 91
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780 9781 9782 9785 9786 9790 9792 9794 97950 97951 97960 97961	52 52 52 52 52 52 52 52 52 52 52 52 53 53 53 53 53 53	Terry Cloth Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432GT1 9432GFR 9432SFR 9450K 9462K 9462K 9475M 4150B 4150LH 4150T 4155 4300 4320	63 63 63 64 64 64 64 64 64 64 63 43 43 43 43 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979 6980 BD-2 BD-4 BD-MCR LED2	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXINSERT HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V M0DL114 0G110AF PN112AF PN120AF PN120AF PN120AF PN120AF	77 85 69 69 69 78 78 78 79 79 80 80 81 81 80 70 70 70 70	Goggle Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000 483000 485400 485420 486400 48205400 462000HAM	88 88 86 86 87 87 91 91 91 91 91 91 91 91 91 90 90 90
Supported	9750 9750R 9751R 9751R 9760 9760KW 9760R 9761 9761R 9770 9780 9781 9782 9785 9786 9790 9792 9794 97950 97951 97960 97961 97962	52 52 52 52 52 52 52 52 52 52 52 52 53 53 53 53 53 53	Terry Cloth Welder	9423KM 9425KM 9426KM 9427KM 9428GFR 9428KM 9432GT1 9432GFR 9432SFR 9450K 9462K 9462K 9475M 4150B 4150LH 4150T 4155 4300 4320 4300B	63 63 63 64 64 64 64 64 64 63 43 43 43 43 44 43	Accessory	204 204Z 205 207 208 208USS 210 212 214 215 215C 215N 216 2612 2625 5967 6979 6980 BD-2 BD-4 BD-MCR LED2 BAD6	94 94 93 94 94 93 93 93 93 93 93 93 93 93 93 93 93 93	Eyewear Eyewear	FF328B HB1210PF HDX110AF HDXGASKET HDXINSERT HDXSTRAP HK117 HL120AF IA138B KD110 KD212 KD310AF LW2130G LW310AF M011V MODL114 0G110AF PN112AF PN120AF PN120AF PN120AF PN120AF PN120AF PN120AF PN120AF PN120AF PN120AF RP218B	77 85 69 69 69 78 78 78 79 79 80 80 81 81 80 70 70 70 70 82 87	Goggle Goggle Goggle Goggle Goggle Goggle Headgear	2235R 2322AF FFG112AF GX110AF PGX112AF RP110AF 101 102 103 104 105 103540 103560 103640 462000 482000 483000 485400 485420 486400 48205400 462000HAM 482000HAM	88 88 86 86 87 87 91 91 91 91 91 91 91 91 90 90 90



Corrector	-4-		FR	DC1R	98	Rainwear	200J	117	Poncho	041	123	Vest	V201R	112
Garmer		D-: //	FR	DC1RG	98	Rainwear	200JH	117	Poncho	041	123	Vest	V20111 V211R	112
A	Item#	Pg#	FR	DC1RR	98	Rainwear	200PW	117	Poncho	043	123	Vest	V211R1	112
Apron	39836	125 125	FR	DC1T	98	Rainwear	200S5	117	Poncho	044	123	Vest	V211RXL	112
Apron	368R5 388R5	119	FR	DC3N	99	Rainwear	200S5	125	Poncho	047	123	Vest	V211SR	112
Apron	800S4P	119	FR	DC4B	100	Rainwear	2013R	116	Poncho	048	123	Vest	V211WR	112
Apron		125	FR	DC5B	100	Rainwear	201C	117	Rainwear	0503	122	Vest	V231R	112
Apron	800S4P 063R4	125	FR	H1G	99	Rainwear	201CL3	105	Rainwear	0703	123	Vest	VA220R	110
Apron Apron	063R5	125	FR	H1N	99	Rainwear	201CR	116	Rainwear	070J		Vest	VA221R	110
Apron	063R7	125	FR	H1T	99	Rainwear	2083SR	105	Rainwear	0722	123	Vest	VBCL2ML	109
Apron	063S4	125	FR	P1D	98	Rainwear	220JH	117	Rainwear	072C	123	Vest	VCL2ML	109
Apron	063S5	125	FR	PK3G	99	Rainwear	230C	117	Shirt	STSCL2ML	111	Vest	VCL2MLFR	107
Apron	063S7	125	FR	PK3N	99	Rainwear	2403R	116	Shirt	STSCL2MSL	111	Vest	VCL2MLZ	109
Apron	073R4	125	FR	PK5B	100	Rainwear	240C	118	Shirt	STSCL2SL	111	Vest	VCL2M0	109
Apron	073N4 073S4	125	FR	S1G	98	Rainwear	240J	118	Shirt	STSL	111	Vest	VCL2M0FR	108
Apron	S063E4	125	FR	S1N	98	Rainwear	241C	118	Vest	CHEV2L	113	Vest	VCL2M0Z	109
Apron	S072E4	125	FR	S1T	98	Rainwear	243C	118	Vest	CHEV2LP	113	Vest	VCL2SL	110
Apron	S073E4	125	FR	SS1N	99	Rainwear	247C	118	Vest	CHEV20	113	Vest	VCL2SLFR	107
Apron	S075E4	125	FR	SS2BK	99	Rainwear	2603L	12	Vest	CHEV20T	113	Vest	VCL2S0	110
Apron	388R5	125	FR Vest	FRMBCL2L	102	Rainwear	260C	118	Vest	CL2LC	110	Vest	VCL3SL	106
Boot	87001	115	FR Vest	FRMCL2L	102	Rainwear	267C	118	Vest	CL2ML	109	Vest	VWCCL2LFR	107
Boot	87002	115	FR Vest	FRMCL2ML	102	Rainwear	300BF	121	Vest	CL2ML2	108	Vest	VWCCL20FR	107
Boot	87003	115	Jacket	591SJH	104	Rainwear	300BP	121	Vest	CL2MLP	109	Vest	WCCL2L	108
Boot	87004	115	Pant	591SPW	104	Rainwear	300C	121	Vest	CL2MLPFR	107	Vest	WCCL2LA	108
Boot	87005	115	Jacket	597JH	121	Rainwear	300H	121	Vest	CL2M0	109	Vest	WCCL2LFR	107
Boot	87006	115	Jacket	598RJH	104	Rainwear	300J	121	Vest	CL2M02	108	Vest	WCCL20	108
Boot	87007	115	Pant	598RPW	104	Rainwear	300JH	121	Vest	CL2M0P	109	Vest	WCCL20FR	107
Boot	87008	115	Jacket	598SJH	104	Rainwear	340J	116	Vest	CL2M0PFR	107	Vest	WCCL3L	106
Boot	BYR100	115	Pant	598SPW	104	Rainwear	360C	121	Vest	CL2MOV	109	Vest	WCCL30	106
Boot	PBP120	115	Jacket	BBCL3L	103	Rainwear	388BF	119	Vest	CL20C	110	Vest	XCL2ML	108
Boot	PBS120	115	Jacket	BMRCL3L	103	Rainwear	388J	119	Vest	CL3ML	106	Vest	XCL2M0	108
Display	FRPOP	101	Jacket	BMRCL3LP	103	Rainwear	388JH	119	Vest	CL3SOV	106	Welding	38030MW	47
Disposable	12BNSC	124	Jacket	BP2CL30	103	Rainwear	3902L	12	Pant	CLELC	110	Welding	38063	
Disposable	12WPC	124	Jacket	BPCL3L	103	Rainwear	400BP	120	Vest	HS200V	112	Welding	38100MW	47
Disposable	12WPL	124	Jacket	BRCL3L	103	Rainwear	400J	120	Vest	HS201V	112	Welding	38114MW	47
Disposable	04WBCL	124	Jacket	BWCL2L	111	Rainwear	400PW	120	Vest	HVH100	445	Welding	38120MW	47
Disposable	04WBG	124	Jacket	VBBCL3L	103	Rainwear	5182S	105	Vest	ICV203	115	Welding	38130MW	47
Disposable	04WPCM	124	Rainwear	1003	100	Rainwear	5182Y	121	Vest	LVCL2ML	108	Welding	38136MW	47
Disposable	S123E4	124	Rainwear	2000	123	Rainwear	518C	105	Vest	PSV200	114	Welding	38142MW	47
Disposable	S125E4	124	Rainwear	2003	117	Rainwear	550BP	121	Vest	PSV300A	114	Welding	38236MW	47
Disposable	TY120S	124	Rainwear	2013	117	Rainwear	550C	121	Vest	PSV303A	114	Welding	38242MW	47
Disposable	TY122S	124	Rainwear	2303	117	Rainwear	550J	121	Vest	PSV304A	114	Welding	38318MW	47
Disposable	TY125S	124	Rainwear	2403	118	Rainwear	600BP	122	Vest	PSV308A	114	Welding	38324MW	47
Disposable	TY127S	124	Rainwear	2413	118	Rainwear	000C	122	Vest	PSV402	114	Welding	38418MW	47
Disposable	TY210S	124	Rainwear	2433	118	Rainwear Rainwear	600J	122	Vest	PSV403 S220R	114	Welding Welding	38423MW 38425MW	47 47
Fence	SF051D	123	Rainwear	2473	118		7368CR	116	Vest	S220K S220WR	112	Welding	38505MW	47
Fence	SF101D	123	Rainwear	2903 2981	117	Rainwear Rainwear	800BF 800BP	119 119	Vest Vest	S220VK S221R	112	Welding	38525MW	47
Fence	SF101R	123	Rainwear		119		800CN	119	Vest	SURVCL2L	108	Welding	38600MW	47
FR	B3N	99	Rainwear	3003 3003	121 121	Rainwear Rainwear	800H	119	Vest	SURVCL2L	108	Welding	39030L	48
FR	BP3G	99	Rainwear		119	Rainwear	800JH	119	Vest	SURVCL2PL	110	Welding	39045L	48
FR	BP3N	99	Rainwear Rainwear	3881 3882	119	Rainwear	800JN	119	Vest	SURVCL2PC	110	Welding	39100L	48
FR	BP4T	99	Rainwear	3981	119	Rainwear	8402L	12	Vest	SURVCL3L	106	Welding	39114	48
FR	BP5B	100	Rainwear	5182	105	Rainwear	FR2003	117	Vest	SURVCL30	106	Welding	39120	48
FR	CC1B	98	Rainwear	6003	122	Rainwear	FR200C	117	Vest	SURVL	110	Welding	39136	48
FR	CC1G	98	Rainwear	7002	122	Rainwear	FR2603L	12	Vest	SURVO	10	Welding	39142	48
FR	CC1N	98	Rainwear	7002	122	Rainwear	FR267C	118	Vest	SURVOV	10	Welding	39418	48
FR	CC1R	98	Rainwear	100C	122	Rainwear	FR267CR	118	Vest	V041	113	Welding	39423	48
FR	CC1T	98	Rainwear	2003F	117	Poncho	020	123	Vest	V041 V200	113	Welding	39518	48
FR	CC2N	98	Rainwear	2003F	117	Poncho	020	123	Vest	V200FS	113	Welding	39818	125
FR	CC2T	98	Rainwear	200BP	117	Poncho	021	123	Vest	V20013	112	Troiding	00010	.20
FR	DC1B	98	Rainwear	200BF	117	Poncho	022	123	Vest	V20011	113			
FR	DC1G	98	Rainwear	200CH	117	Poncho	040	123	Vest	V201BA	113			
FR	DC1N	98	Halliwood	200011	117	1 0/10/10	0+0	120	1000	VZUIDA	110			



WE PROTECT PEOPLE













www.mcrsafety.com