



Jamco Products

A Myers Industries Company

Catalog
214



468 Models
Largest Selection
of
"True" Heavy Duty
All Welded
Carts



Trucks

Platforms

Cabinets

Workbenches

Tables

in

• **Steel**

• **Stainless**

with

600-16,000 lb Capacities

All Models Ship...



Our Quality Serves You Longer



EXPERIENCE THE JAMCO DIFFERENCE

Jamco's all welded construction is extra heavy duty for durability of products used to store or transport materials such as mobile & fixed workstations, transporters and storage cabinets; and all products will outlast and out perform bolt-together and lighter gauge welded products many times over.

JAMCO benefits you with increased productivity, load-tested, durable products for longer lasting service, and versatility for economical acquisition and low cost maintenance.

JAMCO offers you the **BEST QUALITY AND SERVICE IN THE INDUSTRY:**

- **Largest Selection - 468 Standard Models - 2,388 standard skus**
- **Best Quality Available** Carts & Trucks – 12 gauge shelves & 3/16" thick corner posts. Platforms – 12 gauge decks. Safety Cabinets – 14 gauge door fronts & weld hinges. 12 & 14 gauge welded cabinets. Workbenches – 12 gauge with risers, drawers, and more. Work Tables to 1/4" plate and 16,000 lb capacities all with durable Powder Coated Finish.
- **Superior Service** offering the widest standard product selection all under our Qwik Ship Program, less than 6 can ship in one week.
- **Quick Response** - Hands-on, knowledgeable customer service personnel are available via phone, fax, or email.
- **Nationwide Dealer Network** - all products are sold exclusively through a Jamco dealer network to provide local support.
- **Versatility** - Standard models come in various sizes, shelf & lip configurations, and heights with options to increase the possibilities. All casters are bolt on for easy replacement and upgrade, without replacing the complete unit.
- All items are brick static load tested to ensure capacity accuracy & mig/tig and/or spot welded for industrial use.
- Most items are packaged on skids (unless otherwise noted). Add 60lbs to model weight to get ship weight.
- Main ship locations are located in South Beloit, IL 61080.
- Other limited ship points are located in FL, NC, & TX.
- All products are **Made in the USA** by us.



Brick Static Load Test



Palletized Carts

The Fine Print:


- **Product Guarantee:** Your Jamco product will be free from material and workmanship defects for a period of one year from the date of shipment & limited to product replacement (Safety Cabinets page 123-132 are ten years)
- **Product Satisfaction Guarantee:** Jamco provides a 30 day (from shipment date) return policy on standard products & standard model colors (excludes 36" wide Carts, Trucks & Platforms and same model over 6 units).
- Returns require a RETURN AUTHORIZATION NUMBER - include RGA# on shipping papers, palletize product, wrap and ship prepaid to Jamco - call dealer for RGA #. All returns are subject to restocking & damage charges.
- Our Prepay & Add Freight Program will handle claims as long as the ship to party inspects the goods and refuses damaged items from the freight carrier. On your specified carrier, we do not handle claims or accept charges for reclassifications, special delivery, or other charges. (Please inspect all received goods).
- All sizes in the Jamco catalog and on the Jamco website are nominal, if you need exact sizes please contact customer service.
- All weight capacities are evenly distributed between shelves and over the full area of the shelf. Please contact customer service with concerns before ordering.
- Jamco Products Inc. reserves the right to make minor design changes without notice. If you require a product to be an exact match, contact customer service before ordering your product. Bins and accessories will be replaced with comparable items, but not necessarily the same color, size or design.




Three Illinois Manufacturing Plants

JAMCO POWDER COATED COLORS


Standard Powder Coat Colors are noted by model. Optional colors need color code added as a suffix to the model



Gray
Code - GP



Yellow
Code - YP



Black
Code - BL



Blue
Code - BP



Putty
Code - PP



Red
Code - RP



Green
Code - EP

SUMMARY INDEX BY PRODUCT CATEGORY

No. of Models.....Section.....Pages

STEEL - CARTS & TRUCKS (Red section)

55	SERVICE & UTILITY CARTS - 2 & 3 shelf - 1,200 - 7,000 lbs capacity - 12 gauge	5-26
4	SERVICE CARTS - 2 & 3 Shelf - 800 lbs capacity - 14 gauge	27-28
5	MEDICAL CARTS for gas cylinders	29-30
43	PLATFORM TRUCKS - 1,200 - 4,000 lbs capacity	31-42
10	WAGONS - 1,500 & 2,500 lbs capacity	43-44
18	VERTICAL PANEL MOVERS & TRAY TRUCKS - 1,200 - 4,000 lbs capacity	45-51
5	BAR & PIPE TRUCKS - 4,000 - 10,000 lbs capacity	51-52
13	BIN, TOTE, AND TRAY UNITS - 300 - 2,000 lbs capacity	53-56
14	VIBRATION REDUCTION (INSTRUMENT) CARTS	57-61
27	MOBILE WORKBENCHES / STATIONS / CABINETS	62-69
11	BOX TRUCKS - 2 - 3 - 4 sided walls	70-73
39	STOCK / WAREHOUSE TRUCKS - 3 - 6 shelf	74-87
8	SECURITY TRUCKS - with doors & 1 - 4 shelf	88-90
	CASTERS (25 options)	91

STAINLESS - CABINETS, TABLES, WORKSTANDS & CARTS (Gray section)

11	CABINETS - Floor & Wall - 18 gauge	93-96
9	WORKBENCHES, TABLES & WORKSTANDS - 1,200 - 1,500lb capacities - 14 & 16 gauge	97-99
16	MOBILE WORKSTANDS / CABINETS - 1,200 lbs capacity - 16 gauge	100-104
36	CARTS - 600, 1,200 & 1,800 lbs capacity - 16 & 20 gauge	105-116
3	PLATFORMS - 1,200 & 1,800 lbs capacity - 16 gauge	114 & 115
8	BIN & TOTE UNITS - 300 - 1,200 lbs capacity	117-119
	CASTERS (11 options)	120

STEEL - SAFETY CABINETS (Blue section)

28	SAFETY - FLAMMABLE, PAINT / INK & CORROSIVE, 55 GALLON DRUM(S), WASTE, & EMERGENCY	123-131
2	FIRE RESISTANT	132

STEEL - STORAGE CABINETS (Green section)

13	WELDED 12 gauge - 2,000 - 8,000 lbs capacity	134-136
17	WELDED 14 gauge - 1,000 - 1,800 lbs capacity per shelf	137-142
28	WELDED PLASTIC BIN & SHELF 14 gauge & 16 gauge	143-150
6	GAS CYLINDER - VERTICAL & HORIZONTAL	151-152
6	SPILL CONTAINMENT	153-154

WORK CENTERS (Tan section)

16	WORK STANDS & TABLES - 1,200 - 16,000 lbs capacity	156-159
4	WORK DESKS - 2,000 lbs capacity	160
12	WORK BENCHES - 3,000 lbs capacity	161-163

QUICK ALPHABETICAL INDEX OF 468 CATALOG MODELS

AB...58	BR...132	DB...80	EJ...37	FT...159	HZ...85	LA...24	MJ...134	NS...20	PX...33	SJ...67	TT...56	VJ...32	WW...163	YC...102	ZH...106
AC...60	BS...123	DC...80	EK...19	FW...28	JD...64	LB...23	MK...140	NT...18	PZ...33	SK...8	TU...46	VL...32	WX...163	YD...100	ZJ...106
AD...59	BT...126	DD...80	EL...39	GB...72	JE...64	LC...26	ML...153	NU...36	RA...53	SL...9	TV...44	VM...32	WY...160	YE...97	ZK...106
AE...58	BU...126	DE...146	EM...37	GC...72	JF...64	LD...26	MO...134	NV...22	RB...54	SM...63	TW...57	VN...98	WZ...160	YF...01	ZL...108
AF...59	BV...130	DF...146	EN...14	GD...72	JG...65	LE...26	MP...153	NY...22	RC...131	SN...63	TX...44	VO...98	XA...111	YG...99	ZM...107
AG...61	BW...130	DG...48	EO...76	GE...138	JH...65	LF...11	MR...69	NZ...44	RD...131	SO...16	TY...47	VP...98	XB...111	YH...117	ZN...107
AH...36	BX...132	DH...145	EP...37	GF...145	JK...142	LG...21	MS...140	OA...149	RE...53	SR...62	UA...161	VR...89	XC...116	YJ...115	ZO...104
AJ...59	BY...126	DJ...138	ER...14	GG...137	JL...142	LH...7	MT...69	OB...149	RG...127	SS...9	UD...157	VT...40	XD...116	YK...102	ZP...95
AK...60	BZ...71	DK...145	ES...13	GJ...19	JM...66	LJ...12	MU...140	OC...149	RH...50	ST...62	UE...157	VU...44	XE...116	YL...115	ZR...83
AL...58	CA...151	DL...137	ET...15	GK...20	JN...65	LK...22	MV...135	OD...150	RJ...67	SV...62	UF...157	VW...96	XF...110	YN...115	ZS...119
AO...35	CC...74	DM...139	EU...39	GL...73	JP...66	LL...12	MW...69	OE...150	RK...55	SW...10	UG...157	VX...96	XG...110	YN...115	ZT...118
AR...35	CD...74	DN...147	EY...24	GT...42	JR...141	LM...25	MX...69	OF...150	RL...55	SX...10	UJ...162	VY...96	XH...112	YO...113	ZU...95
AS...36	CE...74	DO...76	EZ...39	GV...143	JS...141	LN...17	MY...153	PA...61	RM...55	SY...36	UK...97	VZ...90	XJ...112	YP...114	ZV...95
AW...35	CF...75	DP...146	FA...86	GW...143	JT...66	LO...16	MZ...134	PB...34	RN...118	TA...46	UL...97	WA...162	XK...112	YQ...117	ZW...108
AY...61	CG...75	DR...156	FB...86	GX...73	JV...63	LP...24	NA...19	PC...51	RO...118	TB...57	UM...161	WB...161	XL...114	YR...102	ZX...109
AZ...60	CH...151	DS...139	FO...86	GZ...143	JW...63	LR...13	NB...20	PD...38	RP...68	TC...52	UN...162	WC...162	XM...110	YS...101	ZY...109
BA...125	CJ...129	DT...147	FD...87	GZ...73	JX...66	LS...19	NC...77	PF...46	RR...54	TD...49	UP...51	WD...157	XN...110	YT...101	ZZ...119
BB...70	CK...129	DU...148	FE...28	HA...84	KB...79	LT...17	ND...77	PG...45	RS...68	TE...45	UR...156	WE...157	XO...113	YU...113	
BC...70	CL...129	DV...148	FF...124	HB...84	KC...79	LV...23	NE...77	PH...41	RU...158	TF...47	UT...56	WF...157	XY...114	YV...103	
BD...70	CO...76	DW...148	FG...27	HC...84	KD...79	LW...25	NF...42	PJ...40	RV...68	TG...47	UV...43	WG...157	XR...100	YW...103	
BF...123	CP...48	DX...147	FH...27	HD...85	KJ...29	LX...25	NG...18	PK...41	RW...158	TH...47	UW...43	WH...36	XS...111	YX...104	
BG...42	CR...52	DY...145	FJ...129	HG...137	KK...29	LZ...11	NH...136	PN...31	RY...158	TJ...56	UX...43	WJ...142	XT...111	YY...104	
BH...128	CS...48	DZ...146	FK...129	HH...144	KL...29	MA...135	NJ...67	PO...45	SA...5	TK...56	UY...43	WK...161	XU...99	YZ...103	
BJ...125	CT...52	EA...127	FL...129	HK...144	KM...30	MB...135	NK...20	PP...38	SB...5	TL...56	UZ...43	WO...160	XV...102	ZA...82	
BK...126	CU...152	EB...78	FM...124	HN...144	KN...30	MC...135	NL...42	PR...38	SC...7	TM...50	VA...88	WP...141	XW...99	ZB...82	
BL...71	CV...152	EC...78	FN...35	HR...81	KP...94	MD...135	NM...154	PS...41	SD...6	TN...40	VB...88	WR...163	XX...100	ZC...82	
BM...123	CW...151	ED...78	FO...35	HS...81	KS...94	ME...136	NN...154	PT...31	SE...6	TO...44	VC...88	WS...156	XY...112	ZD...83	
BN...128	CX...152	EF...15	FP...35	HT...81	KU...93	MF...135	NO...154	PU...31	SF...8	TP...51	VD...89	WT...163	XZ...113	ZE...105	
BO...130	CZ...75	EG...17	FR...87	HU...138	KV...93	MG...136	NP...36	PV...34	SG...21	TR...56	VE...90	WU...160	YA...117	ZF...105	
BP...128	DA...148	EH...34	FS...124	HY...144	KW...93	MH...135	NR...18	PW...33	SH...21	TS...49	VF...90	WV...156	YB...114	ZG...105	

Carts, Platforms & Trucks - Steel

252 Models - 86 pages

Carts



Platforms



Trucks



2 Shelf Service Carts with Standard Handle

Model SB - Rugged general use carts for transporting small packages, parts, and more

1,200 LB CAP.*(*800 lb with Thermorubber casters)

Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 25".
- Overall height - 35".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	SB124-U5	SB124-T5	SB124-L5	74
30	SB130-U5	SB130-T5	SB130-L5	80
36	SB136-U5	SB136-T5	SB136-L5	88
48	SB148-U5	SB148-T5	SB148-L5	102
24 x 24	SB224-U5	SB224-T5	SB224-L5	86
30	SB230-U5	SB230-T5	SB230-L5	96
36	SB236-U5	SB236-T5	SB236-L5	106
48	SB248-U5	SB248-T5	SB248-L5	126
60	SB260-U5	SB260-T5	SB260-L5	146
72	SB272-U5	SB272-T5	SB272-L5	168
30 x 36	SB336-U5	SB336-T5	SB336-L5	124
48	SB348-U5	SB348-T5	SB348-L5	148
60	SB360-U5	SB360-T5	SB360-L5	174
72	SB372-U5	SB372-T5	SB372-L5	198
36 x 48	SB448-U5	SB448-T5	SB448-L5	170
60	SB460-U5	SB460-T5	SB460-L5	200
72	SB472-U5	SB472-T5	SB472-L5	230

Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other shelf heights available.

2 Shelf Vibration Reduction Carts (Pneumatic Casters)

Model SA - Transporter for items over irregular surfaces

1,200 LB CAPACITY

Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 25".
- Overall height - 39".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Casters Models		Wgt.(lbs)
	Semi-Pneumatic	Full Pneumatic	
24 x 30	SA230-Z8	SA230-N8	118
36	SA236-Z8	SA236-N8	128
48	SA248-Z8	SA248-N8	148
60	SA260-Z8	SA260-N8	168
72	SA272-Z8	SA272-N8	190
30 x 36	SA336-Z8	SA336-N8	146
48	SA348-Z8	SA348-N8	170
60	SA360-Z8	SA360-N8	196
72	SA372-Z8	SA372-N8	220
36 x 48	SA448-Z8	SA448-N8	192
60	SA460-Z8	SA460-N8	222
72	SA472-Z8	SA472-N8	252

Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F8 or FN**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other shelf heights available.

2 Shelf 2,400 lb Reinforced Service Carts

Model SE - Extra durable carts for transporting heavy boxes, parts, and more

2,400 LB CAP. * (*2,000 lb with Rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All swivel casters - **Code AS**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Writing stand - **Code WS**
- Vinyl matting on top shelf - **Code VM**
- Other shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf and up on bottom shelf.
- Clearance between shelves - 25".
- Overall height - 36".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	SE230-P6	SE230-R6	SE230-U6	124
36	SE236-P6	SE236-R6	SE236-U6	134
48	SE248-P6	SE248-R6	SE248-U6	156
60	SE260-P6	SE260-R6	SE260-U6	178
72	SE272-P6	SE272-R6	SE272-U6	202
30 x 36	SE336-P6	SE336-R6	SE336-U6	152
48	SE348-P6	SE348-R6	SE348-U6	178
60	SE360-P6	SE360-R6	SE360-U6	206
72	SE372-P6	SE372-R6	SE372-U6	232
36 x 48	SE448-P6	SE448-R6	SE448-U6	200
60	SE460-P6	SE460-R6	SE460-U6	232
72	SE472-P6	SE472-R6	SE472-U6	264

2 Shelf 4,800 lb Reinforced Service Carts

Model SD - Super heavy duty carts for transporting extra heavy loads

4,800 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B8**
- Floor Lock - **Code F8**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Writing stand - **Code WS**
- Other shelf heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 25".
- Overall height - 38".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Casters Models	Wgt. (lbs)
	Phenolic	
24 x 30	SD230-P8	134
36	SD236-P8	150
48	SD248-P8	178
60	SD260-P8	206
72	SD272-P8	234
30 x 36	SD336-P8	166
	SD348-P8	200
	SD360-P8	232
72	SD372-P8	264
36 x 48	SD448-P8	220
	SD460-P8	258
	SD472-P8	296

3 Shelf Service Carts With Standard Handle

Model SC - Rugged general use carts for transporting small packages, parts, & more

1,200 LB CAP* (*800 lb with Thermorubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- Floor lock - **Code F5**
- All swivel casters - **Code AS**
- Top shelf lips down (flush) - **Code FT**
- All shelves lips down (flush) - **Code FA**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 12"
- Overall height - 35".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	SC124-U5	SC124-T5	SC124-L5	90
30	SC130-U5	SC130-T5	SC130-L5	102
36	SC136-U5	SC136-T5	SC136-L5	114
48	SC148-U5	SC148-T5	SC148-L5	134
24 x 30	SC230-U5	SC230-T5	SC230-L5	124
36	SC236-U5	SC236-T5	SC236-L5	138
48	SC248-U5	SC248-T5	SC248-L5	170
60	SC260-U5	SC260-T5	SC260-L5	200
72	SC272-U5	SC272-T5	SC272-L5	230
30 x 36	SC336-U5	SC336-T5	SC336-L5	164
48	SC348-U5	SC348-T5	SC348-L5	200
60	SC360-U5	SC360-T5	SC360-L5	238
72	SC372-U5	SC372-T5	SC372-L5	274
36 x 48	SC448-U5	SC448-T5	SC448-L5	232
60	SC460-U5	SC460-T5	SC460-L5	276
72	SC472-U5	SC472-T5	SC472-L5	320

3 Shelf Vibration Reduction Carts (Pneumatic Casters)

Model LH - Transporter for items over irregular surfaces

1,200 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code BN**
- Floor lock - **Code F8 or FN**
- All swivel casters - **Code AS**
- Top shelf lips down (flush) - **Code FT**
- All shelves lips down (flush) - **Code FA**
- Ergonomic handle - **Code EH**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 12"
- Overall height - 39".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Casters		Wgt.(lbs)
	Semi Models	Full Models	
24 x 30	LH230-Z8	LH230-N8	146
36	LH236-Z8	LH236-N8	162
48	LH248-Z8	LH248-N8	192
60	LH260-Z8	LH260-N8	222
72	LH272-Z8	LH272-N8	252
30 x 36	LH336-Z8	LH336-N8	186
48	LH348-Z8	LH348-N8	224
60	LH360-Z8	LH360-N8	260
72	LH372-Z8	LH372-N8	298
36 x 48	LH448-Z8	LH448-N8	254
60	LH460-Z8	LH460-N8	300
72	LH472-Z8	LH472-N8	344

3 Shelf 2,400 lb Reinforced Service Carts

Model SF - Extra durable carts for transporting heavy items

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All swivel casters - **Code AS**
- All shelves lips down (flush) - **Code FA**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - for easy replacement.
- 1-1/2" top shelf lips down (flush) and other shelves lips up.
- Clearance between shelves - 12"
- Overall height - 36".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	SF230-P6	SF230-R6	SF230-U6	142
36	SF236-P6	SF236-R6	SF236-U6	158
48	SF248-P6	SF248-R6	SF248-U6	192
60	SF260-P6	SF260-R6	SF260-U6	224
72	SF272-P6	SF272-R6	SF272-U6	256
30 x 36	SF336-P6	SF336-R6	SF336-U6	184
48	SF348-P6	SF348-R6	SF348-U6	222
60	SF360-P6	SF360-R6	SF360-U6	262
72	SF372-P6	SF372-R6	SF372-U6	300
36 x 48	SF448-P6	SF448-R6	SF448-U6	254
60	SF460-P6	SF460-R6	SF460-U6	300
72	SF472-P6	SF472-R6	SF472-U6	346

3 Shelf 4,800 lb Reinforced Service Carts

Model SK - Super heavy duty carts for transporting extra heavy loads

4,800 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B8**
- Floor lock - **Code F8**
- All swivel casters - **Code AS**
- All shelves lips down (flush) - **Code FA**
- Vinyl matting on top shelf - **Code VM**
- Ergonomic handle - **Code EH**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid - for easy replacement.
- 1-1/2" top shelf lips down (flush) and other shelves lips up.
- Clearance between shelves - 12"
- Overall height - 39".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Casters Models	Wgt. (lbs)
	Phenolic	
24 x 30	SK230-P8	172
36	SK236-P8	194
48	SK248-P8	236
60	SK260-P8	278
72	SK272-P8	320
30 x 36	SK336-P8	218
48	SK348-P8	268
60	SK360-P8	318
36 x 48	SK448-P8	298
60	SK460-P8	356
72	SK472-P8	412

2 Shelf Offset Handle Low Profile Carts

Model SL - Low flush top shelf for shorter lift of heavy items

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Bottom shelf lips down (flush) - **Code FB**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**

Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 17".
- Top shelf height - 27".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	SL124-U5	SL124-T5	SL124-L5	72
30	SL130-U5	SL130-T5	SL130-L5	80
36	SL136-U5	SL136-T5	SL136-L5	88
48	SL148-U5	SL148-T5	SL148-L5	102
24 x 24	SL224-U5	SL224-T5	SL224-L5	86
30	SL230-U5	SL230-T5	SL230-L5	96
36	SL236-U5	SL236-T5	SL236-L5	106
48	SL248-U5	SL248-T5	SL248-L5	126
60	SL260-U5	SL260-T5	SL260-L5	146
72	SL272-U5	SL272-T5	SL272-L5	166
30 x 36	SL336-U5	SL336-T5	SL336-L5	122
48	SL348-U5	SL348-T5	SL348-L5	148
60	SL360-U5	SL360-T5	SL360-L5	174
72	SL372-U5	SL372-T5	SL372-L5	198
36 x 48	SL448-U5	SL448-T5	SL448-L5	170
60	SL460-U5	SL460-T5	SL460-L5	200
72	SL472-U5	SL472-T5	SL472-L5	230

2 Shelf Offset Handle Low Profile Vibration Reduction Carts

Model SS - Low flush top for shorter lift, pneumatic casters for irregular surfaces

1,200 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F8 or FN**
- Bottom shelf lips down (flush) - **Code FB**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**

Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 17".
- Top shelf height - 31".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Pneumatic Casters		Wgt.(lbs)
	Semi Models	Full Models	
24 x 30	SS230-Z8	SS230-N8	120
36	SS236-Z8	SS236-N8	130
48	SS248-Z8	SS248-N8	152
60	SS260-Z8	SS260-N8	172
72	SS272-Z8	SS272-N8	192
30 x 36	SS336-Z8	SS336-N8	148
48	SS348-Z8	SS348-N8	174
60	SS360-Z8	SS360-N8	198
72	SS372-Z8	SS372-N8	222
36 x 48	SS448-Z8	SS448-N8	196
60	SS460-Z8	SS460-N8	224
72	SS472-Z8	SS472-N8	254

2 Shelf 2,400 lb Reinforced Low Profile Carts

Model SX - Extra durable carts for heavy items

2,400 LB CAP. (*2,000 lb with Rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Bottom shelf lips down (flush) - **Code FB**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 17".
- Top shelf height - 28".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	SX230-P6	SX230-R6	SX230-U6	122
36	SX236-P6	SX236-R6	SX236-U6	134
48	SX248-P6	SX248-R6	SX248-U6	156
60	SX260-P6	SX260-R6	SX260-U6	178
72	SX272-P6	SX272-R6	SX272-U6	200
30 x 36	SX336-P6	SX336-R6	SX336-U6	152
48	SX348-P6	SX348-R6	SX348-U6	178
60	SX360-P6	SX360-R6	SX360-U6	206
72	SX372-P6	SX372-R6	SX372-U6	232
36 x 48	SX448-P6	SX448-R6	SX448-U6	200
60	SX460-P6	SX460-R6	SX460-U6	232
72	SX472-P6	SX472-R6	SX472-U6	264

2 Shelf 4,800 lb Reinforced Low Profile Carts

Model SW - Super heavy duty carts for heavy items

4,800 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B8**
- Floor Lock - **Code F8**
- Bottom shelf lips down (flush) - **Code FB**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 17".
- Top shelf height - 30".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Casters Models		Wgt. (lbs)
	Phenolic		
24 x 30	SW230-P8		134
36	SW236-P8		148
48	SW248-P8		176
60	SW260-P8		204
72	SW272-P8		234
30 x 36	SW336-P8		166
	SW348-P8		198
	SW360-P8		232
36 x 48	SW372-P8		264
	SW448-P8		220
	SW460-P8		258
	SW472-P8		296

3 Shelf Offset Handle Low Profile Carts

Model LZ – Low flush top shelf for shorter lift of heavier items

1,200 LB CAP* (*800 lb with Thermorubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- All shelves flush – **Code FA**

Product Features:

- All welded construction (except casters).
- 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (9" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 12 gauge shelves with 3/16" corner angles.
- Flush top shelf, middle & bottom shelves have 1-1/2" lips up for retention.
- Clearance between shelves – 9".
- Top shelf height – 30".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 36	LZ236-U5	LZ236-T5	LZ236-L5	170
48	LZ248-U5	LZ248-T5	LZ248-L5	202
30 x 48	LZ348-U5	LZ348-T5	LZ348-L5	234
60	LZ360-U5	LZ360-T5	LZ360-L5	274

3 Shelf Offset Handle Low Profile Vibration Reduction Carts

Model LF - Low flush top for shorter lift, pneumatic casters for irregular surfaces

1,200 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F8 or FN**
- Vinyl matting on top shelf - **Code VM**
- All shelves flush – **Code FA**

Product Features:

- All welded construction (except casters)
- 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (9" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 12 gauge shelves with 3/16" corner angles.
- Flush top shelf, middle & bottom shelves have 1-1/2" lips up for retention.
- Clearance between shelves – 9".
- Top shelf height – 34".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Pneumatic Casters		
	Semi Models	Full Models	Wgt.(lbs)
24 x 36	LF236-Z8	LF236-N8	192
48	LF248-Z8	LF248-N8	224
30 x 48	LF348-Z8	LF348-N8	256
60	LF360-Z8	LF360-N8	296

3 Shelf 2,400 lb Reinforced Low Profile Carts

Model LJ – Extra durable carts for heavy ITEMS

2,400 LB CAP* (*2,000 lb with Rubber casters)



Product Features:

- All welded construction (except casters)
- 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (9" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 12 gauge shelves with 3/16" thick angle corners and underbracing.
- Flush top shelf, middle & bottom shelves have 1-1/2" lips up for retention.
- Clearance between shelves – 9".
- Top shelf height – 31".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Polyurethane	
24 x 36	LJ236-P6	LJ236-R6	LJ236-U6	200
48	LJ248-P6	LJ248-R6	LJ248-U6	232
30 x 48	LJ348-P6	LJ348-R6	LJ348-U6	264
60	LJ360-P6	LJ360-R6	LJ360-U6	304

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Vinyl matting on top shelf - **Code VM**
- All shelves flush – **Code FA**

3 Shelf 4,800 lb Reinforced Low Profile Carts

Model LL - Super heavy duty carts for heavy items

4,800 LB CAPACITY



Product Features:

- All welded construction (except casters)
- 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (9" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 12 gauge shelves with 3/16" thick angle corners and extra underbracing.
- Flush top shelf, middle & bottom shelves have 1-1/2" lips up for retention
- Clearance between shelves – 9".
- Top shelf height – 34".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Casters Models	Wgt. (lbs)
	Phenolic	
24 x 36	LL236-P8	222
48	LL248-P8	254
30 x 48	LL348-P8	286
60	LL360-P8	326

Options:

- 2 wheel brakes on swivel casters - **Code B8**
- All swivel casters - **Code AS**
- Floor lock - **Code F8**
- Vinyl matting on top shelf - **Code VM**
- All shelves flush – **Code FA**

2 Shelf Ergonomic Handle Service Carts

Model ES - Comfortable ergonomic handle transporters

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** (4" above top shelf) with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 25".
- Overall height (excluding handle) - 35".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 36	ES136-U5	ES136-T5	ES136-L5	90
48	ES148-U5	ES148-T5	ES148-L5	104
24 x 30	ES230-U5	ES230-T5	ES230-L5	98
36	ES236-U5	ES236-T5	ES236-L5	108
48	ES248-U5	ES248-T5	ES248-L5	128
60	ES260-U5	ES260-T5	ES260-L5	146
72	ES272-U5	ES272-T5	ES272-L5	168
30 x 36	ES336-U5	ES336-T5	ES336-L5	124
48	ES348-U5	ES348-T5	ES348-L5	150
60	ES360-U5	ES360-T5	ES360-L5	174
72	ES372-U5	ES372-T5	ES372-L5	198
36 x 48	ES448-U5	ES448-T5	ES448-L5	172
60	ES460-U5	ES460-T5	ES460-L5	200
72	ES472-U5	ES472-T5	ES472-L5	230

2 Shelf Ergonomic Handle Vibration Reduction Carts

Model LR - Ergonomic handle vibration reduction transporters

1,200 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F8 or FN**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** (4" above top shelf) with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 25".
- Overall height (excluding handle) - 39".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Pneumatic Casters		
	Semi Models	Full Models	Wgt.(lbs)
24 x 30	LR230-Z8	LR230-N8	122
36	LR236-Z8	LR236-N8	132
48	LR248-Z8	LR248-N8	152
60	LR260-Z8	LR260-N8	172
72	LR272-Z8	LR272-N8	194
30 x 36	LR336-Z8	LR336-N8	150
48	LR348-Z8	LR348-N8	174
60	LR360-Z8	LR360-N8	200
72	LR372-Z8	LR372-N8	224
36 x 48	LR448-Z8	LR448-N8	196
60	LR460-Z8	LR460-N8	226
72	LR472-Z8	LR472-N8	256

2 Shelf Ergonomic 2,400 lb Reinforced Carts

Model ER - Extra durable ergonomic handle transporters
boxes, parts, and more

2,400 LB CAP.* (*2,000 lb with Rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Bottom shelf lips down (flush) - **Code FB**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** (4" above top shelf) with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf and up on bottom shelf.
- Clearance between shelves - 25".
- Overall height (excluding handle) - 36".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	ER230-P6	ER230-R6	ER230-U6	124
36	ER236-P6	ER236-R6	ER236-U6	134
48	ER248-P6	ER248-R6	ER248-U6	158
60	ER260-P6	ER260-R6	ER260-U6	180
72	ER272-P6	ER272-R6	ER272-U6	202
30 x 36	ER336-P6	ER336-R6	ER336-U6	152
48	ER348-P6	ER348-R6	ER348-U6	180
60	ER360-P6	ER360-R6	ER360-U6	206
72	ER372-P6	ER372-R6	ER372-U6	232
36 x 48	ER448-P6	ER448-R6	ER448-U6	200
60	ER460-P6	ER460-R6	ER460-U6	232
72	ER472-P6	ER472-R6	ER472-U6	264

2 Shelf Ergonomic 4,800 lb Reinforced Carts

Model EN - Super Heavy duty ergonomic handle transporters

4,800 LB CAPACITY



Options:

- 2 wheel brakes on swivel casters - **Code B8**
- Floor lock - **Code F8**
- Top shelf lips up for retention - **Code GT**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with extra under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Ergonomic tubular handle** (4" above top shelf) with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 25".
- Overall height (excluding handle) - 38".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Casters Models		Wgt. (lbs)
	Phenolic		
24 x 30	EN230-P8		134
36	EN236-P8		150
48	EN248-P8		178
60	EN260-P8		206
72	EN272-P8		234
30 x 36	EN336-P8		166
48	EN348-P8		200
60	EN360-P8		232
72	EN372-P8		266
36 x 48	EN448-P8		222
60	EN460-P8		260
72	EN472-P8		298

3 Shelf Ergonomic Handle Service Carts

Model ET - Comfortable ergonomic handle transporters

1,200 LB CAP* (*800 lb with Thermorubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- All swivel casters - **Code AS**
- Top shelf lips down (flush) - **Code FT**
- All shelves lips down (flush) - **Code FA**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Ergonomic handle (4" above top shelf) with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 12"
- Overall height (excluding handle) - 35".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 30	ET230-U5	ET230-T5	ET230-L5	124	ET230-N8	148
36	ET236-U5	ET236-T5	ET236-L5	140	ET236-N8	164
48	ET248-U5	ET248-T5	ET248-L5	170	ET248-N8	194
60	ET260-U5	ET260-T5	ET260-L5	200	ET260-N8	224
72	ET272-U5	ET272-T5	ET272-L5	230	ET272-N8	254
30 x 48	ET348-U5	ET348-T5	ET348-L5	200	ET348-N8	224
60	ET360-U5	ET360-T5	ET360-L5	238	ET360-N8	262
36 x 60	ET460-U5	ET460-T5	ET460-L5	276	ET460-N8	300
72	ET472-U5	ET472-T5	ET472-L5	320	ET472-N8	344

3 Shelf Ergonomic 2,400 lb Reinforced Carts

Model EF - Comfortable ergonomic handle transporters

2,400 LB CAP.* (*2,000 lb with Rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All swivel casters - **Code AS**
- All shelves lips down (flush) - **Code FA**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Ergonomic handle (4" above top shelf) with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" top shelf lips down (flush) and other shelves lips up.
- Clearance between shelves - 12"
- Overall height (excluding handle) - 36".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	EF230-P6	EF230-R6	EF230-U6	144
36	EF236-P6	EF236-R6	EF236-U6	160
48	EF248-P6	EF248-R6	EF248-U6	194
60	EF260-P6	EF260-R6	EF260-U6	226
72	EF272-P6	EF272-R6	EF272-U6	258
30 x 48	EF348-P6	EF348-R6	EF348-U6	224
60	EF360-P6	EF360-R6	EF360-U6	264
36 x 60	EF460-P6	EF460-R6	EF460-U6	302
72	EF472-P6	EF472-R6	EF472-U6	348

2 Shelf Order Picking Carts

Model SO - Rugged general use carts with built in writing stand for record keeping

1,200 LB CAP. (*800 lb with Thermorubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Top shelf lips down (flush) - **Code FT**
- Both shelves lips down (flush) - **Code FA**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Other heights available.

Product Features:

- All welded construction (except casters).
- **Writing stand** 12" by width of cart (4" above top shelf).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, 12 gauge caster mounts, and tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 25".
- Overall height (excluding handle) - 35".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 30	S0130-U5	S0130-T5	S0130-L5	88
36	S0136-U5	S0136-T5	S0136-L5	96
48	S0148-U5	S0148-T5	S0148-L5	110
24 x 30	S0230-U5	S0230-T5	S0230-L5	106
36	S0236-U5	S0236-T5	S0236-L5	116
48	S0248-U5	S0248-T5	S0248-L5	136
60	S0260-U5	S0260-T5	S0260-L5	156
72	S0272-U5	S0272-T5	S0272-L5	178
30 x 36	S0336-U5	S0336-T5	S0336-L5	136
48	S0348-U5	S0348-T5	S0348-L5	162
60	S0360-U5	S0360-T5	S0360-L5	186
72	S0372-U5	S0372-T5	S0372-L5	210
36 x 48	S0448-U5	S0448-T5	S0448-L5	186
60	S0460-U5	S0460-T5	S0460-L5	214
72	S0472-U5	S0472-T5	S0472-L5	244

3 Shelf Order Picking Carts

Model LO - Rugged general use carts with built in writing stand for record keeping

1,200 LB CAP. (*800 lb with Thermorubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Top shelf lips down (flush) - **Code FT**
- All shelves lips down (flush) - **Code FA**
- Other heights available.

Product Features:

- All welded construction (except casters).
- **Writing stand** 12" by width of cart (4" above top shelf).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, 12 gauge caster mounts, and tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 12".
- Overall height (excluding handle) - 35".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 30	L0130-U5	L0130-T5	L0130-L5	110
36	L0136-U5	L0136-T5	L0136-L5	122
48	L0148-U5	L0148-T5	L0148-L5	144
24 x 30	L0230-U5	L0230-T5	L0230-L5	134
36	L0236-U5	L0236-T5	L0236-L5	150
48	L0248-U5	L0248-T5	L0248-L5	180
60	L0260-U5	L0260-T5	L0260-L5	210
72	L0272-U5	L0272-T5	L0272-L5	240
30 x 36	L0336-U5	L0336-T5	L0336-L5	176
48	L0348-U5	L0348-T5	L0348-L5	214
60	L0360-U5	L0360-T5	L0360-L5	252
72	L0372-U5	L0372-T5	L0372-L5	288
36 x 48	L0448-U5	L0448-T5	L0448-L5	246
60	L0460-U5	L0460-T5	L0460-L5	290
72	L0472-U5	L0472-T5	L0472-L5	336

Taller
order picking carts
see page 76

3" Deep Lipped Service Carts (2 & 3 Shelf)

Models LT, EG, LN - Heavy Duty 3" deep lipped carts transporters

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model LT Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model EG Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model LN Shown

Product Features:

- 3" shelf lips up for retention.
- All welded construction (except casters), with durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves: 22" (Models LT & EG), 9" (Model LN)
- Overall height (excluding handle) - 35", (39" with 8" casters).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - Code B5 or BN
- All swivel casters - Code AS
- Floor lock - Code F5 or F8
- Vinyl matting on top shelf - Code VM
- Writing stand - Code WS (Models LT & LN only)
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - Code DS (Models LT & EG only)
- Other heights available.

Model LT - 2 Shelves, 3" Deep

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	LT130-U5	LT130-T5	LT130-L5	90	LT130-Z8	112
36	LT136-U5	LT136-T5	LT136-L5	100	LT136-Z8	122
24 x 30	LT230-U5	LT230-T5	LT230-L5	106	LT230-Z8	128
36	LT236-U5	LT236-T5	LT236-L5	118	LT236-Z8	140
48	LT248-U5	LT248-T5	LT248-L5	140	LT248-Z8	162

Model EG - 2 Shelves, 3" Deep, Ergonomic Handle

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	EG130-U5	EG130-T5	EG130-L5	92	EG130-Z8	114
36	EG136-U5	EG136-T5	EG136-L5	102	EG136-Z8	124
24 x 30	EG230-U5	EG230-T5	EG230-L5	108	EG230-Z8	130
36	EG236-U5	EG236-T5	EG236-L5	120	EG236-Z8	142
48	EG248-U5	EG248-T5	EG248-L5	142	EG248-Z8	164

Model LN - 3 Shelves, 3" Deep

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	LN130-U5	LN130-T5	LN130-L5	120	LN130-Z8	142
36	LN136-U5	LN136-T5	LN136-L5	132	LN136-Z8	154
24 x 30	LN230-U5	LN230-T5	LN230-L5	142	LN230-Z8	164
36	LN236-U5	LN236-T5	LN236-L5	158	LN236-Z8	180
48	LN248-U5	LN248-T5	LN248-L5	192	LN248-Z8	214

2,400 lb 3" Deep Lipped Service Carts (2 & 3 Shelf)

Models NT, NG, NR - Extra heavy duty 3" deep lipped transporters

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Model NT Shown

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Model NG Shown

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Model NR Shown

Product Features:

- 3" shelf lips up for retention.
- All welded construction (except casters), with durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves: 22" (Models NT & NG), 9" (Model NR).
- Overall height (excluding handle) - 36".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Vinyl matting on top shelf - **Code VM**
- Writing stand - **Code WS** (Models NT & NR only)
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS** (Models NT & NG only)
- Other heights available.

Model NT - 2 Shelves, 3" Deep

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NT130-P6	NT130-R6	NT130-U6	120
36	NT136-P6	NT136-R6	NT136-U6	130
24 x 30	NT230-P6	NT230-R6	NT230-U6	136
36	NT236-P6	NT236-R6	NT236-U6	148
48	NT248-P6	NT248-R6	NT248-U6	172

Model NG - 2 Shelves, 3" Deep, Ergonomic Handle

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NG130-P6	NG130-R6	NG130-U6	122
36	NG136-P6	NG136-R6	NG136-U6	132
24 x 30	NG230-P6	NG230-R6	NG230-U6	138
36	NG236-P6	NG236-R6	NG236-U6	150
48	NG248-P6	NG248-R6	NG248-U6	174

Model NR - 3 Shelves, 3" Deep

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NR130-P6	NR130-R6	NR130-U6	146
36	NR136-P6	NR136-R6	NR136-U6	158
24 x 30	NR230-P6	NR230-R6	NR230-U6	168
36	NR236-P6	NR236-R6	NR236-U6	184
48	NR248-P6	NR248-R6	NR248-U6	218

2 Shelf 6" & 12" Deep Lipped Service Carts

Models LS, EK, NA, GJ - Rugged 6" & 12" deep lipped carts for transporting small tools, and more

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model LS Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model EK Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model NA Shown

Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- **6" shelf lips** up for retention (Models LS & EK only).
- Clearance between shelves - 16" (Models LS & EK), 14" (Models NA & GJ)
- Tubular handle with smooth radius bend.
- Overall height (excluding handle) is 35", (39" with 8" casters).
- Powder coated gray finish.

Other Specifications:

Model EK:

- Ergonomic tubular handle (4" above top shelf).

Model NA:

- 12" deep top shelf & 1-1/2" lips on bottom shelf.

Model GJ:

- 12" deep top, 13 gauge mesh sides & 1-1/2" lips on bottom shelf.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or F8**
- Other heights available.

Model LS - 2 Shelves, 6" Deep

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	LS130-U5	LS130-T5	LS130-L5	110	LS130-Z8	132
36	LS136-U5	LS136-T5	LS136-L5	122	LS136-Z8	144
24 x 30	LS230-U5	LS230-T5	LS230-L5	130	LS230-Z8	152
36	LS236-U5	LS236-T5	LS236-L5	144	LS236-Z8	166
48	LS248-U5	LS248-T5	LS248-L5	172	LS248-Z8	194

Model EK - 2 Shelves, 6" Deep, Ergonomic Handle

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	EK130-U5	EK130-T5	EK130-L5	112	EK130-Z8	134
36	EK136-U5	EK136-T5	EK136-L5	124	EK136-Z8	146
24 x 30	EK230-U5	EK230-T5	EK230-L5	132	EK230-Z8	154
36	EK236-U5	EK236-T5	EK236-L5	146	EK236-Z8	168
48	EK248-U5	EK248-T5	EK248-L5	174	EK248-Z8	196

Model NA - 2 Shelves, 12" Deep Top, Solid Sides

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	NA130-U5	NA130-T5	NA130-L5	110	NA130-Z8	132
36	NA136-U5	NA136-T5	NA136-L5	122	NA136-Z8	144
24 x 30	NA230-U5	NA230-T5	NA230-L5	130	NA230-Z8	152
36	NA236-U5	NA236-T5	NA236-L5	144	NA236-Z8	166
48	NA248-U5	NA248-T5	NA248-L5	172	NA248-Z8	194

Model GJ - 2 Shelves, 12" Deep Top, Mesh Sides

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	GJ130-U5	GJ130-T5	GJ130-L5	98	GJ130-Z8	120
36	GJ136-U5	GJ136-T5	GJ136-L5	110	GJ136-Z8	132
24 x 30	GJ230-U5	GJ230-T5	GJ230-L5	118	GJ230-Z8	140
36	GJ236-U5	GJ236-T5	GJ236-L5	132	GJ236-Z8	154
48	GJ248-U5	GJ248-T5	GJ248-L5	160	GJ248-Z8	182

2 Shelf 2,400 lb 6" & 12" Deep Lipped Service Carts

Models NS, NK, NB, GK - Rugged 6" & 12" deep lipped carts for transporting small tools, and more

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Model NS Shown

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Model NK Shown

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Model NB Shown

Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- **6" shelf lips** up for retention (Models NS & NK only).
- Clearance between shelves – 16" (Models NS & NK), 14" (Models NB & GK).
- Overall height (excluding handle) - 36".
- Powder coated gray finish.

Other Specifications:

Model NK:

- Ergonomic tubular handle (4" above top shelf).

Model NB:

- 12" deep top shelf & 1-1/2" lips on bottom shelf.

Model GK:

- 12" deep top, 13 gauge mesh sides & 1-1/2" lips on bottom shelf.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- All swivel casters - **Code AS**
- Floor lock - **Code F6**
- Other shelf heights available.

Model NS - 2 Shelves, 6" Deep

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NS130-P6	NS130-R6	NS130-U6	124
36	NS136-P6	NS136-R6	NS136-U6	136
24 x 30	NS230-P6	NS230-R6	NS230-U6	144
36	NS236-P6	NS236-R6	NS236-U6	158
48	NS248-P6	NS248-R6	NS248-U6	186

Model NK - 2 Shelves, 6" Deep, Ergonomic Handle

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NK130-P6	NK130-R6	NK130-U6	126
36	NK136-P6	NK136-R6	NK136-U6	138
24 x 30	NK230-P6	NK230-R6	NK230-U6	146
36	NK236-P6	NK236-R6	NK236-U6	160
48	NK248-P6	NK248-R6	NK248-U6	188

Model NB - 2 Shelves, 12" Deep Top - Solid Sides

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	NB130-P6	NB130-R6	NB130-U6	130
36	NB136-P6	NB136-R6	NB136-U6	148
24 x 30	NB230-P6	NB230-R6	NB230-U6	160
36	NB236-P6	NB236-R6	NB236-U6	174
48	NB248-P6	NB248-R6	NB248-U6	200

Model GK - 2 Shelves, 12" Deep Top - Mesh Sides

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 30	GK130-P6	GK130-R6	GK130-U6	114
36	GK136-P6	GK136-R6	GK136-U6	130
24 x 30	GK230-P6	GK230-R6	GK230-U6	142
36	GK236-P6	GK236-R6	GK236-U6	154
48	GK248-P6	GK248-R6	GK248-U6	168

2 Shelf Low Profile Carts

Models SG, SH, LG - Specialized Utility Carts

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model SG Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model SH Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model LG Shown

Product Features:

- All welded construction (except casters).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Powder coated gray finish.

Other Specifications:

Model SG:

- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised level tubular handle** (5" above top shelf) with smooth radius bend.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 20".
- Overall height (excluding handle) - 30".

Model SH:

- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised straight handle** (10" above top shelf).
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 17".
- Overall height (excluding handle) - 27".

Model LG:

- 1" square tube construction with 12 gauge caster mounts for long lasting use.
- Raised offset handle (10" above top shelf) with smooth radius bend.
- Clearance between shelves - 18".
- Overall height (excluding handle) - 27", (31" with 8" casters).

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor Lock - **Code F5 or F8**
- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS** (Models SG & SH)
- Vinyl matting on top shelf - **Code VM**

Model SG - High Handle

Model SH - Straight Handle

WxL (in)	5" Casters Models		Wgt. (lbs)	5" Casters Models	
	Urethane	Thermorubber		Urethane	Thermorubber
18 x 24	SG124-U5	SG124-T5	72	SH124-U5	SH124-T5
30	SG130-U5	SG130-T5	80	SH130-U5	SH130-T5
36	SG136-U5	SG136-T5	88	SH136-U5	SH136-T5
48	SG148-U5	SG148-T5	102	SH148-U5	SH148-T5
24 x 24	SG224-U5	SG224-T5	86	SH224-U5	SH224-T5
30	SG230-U5	SG230-T5	96	SH230-U5	SH230-T5
36	SG236-U5	SG236-T5	106	SH236-U5	SH236-T5
48	SG248-U5	SG248-T5	126	SH248-U5	SH248-T5
60	SG260-U5	SG260-T5	146	SH260-U5	SH260-T5
72	SG272-U5	SG272-T5	166	SH272-U5	SH272-T5
30 x 36	SG336-U5	SG336-T5	122	SH336-U5	SH336-T5
48	SG348-U5	SG348-T5	148	SH348-U5	SH348-T5
60	SG360-U5	SG360-T5	172	SH360-U5	SH360-T5
72	SG372-U5	SG372-T5	198	SH372-U5	SH372-T5
36 x 48	SG448-U5	SG448-T5	170	SH448-U5	SH448-T5
60	SG460-U5	SG460-T5	200	SH460-U5	SH460-T5
72	SG472-U5	SG472-T5	228	SH472-U5	SH472-T5

Model LG - 2 Shelves Square Tubular Frame

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	LG136-U5	LG136-T5	LG136-L5	56	LG136-Z8	78
48	LG148-U5	LG148-T5	LG148-L5	60	LG148-Z8	82
24 x 36	LG236-U5	LG236-T5	LG236-L5	62	LG236-Z8	84
48	LG248-U5	LG248-T5	LG248-L5	68	LG248-Z8	90

2 Shelf Specialty Service Carts

Models LK, NY, NV - Specialized Utility Carts

1,200 LB CAP* (*800 lb with Thermorubber casters)



Model LK Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model NY Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model NV Shown

Product Features:

- All welded construction (except casters), with durable **12 gauge steel shelf**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Powder coated gray finish.

Other Specifications:

Model LK:

- Lockable drawer (5" h x 16" w x 16" d) with 2 keys.
- 1-1/2" shelf lips up for retention.
- Clearance under drawer - 19".
- Overall height - 35", (39" with 8" casters).

Model NY:

- **1-1/4" removable tubular handle** (16" above top shelf)
- 1-1/2" shelf lips down (flush) on top shelf
- Deck height - 27" (31" with 8" casters)

Model NV:

- 1-1/4" tubular center support posts.
- 1-1/2" shelf lips down (flush) on top shelf and lips up for retention on bottom shelf.
- Clearance between shelves - 25".
- Overall height - 35" (39" with 8" casters).

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or F8**
- Vinyl matting on top shelf - **Code VM**
- Wood capped top - **Code WT**
- Other shelf heights available (except Model NV).

Model LK - 2 Shelves with Drawer

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 30	LK230-U5	LK230-T5	LK230-L5	126	LK230-Z8	148
36	LK236-U5	LK236-T5	LK236-L5	136	LK236-Z8	158
48	LK248-U5	LK248-T5	LK248-L5	156	LK248-Z8	178
60	LK260-U5	LK260-T5	LK260-L5	176	LK260-Z8	198
72	LK272-U5	LK272-T5	LK272-L5	198	LK272-Z8	220
30 x 36	LK336-U5	LK336-T5	LK336-L5	154	LK336-Z8	176
48	LK348-U5	LK348-T5	LK348-L5	178	LK348-Z8	200
60	LK360-U5	LK360-T5	LK360-L5	204	LK360-Z8	226
72	LK372-U5	LK372-T5	LK372-L5	228	LK372-Z8	250

Model NY - Ergo Work Height Service Cart

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 48	NY148-U5	NY148-T5	NY148-L5	90	NY148-Z8	112
24 x 48	NY248-U5	NY248-T5	NY248-L5	106	NY248-Z8	128
60	NY260-U5	NY260-T5	NY260-L5	120	NY260-Z8	142
30 x 48	NY348-U5	NY348-T5	NY348-L5	122	NY348-Z8	144
60	NY360-U5	NY360-T5	NY360-L5	136	NY360-Z8	158

Model NV - Easy Entry Service Cart

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	NV136-U5	NV136-T5	NV136-L5	88	NV136-Z8	110
48	NV148-U5	NV148-T5	NV148-L5	102	NV148-Z8	124
24 x 36	NV236-U5	NV236-T5	NV236-L5	104	NV236-Z8	126
48	NV248-U5	NV248-T5	NV248-L5	124	NV248-Z8	146

All Products Ship "Qwik Ship"

2 Shelf 1,200 lb Mobile Tables

Model LB - Heavy duty transporter between work areas

1,200 LB CAP.* (*800 lb with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on both shelves.
- Clearance between shelves - 20".
- Overall height - 30".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	LB124-U5	LB124-T5	LB124-L5	70
30	LB130-U5	LB130-T5	LB130-L5	78
36	LB136-U5	LB136-T5	LB136-L5	86
48	LB148-U5	LB148-T5	LB148-L5	100
24 x 24	LB224-U5	LB224-T5	LB224-L5	84
30	LB230-U5	LB230-T5	LB230-L5	94
36	LB236-U5	LB236-T5	LB236-L5	104
48	LB248-U5	LB248-T5	LB248-L5	124
60	LB260-U5	LB260-T5	LB260-L5	146
72	LB272-U5	LB272-T5	LB272-L5	166
30 x 36	LB336-U5	LB336-T5	LB336-L5	122
48	LB348-U5	LB348-T5	LB348-L5	146
60	LB360-U5	LB360-T5	LB360-L5	172
72	LB372-U5	LB372-T5	LB372-L5	196
36 x 48	LB448-U5	LB448-T5	LB448-L5	170
60	LB460-U5	LB460-T5	LB460-L5	200
72	LB472-U5	LB472-T5	LB472-L5	228

Open Bottom Frame 1,200 lb Mobile Tables

Model LV - Heavy duty transporter between work areas

1,200 LB CAP.* (*800 lb with T5 casters)



Options:

- 2 wheel brakes on swivel casters - **Code B5**
- All swivel casters - **Code AS**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Tubular push handle - **Code PH**
- Other heights available.

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelf**, 3/16" thick angle corners & lower frame, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" top shelf lips down (flush).
- Overall height - 30".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 24	LV124-U5	LV124-T5	LV124-L5	64
30	LV130-U5	LV130-T5	LV130-L5	70
36	LV136-U5	LV136-T5	LV136-L5	76
48	LV148-U5	LV148-T5	LV148-L5	86
24 x 24	LV224-U5	LV224-T5	LV224-L5	72
30	LV230-U5	LV230-T5	LV230-L5	84
36	LV236-U5	LV236-T5	LV236-L5	88
48	LV248-U5	LV248-T5	LV248-L5	102
60	LV260-U5	LV260-T5	LV260-L5	126
72	LV272-U5	LV272-T5	LV272-L5	132
30 x 36	LV336-U5	LV336-T5	LV336-L5	100
48	LV348-U5	LV348-T5	LV348-L5	116
60	LV360-U5	LV360-T5	LV360-L5	132
72	LV372-U5	LV372-T5	LV372-L5	172
36 x 48	LV448-U5	LV448-T5	LV448-L5	130
60	LV460-U5	LV460-T5	LV460-L5	148
72	LV472-U5	LV472-T5	LV472-L5	168

2 Shelf 1,200 Lb Specialty Mobile Tables

Models LA, EY, LP - Heavy duty transporters between work areas

1,200 LB CAPACITY



Model LA Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model EY Shown

1,200 LB CAP* (*800 lb with Thermorubber casters)



Model LP Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use (Models LA & EY).
- 1" square tubular construction and 12 gauge caster mounts (Model LP only).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on both shelves (Models LA & EY).
- Clearance between shelves - 20" (Models LA & EY); 18" (Model LP).
- Overall height - 34" (Model LA); 30" (excluding stakes - Model EY); 27" (Model LP).
- Stake angles extend 18" above top shelf (Model EY only).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5, F8 or FN**
- Vinyl matting on top shelf - **Code VM** (Models LA & EY)
- Tubular push handle - **Code PH** (Models LA & EY)
- Other heights available.

Model LA - Vibration Reduction Mobile Tables

WxL (in)	8" Pneumatic Casters		
	Semi Models	Full Models	Wgt.(lbs)
24 x 30	LA230-Z8	LA230-N8	118
	LA236-Z8	LA236-N8	128
	LA248-Z8	LA248-N8	148
	LA260-Z8	LA260-N8	170
	LA272-Z8	LA272-N8	190
30 x 36	LA336-Z8	LA336-N8	146
	LA348-Z8	LA348-N8	170
	LA360-Z8	LA360-N8	196
	LA372-Z8	LA372-N8	220
36 x 48	LA448-Z8	LA448-N8	194
	LA460-Z8	LA460-N8	224
	LA472-Z8	LA472-N8	252

Model EY - Mobile Stakes Tables with 2 Shelves

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
18 x 30	EY130-U5	EY130-T5	EY130-L5	90
	EY136-U5	EY136-T5	EY136-L5	98
	EY148-U5	EY148-T5	EY148-L5	112
24 x 36	EY236-U5	EY236-T5	EY236-L5	116
	EY248-U5	EY248-T5	EY248-L5	136
	EY260-U5	EY260-T5	EY260-L5	156
30 x 36	EY336-U5	EY336-T5	EY336-L5	134
	EY348-U5	EY348-T5	EY348-L5	158
	EY360-U5	EY360-T5	EY360-L5	184
36 x 48	EY448-U5	EY448-T5	EY448-L5	182
	EY460-U5	EY460-T5	EY460-L5	210

Model LP - 2 Shelves Square Tubular Frame - No handle

WxL (in)	5" Casters Models			
	Urethane	Thermorubber	Steel	Wgt. (lbs)
18 x 36	LP136-U5	LP136-T5	LP136-L5	44
	LP148-U5	LP148-T5	LP148-L5	52
24 x 36	LP236-U5	LP236-T5	LP236-L5	52
	LP248-U5	LP248-T5	LP248-L5	64

2 Shelf Reinforced Mobile Tables

Model LX, LW, LM - Heavy duty transporters between work areas

2,400 LB CAP.*(*2,000 lb with Rubber casters)



Model LX Shown

4,800 LB CAPACITY



Model LW Shown

7,000 LB CAPACITY



Model LM Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves with under bracing**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use. (Models LX & LW).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on both shelves.
- Clearance between shelves - 20" (Models LX & LW); 17" (Model LM).
- Overall height - 31" (Model LX); 33" (Model LW); 30" (Model LM) .
- Powder coated gray finish.

Other Specifications:

Model LM:

- Durable **12 gauge steel shelves super reinforced with channel underbracing and gusseted 3" angle corners 3/16" thick, 8" x 2" (1/4" thick) tubular caster mounts.**
- Mill duty casters, 8" x 2-1/2," in super heavy rig with roller bearings and grease zerks.
- Tubular handle with smooth radius bend.

Options:

- 2 wheel brakes on swivel casters - **Code B6, B8 or BM**
- All swivel casters - **Code AS**
- Floor lock - **Code F6, F8 or ML**
- Push handle - **Code PH** (Models LX & LW)
- Vinyl matting on top shelf - **Code VM**
- 6 caster option available (2 rigid in middle & 4 swivels on ends). (Model LM only)
- Other heights available.

Model LX - 2,400 lb Reinforced Mobile Table with 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 30	LX230-P6	LX230-R6	LX230-U6	114
36	LX236-P6	LX236-R6	LX236-U6	126
48	LX248-P6	LX248-R6	LX248-U6	148
60	LX260-P6	LX260-R6	LX260-U6	170
72	LX272-P6	LX272-R6	LX272-U6	192
30 x 36	LX336-P6	LX336-R6	LX336-U6	142
48	LX348-P6	LX348-R6	LX348-U6	170
60	LX360-P6	LX360-R6	LX360-U6	198
72	LX372-P6	LX372-R6	LX372-U6	224
36 x 48	LX448-P6	LX448-R6	LX448-U6	192
60	LX460-P6	LX460-R6	LX460-U6	224
72	LX472-P6	LX472-R6	LX472-U6	256

Model LW - 4,800 lb Reinforced Mobile Table with 2 Shelves

WxL (in)	8" Casters Models		Wgt. (lbs)
	Phenolic		
24 x 30	LW230-P8		134
36	LW236-P8		148
48	LW248-P8		176
60	LW260-P8		204
72	LW272-P8		234
30 x 36	LW336-P8		166
48	LW348-P8		198
60	LW360-P8		232
72	LW372-P8		264
36 x 48	LW448-P8		220
60	LW460-P8		260
72	LW472-P8		296

Model LM - 7,000 lb Mill Duty Mobile Table with 2 Shelves

WxL (in)	8" Casters Models		Wgt. (lbs)
	Phenolic	Steel	
30 x 60	LM360-MP	LM360-MS	394
36 x 72	LM472-MP	LM472-MS	476

3 Shelf Reinforced Mobile Tables

Model LC, LD, LE - Heavy duty transporters between work areas

1,200 LB CAP.* (*800 lb. with T5 casters)



Model LC Shown

2,400 LB CAP.* (*2,000 lb with Rubber casters)



Model LD Shown

4,800 LB CAPACITY



Model LE Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips down (flush) on all shelves.
- Clearance between shelves - 9".
- Overall height:
 - Model LC - 30" (34" with 8" casters)
 - Model LD - 31"
 - Model LE - 33"
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5, B6, B8 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5, F6 or F8**
- Tubular push handle - **Code PH**
- Vinyl matting on top shelf - **Code VM**
- Other heights available.

Model LC - 1,200 lb Mobile Table with 3 Shelves

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 30	LC130-U5	LC130-T5	LC130-L5	100	LC130-Z8	124
	LC136-U5	LC136-T5	LC136-L5	112	LC136-Z8	136
	LC148-U5	LC148-T5	LC148-L5	132	LC148-Z8	156
24 x 30	LC230-U5	LC230-T5	LC230-L5	122	LC230-Z8	146
	LC236-U5	LC236-T5	LC236-L5	138	LC236-Z8	162
	LC248-U5	LC248-T5	LC248-L5	168	LC248-Z8	192
	LC260-U5	LC260-T5	LC260-L5	198	LC260-Z8	222
30 x 36	LC272-U5	LC272-T5	LC272-L5	230	LC272-Z8	254
	LC336-U5	LC336-T5	LC336-L5	162	LC336-Z8	186
	LC348-U5	LC348-T5	LC348-L5	200	LC348-Z8	224
	LC360-U5	LC360-T5	LC360-L5	238	LC360-Z8	262
	LC372-U5	LC372-T5	LC372-L5	274	LC372-Z8	298
36 x 48	LC448-U5	LC448-T5	LC448-L5	232	LC448-Z8	256
	LC460-U5	LC460-T5	LC460-L5	276	LC460-Z8	300
	LC472-U5	LC472-T5	LC472-L5	320	LC472-Z8	344

Model LD - 2,400 lb Reinforced

Model LE - 4,800 lb Reinforced

WxL (in)	6" Casters Models				8" Casters Models	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Phenolic	Wgt. (lbs)
24 x 30	LD230-P6	LD230-R6	LD230-U6	142	LE230-P8	172
	LD236-P6	LD236-R6	LD236-U6	158	LE236-P8	194
	LD248-P6	LD248-R6	LD248-U6	192	LE248-P8	236
	LD260-P6	LD260-R6	LD260-U6	224	LE260-P8	278
30 x 36	LD272-P6	LD272-R6	LD272-U6	256	LE272-P8	320
	LD336-P6	LD336-R6	LD336-U6	184	LE336-P8	218
	LD348-P6	LD348-R6	LD348-U6	224	LE348-P8	268
	LD360-P6	LD360-R6	LD360-U6	262	LE360-P8	318
36 x 48	LD372-P6	LD372-R6	LD372-U6	302	LE372-P8	366
	LD448-P6	LD448-R6	LD448-U6	256	LE448-P8	300
	LD460-P6	LD460-R6	LD460-U6	302	LE460-P8	356
	LD472-P6	LD472-R6	LD472-U6	348	LE472-P8	412

2 Shelf 14 Gauge Service Carts

Model FG - Economical general use carts for transporting small materials

800 LB CAP.



Product Features:

- All welded construction (except casters and handle), with durable **14 gauge steel shelves** and 12 gauge angle corners.
- Bolt on 1" tubular handle.
- Bolt on casters, 2 swivel & 2 rigid with wheel brakes on swivel casters.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 25".
- Overall height - 33".
- Powder coated black finish **ONLY**.

SPECIFICATIONS

WxL (in)	4" Casters	Wgt. (lbs)
	Urethane	
18 x 24	FG124-U4-B4	52
30	FG130-U4-B4	58
36	FG136-U4-B4	66
24 x 36	FG236-U4-B4	78
48	FG248-U4-B4	94

BOXED TO SHIP FED EX GROUND
Except 24" x 48" size

3 Shelf 14 Gauge Service Carts

Model FH - Economical general use carts for transporting small materials

800 LB CAP.



Product Features:

- All welded construction (except casters and handle), with durable **14 gauge steel shelves** and 12 gauge angle corners.
- Bolt on 1" tubular handle.
- Bolt on casters, 2 swivel & 2 rigid with wheel brakes on swivel casters.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 11"
- Overall height - 33".
- Powder coated black finish **ONLY**.

SPECIFICATIONS

WxL (in)	4" Casters	Wgt. (lbs)
	Urethane	
18 x 24	FH124-U4-B4	64
30	FH130-U4-B4	72
36	FH136-U4-B4	82
24 x 36	FH236-U4-B4	100
48	FH248-U4-B4	124

BOXED TO SHIP FED EX GROUND
Except 24" x 48" size

2 Shelf 14 Gauge Low Profile Carts

Model FE - Economical general use low flush top shelf for shorter lift of heavier items

800 LB CAP.



Product Features:

- All welded construction (except casters and handle), with durable **14 gauge steel shelves** and 12 gauge angle corners.
- **Raised bolt on tubular offset handle** (12" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid with wheel brakes on swivel casters.
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf.
- Clearance between shelves - 20".
- Overall height (excluding handle) - 28".
- Powder coated black finish **ONLY**.

SPECIFICATIONS

WxL (in)	4" Casters	Wgt. (lbs)
	Urethane	
18 x 24	FE124-U4-B4	50
30	FE130-U4-B4	56
36	FE136-U4-B4	64
24 x 36	FE236-U4-B4	76
48	FE248-U4-B4	92

BOXED TO SHIP FED EX GROUND

Except 24" x 48" size

3 Shelf 14 Gauge Mobile Tables

Model FW - Economical general use transporter with low shelf for shorter lift of heavier items

800 LB CAP.



Product Features:

- All welded construction (except casters), with durable **14 gauge steel shelves** and 12 gauge angle corners.
- Bolt on casters, 2 swivel & 2 rigid with wheel brakes on swivel casters.
- 1-1/2" shelf lips down (flush) on both shelves.
- Clearance between shelves - 20".
- Overall height - 28".
- Powder coated black finish **ONLY**.

SPECIFICATIONS

WxL (in)	4" Casters	Wgt. (lbs)
	Urethane	
18 x 24	FW124-U4-B4	48
30	FW130-U4-B4	54
36	FW136-U4-B4	62
24 x 36	FW236-U4-B4	74
48	FW248-U4-B4	90

BOXED TO SHIP FED EX GROUND

Except 24" x 48" size

Medical Cylinder Carts

Models KJ, KK, KL - Medical carts for 24, 30 and 60 cylinders

1,200 LB CAP.*(*800 lb with T5 casters)



Model KJ Shown

1,200 LB CAP.*(*800 lb with T5 casters)



Model KK Shown

1,200 LB CAP.*(*800 lb with T5 casters)



Model KL Shown

Product Features:

- All welded steel construction (except casters).
- Durable 14 gauge trays, 1-1/2" x 3/16" angle corner posts, and 12 gauge caster mounts and tank supports.
- Raised offset handle.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Powder coated green finish.

Other Specifications:

Model KJ:

- Trays have lasercut 4-1/2" diameter holes to hold cylinders in upright position.
- Overall height - 37".
- Top tray height - 21".

Models KK & KL:

- Trays have lasercut 3-1/2" diameter holes to hold cylinders in upright position.
- Overall height - 37".
- Top tray height - 19".

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**

Model KJ - Holds 24: M7, M9, C, D & E Size Cylinders

WxL (in)	5" Casters Models		Wgt (lbs)	8" Casters Models	
	Urethane	Thermorubber		Semi-Pneumatic	Wgt (lbs)
24 x 36	KJ024-U5-EP	KJ024-T5-EP	70	KJ024-Z8-EP	90

Model KK - Holds 30: M4, M6 & B Size Cylinders

WxL (in)	5" Casters Models		Wgt (lbs)	8" Casters Models	
	Urethane	Thermorubber		Semi-Pneumatic	Wgt (lbs)
24 x 24	KK030-U5-EP	KK030-T5-EP	66	KK030-Z8-EP	86

Model KL - Holds 60: M4, M6 & B Size Cylinders

WxL (in)	5" Casters Models		Wgt (lbs)	8" Casters Models	
	Urethane	Thermorubber		Semi-Pneumatic	Wgt (lbs)
24 x 48	KL060-U5-EP	KL060-T5-EP	100	KL060-Z8-EP	120

Medical Cylinder Carts

Model KM - Medical cart for 24 cylinders

2,000 LB CAP.



Model KM Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6 or BN**
- All swivel casters - **Code AS**

Product Features:

- All welded steel construction (except casters).
- Durable 14 gauge trays, 1-1/2" x 3/16" angle corner posts, and 12 gauge caster mounts and tank supports.
- Raised offset handle.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Trays have lasercut 4-1/2" diameter holes to hold cylinders in upright position.
- Overall height - 38".
- Top tray height - 22".
- Powder coated green finish.

Model KM - Holds 24: M7, M9, C, D & E Size Cylinders

WxL (in)	5" x 2" Casters Models		Wgt (lbs)	8" Casters Models	Wgt (lbs)
	Urethane	Thermorubber		Semi-Pneumatic	
24 x 36	KM024-U6-EP	KM024-T6-EP	80	KM024-Z8-EP	90

Medical Cylinder Carts

Model KN - Medical cart for 40 cylinders

2,000 LB CAP.



Model KN Shown

Options:

- 2 wheel brakes on swivel casters - **Code B9**

Product Features:

- All welded steel construction (except casters).
- Durable 14 gauge trays, 1-1/2" x 3/16" angle corner posts, and 12 gauge caster mounts and tank supports.
- Raised offset handles.
- Bolt on casters, 4 swivel & 2 rigid in middle, for easy replacement.
- Trays have lasercut 4-1/2" diameter holes to hold cylinders in upright position.
- Overall height - 38".
- Top tray height - 22".
- Powder coated green finish.

Model KN - Holds 40: M7, M9, C, D & E Size Cylinders

WxL (in)	5" x 2" Casters Models		Wgt (lbs)	8" Casters Models	Wgt (lbs)
	Urethane	Thermorubber		Semi-Pneumatic	
30 x 42	KN040-U9-EP	KN040-T9-EP	120	KN040-Z9-EP	130

1,200 lb Platform Trucks

Models PN, PT, PU - Heavy duty steel flatbed transporter for packages and boxes

1,200 LB CAPACITY



Model PN Shown

1,200 LB CAP.*(*800 lb with T5 casters)



Model PT Shown

1,200 LB CAP.*(*800 lb with T5 casters)



Model PU Shown

Product Features:

- All welded construction (except casters and removable handle).
- Durable **12 gauge steel platform**, and 12 gauge caster mounts for long lasting use.
- **1-1/4" tubular handle** with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Platform height - 12" (Model PN), 9" (Model PT & PU)
- Handle height above deck - 30".
- Powder coated gray finish.

Other Specifications:

Model PN

- Flush Platform.
- **Semi or full pneumatic casters.**

Model PT

- Flush Platform

Model PU

- 1 1/2" platform lips up for retention

**Stainless
Platform
Model XP
see page 114**

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5, F8 or FN**
- Vinyl matting on top shelf - **Code VM**
- Twin removable handles at each end - **Code TH**

Model PN - Pneumatic Casters

WxL (in)	8" Pneumatic Casters		
	Semi Models	Full Models	Wgt.(lbs)
18 x 36	PN136-Z8	-	94
48	PN148-Z8	-	110
24 x 36	PN236-Z8	PN236-N8	104
48	PN248-Z8	PN248-N8	122
60	PN260-Z8	PN260-N8	138
72	PN272-Z8	PN272-N8	156
30 x 36	PN336-Z8	PN336-N8	114
48	PN348-Z8	PN348-N8	134
60	PN360-Z8	PN360-N8	154
72	PN372-Z8	PN372-N8	174
36 x 48	PN448-Z8	PN448-N8	146
60	PN460-Z8	PN460-N8	168
72	PN472-Z8	PN472-N8	190

Model PT - Flush Lip

WxL (in)	5" Casters Models		Wgt. (lbs)
	Urethane	Thermorubber	
18 x 36	PT136-U5	PT136-T5	70
48	PT148-U5	PT148-T5	86
24 x 36	PT236-U5	PT236-T5	80
48	PT248-U5	PT248-T5	98
60	PT260-U5	PT260-T5	114
72	PT272-U5	PT272-T5	132
30 x 36	PT336-U5	PT336-T5	90
48	PT348-U5	PT348-T5	110
60	PT360-U5	PT360-T5	130
72	PT372-U5	PT372-T5	150
36 x 48	PT448-U5	PT448-T5	122
60	PT460-U5	PT460-T5	144
72	PT472-U5	PT472-T5	166

Model PU - Lips Up

WxL (in)	5" Casters Models		Wgt. (lbs)
	Urethane	Thermorubber	
18 x 36	PU136-U5	PU136-T5	70
48	PU148-U5	PU148-T5	86
24 x 36	PU236-U5	PU236-T5	80
48	PU248-U5	PU248-T5	98
60	PU260-U5	PU260-T5	114
72	PU272-U5	PU272-T5	132
30 x 36	PU336-U5	PU336-T5	90
48	PU348-U5	PU348-T5	110
60	PU360-U5	PU360-T5	130
72	PU372-U5	PU372-T5	150
36 x 48	PU448-U5	PU448-T5	122
60	PU460-U5	PU460-T5	144
72	PU472-U5	PU472-T5	166

3", 6" & 12" Deep Box Platform Trucks

Models VL, VJ, VM – Heavy duty flatbed transporter with retention walls

2,000 LB CAP.*(*1,800 lb with R7 casters)



Model VL Shown

2,000 LB CAP.*(*1,800 lb with R7 casters)



Model VJ Shown

2,000 LB CAP.*(*1,800 lb with R7 casters)



Model VM Shown

Product Features:

- All welded frame construction (except casters and removable handle).
- **Removable 1-1/4" tubular handle** with smooth radius bend mounted into a 12 gauge mount with handle sockets.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 12 gauge platform - 3" Deep (Model VL); 6" Deep (Model VJ); 12" Deep (Model VM).
- Platform height – 9".
- Handle height above deck - 30".
- Powder coated gray finish.

Options:

- Twin removable handles at each end - **Code TH**
- Floor lock - **Code F7 or F8**
- 2 wheel brakes on swivel casters - **Code B7 or BN**
- All swivel casters - **Code AS**

Model VL - 3" Deep Retaining Walls

WxL (in)	5" Casters Models				Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	VL248-P7	VL248-R7	VL248-U7	110	VL248-Z8	116
30 x 60	VL360-P7	VL360-R7	VL360-U7	142	VL360-Z8	148

Model VJ - 6" Deep Retaining Walls

WxL (in)	5" Casters Models				Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	VJ248-P7	VJ248-R7	VJ248-U7	122	VJ248-Z8	146
60	VJ260-P7	VJ260-R7	VJ260-U7	152	VJ260-Z8	176
30 x 48	VJ348-P7	VJ348-R7	VJ348-U7	128	VJ348-Z8	152
60	VJ360-P7	VJ360-R7	VJ360-U7	158	VJ360-Z8	182

Model VM - 12" Deep Retaining Walls

WxL (in)	5" Casters Models				Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	VM248-P7	VM248-R7	VM248-U7	148	VM248-Z8	154
30 x 60	VM360-P7	VM360-R7	VM360-U7	192	VM360-Z8	200

2,000 - 4,000 lb Platform Trucks

Models PZ, PX, PW - Heavy & extra heavy duty steel flatbed transporters

2,000 LB CAPACITY* (*1,800 lb with R7 casters)



Model PZ Shown

3,000 LB CAPACITY* (*2,000 lb with rubber casters)



Model PX Shown

4,000 LB CAPACITY



Model PW Shown

Product Features:

- All welded construction (except casters and removable handle).
- Durable **12 gauge steel platform**, and 12 gauge caster mounts.
- **1-1/4" tubular handle** with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" platform lips down for flush load and unload.
- Platform height - Model PZ - 9", Model PX - 10" and Model PW - 12".
- Handle height above deck - 30".
- Powder coated gray finish.

Other Specifications:

Model PX:

- Platform has underbracing.

Model PW:

- Platform has extra underbracing.

Options:

- 2 wheel brakes on swivel casters - **Code B7, B6 or B8**
- All swivel casters - **Code AS**
- Floor lock - **Code F7, F6 or F8**
- Vinyl matting on deck - **Code VM**
- Twin removable handles at each end - **Code TH**

Model PZ - 2,000 lb Capacity, 5" Casters

WxL (in)	5" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	PZ236-P7	PZ236-R7	PZ236-U7	94
48	PZ248-P7	PZ248-R7	PZ248-U7	112
60	PZ260-P7	PZ260-R7	PZ260-U7	128
72	PZ272-P7	PZ272-R7	PZ272-U7	146
30 x 36	PZ336-P7	PZ336-R7	PZ336-U7	104
48	PZ348-P7	PZ348-R7	PZ348-U7	124
60	PZ360-P7	PZ360-R7	PZ360-U7	142
72	PZ372-P7	PZ372-R7	PZ372-U7	162
36 x 48	PZ448-P7	PZ448-R7	PZ448-U7	134
60	PZ460-P7	PZ460-R7	PZ460-U7	156
72	PZ472-P7	PZ472-R7	PZ472-U7	178

Model PX - 3,000 lb Capacity, 6" Casters

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	PX236-P6	PX236-R6	PX236-U6	96
48	PX248-P6	PX248-R6	PX248-U6	114
60	PX260-P6	PX260-R6	PX260-U6	130
72	PX272-P6	PX272-R6	PX272-U6	148
30 x 36	PX336-P6	PX336-R6	PX336-U6	106
48	PX348-P6	PX348-R6	PX348-U6	126
60	PX360-P6	PX360-R6	PX360-U6	144
72	PX372-P6	PX372-R6	PX372-U6	176
36 x 48	PX448-P6	PX448-R6	PX448-U6	146
60	PX460-P6	PX460-R6	PX460-U6	168
72	PX472-P6	PX472-R6	PX472-U6	192

Model PW - 4,000 lb Capacity, 8" Casters

WxL (in)	8" Phenolic Casters	Wgt. (lbs)	WxL (in)	8" Phenolic Casters	Wgt. (lbs)
24 x 36	PW236-P8	110	30 x 36	PW336-P8	118
48	PW248-P8	128	48	PW348-P8	140
60	PW260-P8	148	60	PW360-P8	162
72	PW272-P8	166	72	PW372-P8	184
			36 x 48	PW448-P8	150
			60	PW460-P8	174
			72	PW472-P8	200

"Ironwood", Wood Capped Steel & Hardwood Platform Trucks

Models PV, PB, EH - Heavy duty scratch resistant wood flatbed transporters for various materials

2,000 LB CAPACITY



Model PV Shown

1,200 LB CAP.* (*800 lb with T5 casters)



Model PB Shown

2,000 LB CAPACITY



Model EH Shown

Product Features:

- All welded construction (except wood decks and casters).
- **1-1/4" removable tubular handle** with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Flush platform for easy load and unload.
- Platform height - Model PV - 11", (15" with 8" casters); Model PB - 10", (14" with 8" casters); Model EH - 9", (12" with 8" casters).
- Handle height above deck - 30".
- Powder coated gray finish.

Model PV

- **5 times harder than other hardwoods, such as maple and oak.**
- **Ironwood is rot resistant.**
- **1" "ironwood" deck.** Superior dense wood that is super strong.
- 1-1/2" square tube underframe.

Model PB

- Durable 12 gauge steel platform capped with 3/4" sealed plywood.

Model EH

- Durable 1" hardwood deck with 1-1/2" wood underbracing.

Options:

- 2 wheel brakes on swivel casters - **Code B5, B6 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5, F6 or F8**
- Twin removable handles at each end - **Code TH** (except Model EH)

Model PV - "Ironwood" Platform

WxL (in)	6" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
22 x 48	PV248-P6	PV248-R6	PV248-U6	100	PV248-Z8	112
60	PV260-P6	PV260-R6	PV260-U6	116	PV260-Z8	128
28 x 48	PV348-P6	PV348-R6	PV348-U6	114	PV348-Z8	126
60	PV360-P6	PV360-R6	PV360-U6	130	PV360-Z8	142
33 x 48	PV448-P6	PV448-R6	PV448-U6	124	PV448-Z8	136
60	PV460-P6	PV460-R6	PV460-U6	146	PV460-Z8	158

Model PB - Wood Capped Steel Platform

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	PB236-U5	PB236-T5	PB236-L5	96	PB236-Z8	120
48	PB248-U5	PB248-T5	PB248-L5	118	PB248-Z8	142
30 x 60	PB360-U5	PB360-T5	PB360-L5	160	PB360-Z8	184

Model EH - Hardwood Platform

WxL (in)	6" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	EH248-P6	EH248-R6	EH248-U6	110	EH248-Z8	122
30 x 60	EH360-P6	EH360-R6	EH360-U6	156	EH360-Z8	168

2,000 lb Ergonomic Platform Trucks

Models FN, AO, FO, AR, FP, AW - Heavy duty ergonomic height flatbed transporters

2,000 LB CAPACITY*

(*1,800 lb with rubber casters)



2,000 LB CAPACITY*

(*1,800 lb with rubber casters)



2,000 LB CAPACITY*

(*1,800 lb with rubber casters)



Product Features:

- Fully welded frame construction with 12 gauge steel deck.
- 2" square tubular frame.
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Lips up for retention 1-1/2" (Models FN & AO); 3" (Models FO & AR); 6" (Models FP & AW).
- **Fixed platform height:** 25", (29" with 8" casters) - (Models FN FO & FP).
- **Adjustable height:** 4 heights - fixed, plus 2", plus 4" & plus 6" from fixed height models - (Models AO, AR & AW).
- Handle height above deck - 16".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B7 or BN**
- All swivel casters - **Code AS**
- Maple butcherblock tops, 1-1/4" thick, (Models FN & AO)

Model FN Shown

Model FO Shown

Model FP Shown

Model FN - Fixed Platform, 1-1/2" Lip

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	FN248-P7	FN248-R7	FN248-U7	112	FN248-Z8	136
30 x 60	FN360-P7	FN360-R7	FN360-U7	136	FN360-Z8	160

Model AO - Adjustable Platform, 1-1/2" Lip

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	A0248-P7	A0248-R7	A0248-U7	122	A0248-Z8	146
30 x 60	A0360-P7	A0360-R7	A0360-U7	146	A0360-Z8	170

Model FO - Fixed Platform, 3" Lip

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	F0248-P7	F0248-R7	F0248-U7	120	F0248-Z8	144
30 x 60	F0360-P7	F0360-R7	F0360-U7	144	F0360-Z8	168

Model AR - Adjustable Platform, 3" Lip

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	AR248-P7	AR248-R7	AR248-U7	130	AR248-Z8	154
30 x 60	AR360-P7	AR360-R7	AR360-U7	150	AR360-Z8	174

Model FP - Fixed Platform, 6" Lip

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	FP248-P7	FP248-R7	FP248-U7	142	FP248-Z8	166
30 x 60	FP360-P7	FP360-R7	FP360-U7	166	FP360-Z8	190

Model AW - Adjustable Platform, 6" Lip

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	AW248-P7	AW248-R7	AW248-U7	152	AW248-Z8	176
30 x 60	AW360-P7	AW360-R7	AW360-U7	172	AW360-Z8	196

2,000 lb Ergonomic Platform Trucks

Models NP, NU, SY, AS, WH, AH - Heavy duty ergonomic height flatbed transporters

2,000 LB CAPACITY*

(*1,800 lb with rubber casters)



2,000 LB CAPACITY*

(*1,800 lb with rubber casters)

Model NP Shown

Product Features:

- Platforms - 3 Styles
 - HDPE-molded structural plastic deck (damage & chemical resistant surface) (Models NP & NU)
 - 12 gauge steel (Models SY & AS)
 - 1" hard wood with 1-1/2" wood under bracing (Models WH & AH)
- 2" square tubular frame.
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Flush deck for easy load and unload.
- **Fixed height:** Model NP - 27" high platform (31" with 8" casters), Model SY - 25" high platform (29" with 8" casters), Model WH - 26" high platform (30" with 8" casters).
- **Adjustable height:** 4 heights - fixed, plus 2", plus 4" & plus 6" from fixed height models - (Models NU, AS & AH).
- Handle height above deck - 16".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B7 or BN**
- All swivel casters - **Code AS**
- Maple butcher block tops, 1-1/4" thick - **Code MT** (Models SY & AS)

Model NP - Plastic (Structural Foam) Fixed Platform

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	NP248-P7	NP248-R7	NP248-U7	108	NP248-Z8	118
30 x 60	NP360-P7	NP360-R7	NP360-U7	130	NP360-Z8	140

Model NU - Plastic (Structural Foam) Adjustable Platform

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	NU248-P7	NU248-R7	NU248-U7	118	NU248-Z8	128
30 x 60	NU360-P7	NU360-R7	NU360-U7	140	NU360-Z8	150

Model SY - Steel (12 Gauge) Fixed Platform

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	SY248-P7	SY248-R7	SY248-U7	112	SY248-Z8	136
30 x 60	SY360-P7	SY360-R7	SY360-U7	136	SY360-Z8	160

Model AS - Steel (12 Gauge) Adjustable Platform

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	AS248-P7	AS248-R7	AS248-U7	122	AS248-Z8	146
30 x 60	AS360-P7	AS360-R7	AS360-U7	146	AS360-Z8	170

Model WH - Hard Wood Fixed Platform

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	WH248-P7	WH248-R7	WH248-U7	118	WH248-Z8	142
30 x 60	WH360-P7	WH360-R7	WH360-U7	142	WH360-Z8	166

Model AH - Hard Wood Adjustable Platform

WxL (in)	5" Casters Models				8" Semi-Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	AH248-P7	AH248-R7	AH248-U7	128	AH248-Z8	152
30 x 60	AH360-P7	AH360-R7	AH360-U7	154	AH360-Z8	178



2,000 LB CAPACITY*

(*1,800 lb with rubber casters)

Model SY Shown



Model WH Shown

1,200 lb Wiresided Platform Trucks

Models EP, EJ, EM - Heavy duty wood deck transporter for packages and boxes

1,200 LB CAP.* (*800 lb with T5 casters)



Model EP Shown

1,200 LB CAP.* (*800 lb with T5 casters)



Model EJ Shown

1,200 LB CAP.* (*800 lb with T5 casters)



Model EM Shown

Product Features:

- Removable 2" x 2" wire mesh panels 22" high.
- Durable 12 gauge steel platform capped with 3/4" sealed plywood.
- 12 gauge caster mounts for long lasting use.
- Twin 1-1/4" tubular handles with panel channels are welded in place.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Flush platform for easy load and unload.
- Platform height - 10", (14" with 8" casters).
- Handle height above deck - 30".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5 or FN**

Model EP - 2 Wire Ends

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	EP248-U5	EP248-T5	EP248-L5	128	EP248-N8	152
30 x 60	EP360-U5	EP360-T5	EP360-L5	174	EP360-N8	198

Model EJ - 2 Wire Ends, 1 Wire Side

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	EJ248-U5	EJ248-T5	EJ248-L5	138	EJ248-N8	162
30 x 60	EJ360-U5	EJ360-T5	EJ360-L5	186	EJ360-N8	210

Model EM - 2 Wire Ends, 2 Wire Sides

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	EM248-U5	EM248-T5	EM248-L5	150	EM248-N8	174
30 x 60	EM360-U5	EM360-T5	EM360-L5	200	EM360-N8	224

Long Roll, Stakes & Diamond Plate Platform Trucks

Models PR, PD, PP - Heavy duty steel flatbed transporters for longer materials

1,200 LB CAP.* (*800 lb with T5 casters)



Model PR Shown

2,000 LB CAP.



Model PD Shown

2,000 LB CAP.



Model PP Shown

Product Features:

- All welded construction (except casters and removable rails).
- Durable 12 gauge steel platform, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" platform lips down for flush load and unload.
- Powder coated gray finish.

Other Specifications:

Model PR:

- Platform height - 9", (13" with 8" casters).
- 1-1/4" tubular removable side rails 36" above deck.

Model PD:

- Platform height - 10", (14" with 8" casters).
- 1-1/4" tubular removable stakes 30" high.

Model PP:

- Platform height - 10", (14" with 8" casters).
- Durable 12 gauge diamond plate cap mounted to 12 gauge platform for superior ruggedness.
- 1-1/4" tubular removable handle 30" high.

Options:

- 2 wheel brakes on swivel casters - Code B5, B6, or BN
- Floor lock - Code F5, F6, or F8

Model PR - Long Roll with Side Rails

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	PR136-U5	PR136-T5	PR136-L5	92	PR136-Z8	116
48	PR148-U5	PR148-T5	PR148-L5	110	PR148-Z8	134
24 x 36	PR236-U5	PR236-T5	PR236-L5	102	PR236-Z8	126
48	PR248-U5	PR248-T5	PR248-L5	124	PR248-Z8	148
60	PR260-U5	PR260-T5	PR260-L5	146	PR260-Z8	170
72	PR272-U5	PR272-T5	PR272-L5	168	PR272-Z8	192
30 x 36	PR336-U5	PR336-T5	PR336-L5	112	PR336-Z8	136
48	PR348-U5	PR348-T5	PR348-L5	136	PR348-Z8	160
60	PR360-U5	PR360-T5	PR360-L5	160	PR360-Z8	184
72	PR372-U5	PR372-T5	PR372-L5	184	PR372-Z8	208
36 x 48	PR448-U5	PR448-T5	PR448-L5	146	PR448-Z8	170
60	PR460-U5	PR460-T5	PR460-L5	174	PR460-Z8	198
72	PR472-U5	PR472-T5	PR472-L5	200	PR472-Z8	224

Model PD - Removable Stakes

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	PD236-P6	PD236-R6	PD236-U6	100	PD236-Z8	124
48	PD248-P6	PD248-R6	PD248-U6	118	PD248-Z8	142
60	PD260-P6	PD260-R6	PD260-U6	134	PD260-Z8	158
72	PD272-P6	PD272-R6	PD272-U6	152	PD272-Z8	176
30 x 36	PD336-P6	PD336-R6	PD336-U6	110	PD336-Z8	134
48	PD348-P6	PD348-R6	PD348-U6	130	PD348-Z8	154
60	PD360-P6	PD360-R6	PD360-U6	148	PD360-Z8	172
72	PD372-P6	PD372-R6	PD372-U6	168	PD372-Z8	192
36 x 48	PD448-P6	PD448-R6	PD448-U6	142	PD448-Z8	166
60	PD460-P6	PD460-R6	PD460-U6	160	PD460-Z8	184
72	PD472-P6	PD472-R6	PD472-U6	184	PD472-Z8	208

Model PP - Diamond Plate Deck

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	PP248-P6	PP248-R6	PP248-U6	156	PP248-Z8	180
30 x 60	PP360-P6	PP360-R6	PP360-U6	214	PP360-Z8	238

High Deck Steel ,Wood Capped Steel & Rail Platforms

Models EL, EZ, EU – Heavy Duty flatbed transporters

2,500 LB CAPACITY



Model EL Shown

2,500 LB CAPACITY



Model EZ Shown

2,500 LB CAPACITY



Model EU Shown

Product Features:

- All welded deck construction.
- Durable 12 gauge steel platform & underframe.
- 1-1/4" tubular removable handle (16" above deck)
- Casters/wheels –
front: 3/4" solid rod axle with 16" full pneumatic wheels
rear: 12" full pneumatic swivel casters, bolted on.
- 1-1/2" platform lips down (flush).
- Powder coated gray finish.

Other Specifications:

Model EL:

- Platform height - 19".

Model EZ:

- Platform height - 20".
- Steel platform capped with 3/4" sealed plywood.

Model EU:

- Platform height - 19".
- Twin handles.
- 1-1/4" tubular removable rails, 12" high.

Options:

- Models EL & EU – vinyl matting on deck – Code VM

Model EL – High Deck – Steel

WxL (in)	Models	Wgt. (lbs)
24 x 48	EL248-N7	132
30 x 60	EL360-N7	170
36 x 60	EL460-N7	190
36 x 72	EL472-N7	208

Model EZ – High Deck – Wood Capped Steel

WxL (in)	Models	Wgt. (lbs)
24 x 48	EZ248-N7	154
30 x 60	EZ360-N7	204
36 x 60	EZ460-N7	238
36 x 72	EZ472-N7	256

Model EU – High Deck – Steel with Rails

WxL (in)	Models	Wgt. (lbs)
24 x 48	EU248-N7	162
30 x 60	EU360-N7	208
36 x 60	EU460-N7	230
36 x 72	EU472-N7	254

Push & Pull Platforms

2,000 LB CAP.*

(*1,200 lb with full pneumatic casters)

Models TN, VT, PJ - Heavy duty flatbed transporters

Product Features:

- All welded frame construction
- Durable 12 gauge steel platform, 12 gauge caster mounts
- Handle height above platform – 30"
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- Powder coated gray finish

Other Specifications:

Model TN:

- 1-1/4" tubular handle with 1" "T" handle, rubber grips.
- Platform height - 10", (12" with 8" casters).
- 1-1/2" platform lips for retention.

Model VT:

- 1-1/4" tubular handle with 1" "T" handle, rubber grips.
- Platform height - 10", (12" with 8" casters).
- 6" platform lips for retention.

Model PJ:

- Bolt on casters in a Diamond Pattern, 2 rigid in center and 1swivel each end.
- 1-1/4" tubular handle(s).
- Platform height – 9".

Options:

- 2 wheel brakes on swivel casters – **Code B6, B8, BN** (Except Model PJ)
- Floor lock – **Code F6, F8, FN** (Except Model PJ)
- Vinyl matting on deck – **Code VM**

Model TN - Wagon With Casters - 1-1/2 Deep Platform

WxL (in)	Phenolic Models				Pneumatic Models		
	6"	Wgt. (lbs)	8"	Wgt. (lbs)	8" Semi	8" Full	Wgt. (lbs)
24 x 36	TN236-P6	80	TN236-P8	86	TN236-Z8	TN236-N8	86
48	TN248-P6	94	TN248-P8	100	TN248-Z8	TN248-N8	100
30 x 60	TN360-P6	122	TN360-P8	128	TN360-Z8	TN360-N8	128

Model VT - Wagon With Casters - 6" Deep Platform

WxL (in)	Phenolic Models				Pneumatic Models		
	6"	Wgt. (lbs)	8"	Wgt. (lbs)	8" Semi	8" Full	Wgt. (lbs)
24 x 36	VT236-P6	102	VT236-P8	108	VT236-Z8	VT236-N8	108
48	VT248-P6	120	VT248-P8	126	VT248-Z8	VT248-N8	126
30 x 60	VT360-P6	154	VT360-P8	160	VT360-Z8	VT360-N8	160

Model PJ - Diamond Patterned Casters

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 36	PJ236-U5	PJ236-T5	PJ236-L5	72
48	PJ248-U5	PJ248-T5	PJ248-L5	84
60	PJ260-U5	PJ260-T5	PJ260-L5	96
72	PJ272-U5	PJ272-T5	PJ272-L5	112
30 x 36	PJ336-U5	PJ336-T5	PJ336-L5	82
48	PJ348-U5	PJ348-T5	PJ348-L5	102
60	PJ360-U5	PJ360-T5	PJ360-L5	114
72	PJ372-U5	PJ372-T5	PJ372-L5	126
36 x 48	PJ448-U5	PJ448-T5	PJ448-L5	108
60	PJ460-U5	PJ460-T5	PJ460-L5	128
72	PJ472-U5	PJ472-T5	PJ472-L5	142



Model TN Shown

2,000 LB CAP.*

(*1,200 lb with full pneumatic casters)



Model VT Shown

1,200 LB CAP.* (*800 lb with T5 casters)



Model PJ Shown

1,200 - 3,000 lb Twin Handle Platform Trucks

Models PK, PS, PH - Heavy duty steel flatbed transporters for packages and boxes

1,200 LB CAP.* (*800 lb with T5 casters)



Model PK Shown

2,000 LB CAPACITY



Model PS Shown

3,000 LB CAPACITY*
(*2,700 lb with Rubber casters)



Model PH Shown

Product Features:

- Twin 1-1/4" tubular handles (each end) with smooth radius bend for comfort and uniform appearance.
- All welded construction (except casters and removable handles).
- Durable 12 gauge steel platform, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid (except Model PH- 6 casters).
- 1-1/2" platform lips down for flush load and unload.
- Powder coated gray finish.

Other Specifications:

Model PK

- Platform height - 9" (13" with 8" casters).
- Handle height above deck - 30".

Model PS

- Platform height - 10".
- Handle height above deck - 36".

Model PH

- Platform height - 9".
- Handle height above deck - 48".
- 6 casters (5"x2") - 4 swivel on ends & 2 rigid in middle.
- Tilt feature for center pivoting.

Options:

- 2 wheel brakes on 2 swivel casters - **Code B5, B6, BN or B9**
- All swivel casters (except Model PH) - **Code AS**
- Floor lock (except Model PH) - **Code F5, F6 or FN**
- Vinyl matting on deck - **Code VM**

Model PK - 4 Wheel

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	PK236-U5	PK236-T5	PK236-L5	96	PK236-N8	120
48	PK248-U5	PK248-T5	PK248-L5	112	PK248-N8	136
60	PK260-U5	PK260-T5	PK260-L5	130	PK260-N8	154
72	PK272-U5	PK272-T5	PK272-L5	148	PK272-N8	172
30 x 36	PK336-U5	PK336-T5	PK336-L5	108	PK336-N8	132
48	PK348-U5	PK348-T5	PK348-L5	126	PK348-N8	150
60	PK360-U5	PK360-T5	PK360-L5	146	PK360-N8	170
72	PK372-U5	PK372-T5	PK372-L5	166	PK372-N8	190
36 x 48	PK448-U5	PK448-T5	PK448-L5	140	PK448-N8	164
60	PK460-U5	PK460-T5	PK460-L5	162	PK460-N8	186
72	PK472-U5	PK472-T5	PK472-L5	184	PK472-N8	210

Model PS - Twin Handle Platform - 4 Wheel

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	PS248-P6	PS248-R6	PS248-U6	140
60	PS260-P6	PS260-R6	PS260-U6	156
72	PS272-P6	PS272-R6	PS272-U6	174
30 x 48	PS348-P6	PS348-R6	PS348-U6	156
60	PS360-P6	PS360-R6	PS360-U6	174
72	PS372-P6	PS372-R6	PS372-U6	194
36 x 48	PS448-P6	PS448-R6	PS448-U6	178
60	PS460-P6	PS460-R6	PS460-U6	202
72	PS472-P6	PS472-R6	PS472-U6	214

Model PH - 6 Wheel

WxL (in)	5" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 48	PH148-P9	PH148-R9	PH148-U9	132
60	PH160-P9	PH160-R9	PH160-U9	150
24 x 48	PH248-P9	PH248-R9	PH248-U9	150
60	PH260-P9	PH260-R9	PH260-U9	164
72	PH272-P9	PH272-R9	PH272-U9	180
30 x 48	PH348-P9	PH348-R9	PH348-U9	162
60	PH360-P9	PH360-R9	PH360-U9	180
72	PH372-P9	PH372-R9	PH372-U9	200

Plastic, Tubular, & Mesh Platform Trucks

Models NF, NL, BG, GT - Heavy duty flatbed transporters

2,500 LB CAPACITY* (*1,800 lb with rubber casters)
(*2,200 lb with semi pneumatic casters)

Product Features:

Model NF:

- Welded frame construction.
- **HDPE-molded structural plastic deck** (damage & chemical resistant surface).
- Flush platform for easy load and unload.
- Bolt on casters - 5" x 2" - 2 swivel & 2 rigid.
- Removable 1-1/4" tubular handle is 30" above deck.
- Platform height - 10" (14" with full pneumatic casters).
- Flush platform for easy load and unload.
- Powder coated gray finish.

Model NL:

- Welded frame construction.
- **HDPE-molded structural plastic deck** (damage & chemical resistant surface).
- Flush platform for easy load and unload.
- Bolt on casters - 5" x 2" - 4 swivel at ends & 2 rigid in middle.
- Removable 1-1/4" tubular handle is 30" above deck.
- Platform height - 10".
- Powder coated gray finish.

Model BG:

- Welded frame construction.
- 1" square tubular handle and deck (16 gauge).
- Handle is 30" above deck.
- Bolt on casters - 1" x 1-1/4" - 2 swivel & 2 rigid.
- Platform height - 8", (12" with 8" casters).
- Powder coated gray finish.

Model GT:

- All welded angle frame construction.
- Removable tubular handle can be inserted into sockets on either side.
- 13 gauge reinforced expanded metal deck.
- 12" full pneumatic wheels on an axle on one side and 8" full pneumatic casters at other.
- Deck height 17"; handle extends 27" above deck height.
- Powder coated forest green finish only.

Options:

- 2 wheel brakes on swivel casters - **Code B7, B9, BN or B5**
- All swivel casters - **Code AS** (except models NL & GT)

Model NF - Flush Plastic Deck With 4 Wheels

WxL (in)	5" Casters Models			8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Models	Wgt. (lbs)
24 x 48	NF248-P7	NF248-R7	NF248-U7	NF248-Z8	82
30 x 60	NF360-P7	NF360-R7	NF360-U7	NF360-Z8	106

Model NL - Flush Plastic Deck With 6 Wheels

WxL (in)	5" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	NL248-P9	NL248-R9	NL248-U9	84
30 x 60	NL360-P9	NL360-R9	NL360-U9	108

Model BG - Tubular Deck

WxL (in)	5" Casters Models				8" SemiPneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	BG136-U5	BG136-T5	BG136-L5	40	BG136-Z8	66
48	BG148-U5	BG148-T5	BG148-L5	44	BG148-Z8	68
24 x 36	BG236-U5	BG236-T5	BG236-L5	46	BG236-Z8	70
48	BG248-U5	BG248-T5	BG248-L5	50	BG248-Z8	74

Model GT - Mesh Deck Garden Cart

DxL (in)	Models Full Pneumatic	Wgt. (lbs)
24 x 48	GT248-NT	84



6 Wheeler
Model NL

1,200 LB CAPACITY*
(*800 lb with thermorubber casters)

Model NF Shown



Model BG

1,200 LB CAPACITY



Model GT Shown

All Products Ship "Qwik Ship"

Steel & Mesh Deck Wagon Trucks

Models UV, UY, UX, UZ, UW - Heavy duty wagon transporters

1,500 LB CAP.



Model UV Shown



Model UY

1,500 LB CAP.



Model UX Shown

1,500 LB CAP.



Model UZ Shown

1,500 LB CAP.



Model UW Shown

Product Features:

- All welded 12 gauge frame.
- 1-1/4" Tubular handle with 1" "T" handle .
- Wheels 10" x 3-1/2" full pneumatic mounted on 3/4" solid rod axles.
- Deck height - Models UV, UY, UX & UW - 14", Model UZ - 15".
- Powder coated gray finish.

Other Specifications:

Model UV

- 12 gauge deck with 1-1/2" lips up for retention.

Model UY

- 12 gauge deck with 1-1/2" lips down for easy load and unload.

Model UX

- 12 gauge deck with 6" lips up for retention.

Model UZ

- Wood capped 12 gauge deck.

Model UW

- 1-1/2" angle frame with 2-1/2" 12 gauge channel under bracing.
- 13 gauge expanded metal deck.

Options:

- Vinyl matting on deck - **Code VM** (Except Models UZ & UW)

Model UV - Steel Deck Wagon

WxL (in)	10" Pneumatic Wheels	Wgt (lbs)
24 x 36	UV236-N0	94
48	UV248-N0	112

Model UY - Flush Steel Deck Wagon

WxL (in)	10" Pneumatic Wheels	Wgt (lbs)
24 x 36	UY236-N0	94
48	UY248-N0	112

Model UX - 6" Walled Steel Deck Wagon

WxL (in)	10" Pneumatic Wheels	Wgt (lbs)
24 x 36	UX236-N0	114
48	UX248-N0	132

Model UZ - Wood Capped Steel Deck Wagon

WxL (in)	10" Pneumatic Wheels	Wgt (lbs)
24 x 36	UZ236-N0	112
48	UZ248-N0	136

Model UW - Mesh Deck Wagon

WxL (in)	10" Pneumatic Wheels	Wgt (lbs)
24 x 36	UW236-N0	70
48	UW248-N0	80

5th Wheel Steel, Wood, Plastic Deck Wagon Trucks

Models TV, VU, TX, TO, NZ - Extra heavy duty wagon transporters

2,500 LB CAP.* (*2,000 lb with 12" pneumatic wheels)



Model TV With Pneumatic Wheels Shown

2,500 LB CAP.* (*2,000 lb with 12" pneumatic wheels)



Model TX With Pneumatic Wheels Shown

2,500 LB CAP.* (*2,000 lb with 12" pneumatic wheels)



Model TO With Pneumatic Wheels Shown

2,500 LB CAP.* (*2,000 lb with 12" pneumatic wheels)



Model NZ With Pneumatic Wheels Shown

Product Features:

- All welded frame.
- 1-1/4" tubular handle with 1" "T" handle and rubber grips.
- 3/4" solid rod axles.
- Deck height - 12" wheels - Models VU, TV & TX - 19", Models TO & NZ - 20"
16" wheels - Models VU, TV & TX - 21", Models TO & NZ - 22"
- Powder coated gray finish.

Model TV - Steel Deck

- 12 gauge steel deck with under bracing, 1-1/2" platform lips up for retention.

Model VU - Flush Steel Deck

- 12 gauge steel deck with underbracing, 1-1/2" platform lips down for easy load and unload.

Model TX - Steel Deck With 6" Sides

- 12 gauge steel deck, with under bracing, and 6" platform lips up for retention.

Model TO - Wood Capped

- 3/4" sealed plywood capped over 12 gauge steel deck with under bracing.
- Flush deck for easy load and unload.

Model NZ - Plastic

- HDPE-molded structural plastic deck (damage & chemical resistant surface).
- Flush deck for easy load and unload.

Options:

- Vinyl matting on deck - Code VM (Except Models TO & NZ)

Model TV - Steel Deck With 1-1/2" Sides

WxL (in)	Models		Wgt. (lbs)	Models	
	12" Pneumatic	16" Pneumatic		12" Mold On Rubber	Wgt. (lbs)
24 x 36	TV236-N2	TV236-N6	114	TV236-R2	172
48	TV248-N2	TV248-N6	126	TV248-R2	184
30 x 60	TV360-N2	TV360-N6	156	TV360-R2	214
36 x 60	TV460-N2	TV460-N6	192	TV460-R2	250
72	TV472-N2	TV472-N6	210	TV472-R2	268

Model VU - Flush Steel Deck

WxL (in)	Models		Wgt. (lbs)	Models	
	12" Pneumatic	16" Pneumatic		12" Mold On Rubber	Wgt. (lbs)
24 x 36	VU236-N2	VU236-N6	114	VU236-R2	172
48	VU248-N2	VU248-N6	126	VU248-R2	184
30 x 60	VU360-N2	VU360-N6	156	VU360-R2	214
36 x 60	VU460-N2	VU460-N6	192	VU460-R2	250
72	VU472-N2	VU472-N6	210	VU472-R2	268

Model TX - Steel Deck With 6" Sides

WxL (in)	Models		Wgt. (lbs)	Models	
	12" Pneumatic	16" Pneumatic		12" Mold On Rubber	Wgt. (lbs)
24 x 36	TX236-N2	TX236-N6	136	TX236-R2	194
48	TX248-N2	TX248-N6	154	TX248-R2	212
30 x 60	TX360-N2	TX360-N6	200	TX360-R2	258

Model TO - Wood Capped Steel Deck

WxL (in)	Models		Wgt. (lbs)	Models	
	12" Pneumatic	16" Pneumatic		12" Mold On Rubber	Wgt. (lbs)
24 x 36	T0236-N2	T0236-N6	128	T0236-R2	186
48	T0248-N2	T0248-N6	146	T0248-R2	204
30 x 60	T0360-N2	T0360-N6	200	T0360-R2	258
36 x 60	T0460-N2	T0460-N6	238	T0460-R2	296
72	T0472-N2	T0472-N6	254	T0472-R2	312

Model NZ - Plastic Deck

WxL (in)	Models		Wgt. (lbs)	Models	
	12" Pneumatic	16" Pneumatic		12" Mold On Rubber	Wgt. (lbs)
24 x 48	NZ248-N2	NZ248-N6	94	NZ248-R2	146
30 x 60	NZ360-N2	NZ360-N6	172	NZ360-R2	224

Adjustable Sheet & Panel Trucks

Models PG, TE, PO - Heavy duty steel transporters for upright panels and sheets

2,000 LB CAPACITY



Model PG Shown

2,000 LB CAPACITY



Model TE Shown

2,000 LB CAPACITY



Model PO Shown

Product Features:

- All welded construction (except casters and removable dividers).
- Durable **12 gauge steel platform**, and 12 gauge caster mounts for long lasting use.
- **6 removable 1-1/4" tubular dividers** with smooth radius bend for safety and uniform appearance.
2 each: 12" high, 24" high, 36" high.
- **7 divider sockets** at each end.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Platform flush for easy load and unload.
- Deck height - 9", (12" with 8" casters)
- Model TE - carpeted rails add 2" to deck height
- Model PO - wood cap adds 1" to deck height
- Overall height - 45", (48" with 8" casters).
- Powder coated gray finish.

Other Specifications:

Model TE

- Durable 12 gauge steel platform, with - 3" x 2" carpeted rails.

Model PO

- Durable 12 gauge steel platform, capped with 3/4" sealed plywood.

Options:

- 2 wheel brakes on swivel casters - **Code B6 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F6 or F8**

Model PG - Steel Deck

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	PG236-P6	PG236-R6	PG236-U6	142	PG236-Z8	152
48	PG248-P6	PG248-R6	PG248-U6	166	PG248-Z8	176
60	PG260-P6	PG260-R6	PG260-U6	190	PG260-Z8	200
72	PG272-P6	PG272-R6	PG272-U6	214	PG272-Z8	224
30 x 36	PG336-P6	PG336-R6	PG336-U6	150	PG336-Z8	160
48	PG348-P6	PG348-R6	PG348-U6	176	PG348-Z8	186
60	PG360-P6	PG360-R6	PG360-U6	204	PG360-Z8	214
72	PG372-P6	PG372-R6	PG372-U6	230	PG372-Z8	240
36 x 48	PG448-P6	PG448-R6	PG448-U6	188	PG448-Z8	198
60	PG460-P6	PG460-R6	PG460-U6	216	PG460-Z8	226
72	PG472-P6	PG472-R6	PG472-U6	246	PG472-Z8	256

Model TE - Steel Deck, Carpeted Rails

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
30 x 36	TE336-P6	TE336-R6	TE336-U6	156	TE336-Z8	166
48	TE348-P6	TE348-R6	TE348-U6	184	TE348-Z8	194
60	TE360-P6	TE360-R6	TE360-U6	210	TE360-Z8	220
72	TE372-P6	TE372-R6	TE372-U6	236	TE372-Z8	246

Model PO - Steel Deck, Wood Capped

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	P0236-P6	P0236-R6	P0236-U6	156	P0236-Z8	166
48	P0248-P6	P0248-R6	P0248-U6	184	P0248-Z8	194
30 x 60	P0360-P6	P0360-R6	P0360-U6	234	P0360-Z8	244
36 x 60	P0460-P6	P0460-R6	P0460-U6	260	P0460-Z8	270
72	P0472-P6	P0472-R6	P0472-U6	290	P0472-Z8	300

Adjustable & Fixed Sheet & Panel Trucks

Models TA, TU, PF - Heavy duty steel transporters for upright panels and sheets

2,000 LB CAP.* (*1,800 lb with rubber casters)



Model TA Shown

2,000 LB CAP.* (*1,800 lb with rubber casters)



Model TU Shown

2,000 LB CAP.* (*1,800 lb with rubber casters)



Model PF Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel platform** with underbracing, and 12 gauge caster mounts.
- **1-1/4" tubular dividers** with smooth radius bend for safety.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" platform lips down for flush load and unload.
- Deck height - 9", (12" with 8" casters).
 - Model TU - wood cap adds 1" to deck height
- Overall height - 45", (48" with 8" casters)
- Powder coated gray finish.

Model TA

- 2 removable dividers - height 36"
- 7 divider positions.

Model TU

- 2 removable dividers - height 36"
- Durable 12 gauge steel platform, capped with 3/4" sealed plywood
- 7 divider positions.

Model PF

- 4 fixed dividers - 2 heights
- 2 outside dividers - 24"
- 2 inside dividers - 36"

Options:

- 2 wheel brakes on swivel casters - **Code B7 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F7 or F8**

**1,200 lb cap.
2 divider position
model PR
see page 38**

Model TA - Removable Dividers With 7 Positions

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	TA236-P7	TA236-R7	TA236-U7	116	TA236-Z8	128
48	TA248-P7	TA248-R7	TA248-U7	138	TA248-Z8	150
60	TA260-P7	TA260-R7	TA260-U7	160	TA260-Z8	172
72	TA272-P7	TA272-R7	TA272-U7	180	TA272-Z8	192
30 x 36	TA336-P7	TA336-R7	TA336-U7	126	TA336-Z8	138
48	TA348-P7	TA348-R7	TA348-U7	150	TA348-Z8	162
60	TA360-P7	TA360-R7	TA360-U7	174	TA360-Z8	186
72	TA372-P7	TA372-R7	TA372-U7	196	TA372-Z8	208
36 x 48	TA448-P7	TA448-R7	TA448-U7	160	TA448-Z8	172
60	TA460-P7	TA460-R7	TA460-U7	186	TA460-Z8	198
72	TA472-P7	TA472-R7	TA472-U7	212	TA472-Z8	224

Model TU - Removable Dividers with Wood Capped Steel Deck

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	TU236-P7	TU236-R7	TU236-U7	130	TU236-Z8	142
48	TU248-P7	TU248-R7	TU248-U7	158	TU248-Z8	170
30 x 60	TU360-P7	TU360-R7	TU360-U7	204	TU360-Z8	216
36 x 72	TU472-P7	TU472-R7	TU472-U7	258	TU472-Z8	270

Model PF - Fixed Dividers

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	PF236-P7	PF236-R7	PF236-U7	112	PF236-Z8	124
48	PF248-P7	PF248-R7	PF248-U7	134	PF248-Z8	146
30 x 36	PF336-P7	PF336-R7	PF336-U7	118	PF336-Z8	130
48	PF348-P7	PF348-R7	PF348-U7	142	PF348-Z8	154

Upright Panel Movers

Models TF, TH, TG, TY - Versatile transporter for material moved on its edge

1,200 LB CAPACITY



Model TF Shown

1,200 LB CAPACITY



Model TH Shown

1,200 LB CAPACITY



Model TG Shown

2,000 LB CAPACITY



Model TY Shown

Product Features:

- All welded frame construction.
- **Durable steel frame with 3 sockets on each end.**
- **3 removable 1-1/4" tubular dividers** with smooth radius bend - 27" high.
- **Load space between dividers -12"**
- Bolt on casters, for easy replacement.
- Platform height - Model TF - 8", Model TH - 9", Model TG & TY - 10".
- Overall height - 35" (Models TF, TH & TG), 36" (Model TY).
- Powder coated gray finish ONLY.

Other Specifications:

Model TF

- 5" x 1-1/4" urethane swivel casters.

Model TH

- Includes 3/4" wood deck.
- 5" x 1-1/4" urethane swivel casters.

Model TG

- Includes 2 carpeted 2" x 3" wood rails.
- 5" x 1-1/4" urethane swivel casters.

Model TY

- Includes 12 gauge flush deck.
- 5" x 2" urethane swivel casters.

Model TF - Steel Frame

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TF831-U5-AS	66

Model TH - Steel Frame, Wood Capped

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TH831-U5-AS	75

Model TG - Steel Frame, Carpeted Rails

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TG831-U5-AS	70

Model TY - Steel Deck

WxL (in)	5" Casters Urethane	Ship Wgt. (lbs)
28 x 31	TY831-U7-AS	95

BOXED TO SHIP FED EX GROUND

Cardboard Carton & Divider Trucks

Models CS, CP, DG - Heavy duty divider trucks

1,200 LB CAP.* (*800 lb. with T5 casters)



Model CS Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model CP Shown

1,800 LB CAP.* (*1,200 lb with full pneumatic casters)



Model DG Shown

Product Features:

- All welded construction (except casters, removable handles and rails).
- Durable **12 gauge steel platforms**, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend.
- Sockets are 6" apart. NOTE: **Side sockets add 3" to truck width.**
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Platform deck height: 9", Model CP has 45" second level.
- 1-1/2" platform lips down for flush load and unload.
- Powder coated gray finish.

Other Specifications:

Models CS & CP:

- 1 1/2" angle end frames are 3/16" thick
- 1" removable tubular divider rails - 26" high
- Number of Rails (Model CS has 1 level, Model CP has 2 levels)
- 48" length cart (3 per level)
- 60" length cart (4 per level)
- 72" length cart (5 per level)
- Clearance between shelves 34" (Model CP only)
- Overall height:
 - Model CS - 34", (38" with 8" casters)
 - Model CP - 70", (74" with 8" casters)

Model DG:

- 1-1/4" removable tubular divider rails - 36" high
- Number of Rails
- 8 - on a 48" length cart
- 10 - on a 60" length cart
- 12 - on a 72" length cart
- Removable handle 30" high.
- Overall height - 45", (49" with 8" casters).

Options:

- 2 wheel brakes on swivel casters - **Code B5, B7 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F5, F7 or FN**

Model CS - Single Level Cardboard Carton Truck

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	CS248-U5	CS248-T5	CS248-L5	112	CS248-N8	136
60	CS260-U5	CS260-T5	CS260-L5	128	CS260-N8	152
72	CS272-U5	CS272-T5	CS272-L5	144	CS272-N8	168

Model CP - Two Level Cardboard Carton Truck

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	CP248-U5	CP248-T5	CP248-L5	190	CP248-N8	214
60	CP260-U5	CP260-T5	CP260-L5	218	CP260-N8	242
72	CP272-U5	CP272-T5	CP272-L5	250	CP272-N8	274

Model DG - Adjustable Dividers On 6" Centers

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	DG248-P7	DG248-R7	DG248-U7	188	DG248-N8	212
60	DG260-P7	DG260-R7	DG260-U7	224	DG260-N8	248
72	DG272-P7	DG272-R7	DG272-U7	262	DG272-N8	286
30 x 48	DG348-P7	DG348-R7	DG348-U7	200	DG348-N8	224
60	DG360-P7	DG360-R7	DG360-U7	240	DG360-N8	264
72	DG372-P7	DG372-R7	DG372-U7	280	DG372-N8	304
36 x 48	DG448-P7	DG448-R7	DG448-U7	220	DG448-N8	242
60	DG460-P7	DG460-R7	DG460-U7	264	DG460-N8	288
72	DG472-P7	DG472-R7	DG472-U7	310	DG472-N8	334

Single & Dual Sided Removable Tray Trucks

Models TS & TD - Versatile tray units for transporting to multiple stations

Design Your Own System

2,000 LB CAPACITY



Single Sided

Model TS Shown with Open Trays

2,000 LB CAPACITY



Dual Sided

Model TD Shown

Louvered Panels



FP

LP

Model TS Shown with Louvered Panels

Product Features:

- All welded frame construction.
- 1-1/2" square tubular base frame.
- Slotted 12 gauge channel uprights, slots on 3-1/2" centers.
- Bolt on casters, 2 swivel & 2 rigid, for ease of replacement and superior cart tracking - see specifications.
- Overall height - 67", (69" with 8" casters).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6 or BN**
- Floor lock - **Code F6 or F8**

Specifications

Model TS - Single Sided Frame (Trays Sold Separately)

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 38	TS138-P6	TS138-R6	TS138-U6	110	TS138-Z8	120
24 x 38	TS238-P6	TS238-R6	TS238-U6	114	TS238-Z8	124

Note: Maximum number trays per unit - 2" - 14, 5" - 7

Model TD - Dual Sided Frame (Trays Sold Separately)

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
30 x 38	TD338-P6	TD338-R6	TD338-U6	118	TD338-Z8	134
40 x 38	TD438-P6	TD438-R6	TD438-U6	124	TD438-Z8	140

Note: Maximum number trays per unit - 2" - 28, 5" - 14

Accessories

Trays

Open Front Models	Closed Front Models	Dimensions (in)			Wgt. (lbs)
		Depth	Width	Height	
T3	C3	9	36	2	16
T6	C6	15	36	4	28

Note: T6 & C6 trays only fit models TS238 and TD438.

14 gauge Hook-on Trays with dual wire drop handles, open or closed front

- Open front trays have lips down in front for easy load and unload.
- Closed front trays have lips up in front for retention.

Tray Dividers

Models	Item	Wgt. (lbs)
D3	2" Tray Divider	1
D6	5" Tray Divider	2

Hanger Bars & Spindles

Models	Item	Wgt. (lbs)
HB	36" Hanger Bar	12
SP	15" Spindle	1

Note: Hanger Bar is 4" high and accepts 1/2" d spindles on 2" centers.


Louvered Panels

Models	WxH (in)	Wgt. (lbs)
LP	36" x 19" Panel	6
FP	36" x 50" Panel	14

D3 & D6



HB & SP



Tubular Drywall Truck

Model RH - Indented back side construction for better cornering

3,000 LB CAP. (2,000 lb with semi-pneumatic casters; 2,400 lb with rubber casters)



Model RH Shown



Product Features:

- All welded construction (except casters).
- Indented back side construction for better cornering.
- Durable **12 gauge steel platform with under bracing**, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Overall height - 47".
- **1-1/4" Tubular frame 36" above deck**, with 1" tubular supports.
- Sloped 12 gauge deck to help balance drywall and prevent edge damage.
- 1-1/2" platform lips down for flush load and unload.
- Platform height - 11".
- Usable sloped deck space - 18" deep.
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B8 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F8**

Model RH - Tubular Drywall Truck

WxL (in)	8" Casters Models				Wgt. (lbs)
	Phenolic	Rubber	Urethane	Semi-Pneumatic	
24 x 48	RH248-P8	RH248-R8	RH248-U8	RH248-Z8	90

Panel & Drywall Truck

Model TM - Flush load transporter for panels & drywall sheets

2,000 LB CAPACITY



Model TM Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel platform with under bracing**, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Overall height - 57", (59" with 8" casters).
- **Angle "A" frame 48" above deck**, angle 1-1/2" by 3/16" thickness.
- Sloped 12 gauge deck to help balance drywall and prevent edge damage.
- 1-1/2" platform lips down for flush load and unload.
- Platform height - 9".
- Usable sloped deck space - 9" deep
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6 or BN**
- All swivel casters - **Code AS**
- Floor lock - **Code F6 or F8**

Model TM - Drywall & Panel Truck

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	TM248-P6	TM248-R6	TM248-U6	154	TM248-Z8	166

Panel & Pipe Trucks

Models PC, TP, UP - Transporters for panels, or pipes & bars

2,000 LB CAP.




Model PC Shown

4,000 LB CAP.* (*2,400 lb with R8 - 3,800 lb with U8)



Model TP Shown

4,000 LB CAP.* (*2,400 lb with R8 - 3,800 lb with U8)



Model UP Shown

Product Features:

- All welded construction (except casters).
- Durable 12 gauge steel platform with under bracing, and 12 gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Powder coated gray finish.

Model PC:

- Angle "A" frame 48" above deck, angle 1-1/2" by 3/16" thickness.
- Usable deck space each side of "A" frame: 24" width - 6", 30" width - 9", 36" width - 12".
- 1-1/2" platform lips up on sides for retention and down (flush) on ends.
- Overall height - 57", (59" with 8" casters).

Models TP & UP:

- 4" channel uprights, 1-1/2" square tube arms.
- 3 load levels.
- Platform height - 11".
- Usable arm spacing (horizontal) - each side:
 - Top - 6-1/2"
 - Middle - 10-1/2"
 - Bottom - 14-1/2"
- Overall height - 59".
- Application: Three levels of horizontal storage. (Model UP for flexible material)

Options:

- 2 wheel brakes on swivel casters - Code B6, B8 or BN
- All swivel casters - Code AS (Model PC only)
- Floor lock - Code F6 or F8

Model PC - "A" Frame Panel Truck

WxL (in)	6" Casters Models				8" Semi Pneumatic	
	Phenolic	Rubber	Urethane	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	PC236-P6	PC236-R6	PC236-U6	140	PC236-Z8	152
48	PC248-P6	PC248-R6	PC248-U6	164	PC248-Z8	176
60	PC260-P6	PC260-R6	PC260-U6	186	PC260-Z8	198
72	PC272-P6	PC272-R6	PC272-U6	210	PC272-Z8	222
30 x 48	PC348-P6	PC348-R6	PC348-U6	176	PC348-Z8	188
60	PC360-P6	PC360-R6	PC360-U6	202	PC360-Z8	214
72	PC372-P6	PC372-R6	PC372-U6	226	PC372-Z8	238
36 x 48	PC448-P6	PC448-R6	PC448-U6	190	PC448-Z8	202
60	PC460-P6	PC460-R6	PC460-U6	218	PC460-Z8	230
72	PC472-P6	PC472-R6	PC472-U6	246	PC472-Z8	258

Model TP - Bar & Pipe Truck - Twin Support

WxL (in)	8" Casters Models				Wgt. (lbs)
	Phenolic	Rubber	Urethane	Steel	
36 x 48	TP448-P8	TP448-R8	TP448-U8	TP448-L8	226
60	TP460-P8	TP460-R8	TP460-U8	TP460-L8	248
72	TP472-P8	TP472-R8	TP472-U8	TP472-L8	270

Model UP - Bar & Pipe Truck - Triple Support

WxL (in)	8" Casters Models				Wgt. (lbs)
	Phenolic	Rubber	Urethane	Steel	
36 x 48	UP448-P8	UP448-R8	UP448-U8	UP448-L8	284
60	UP460-P8	UP460-R8	UP460-U8	UP460-L8	300
72	UP472-P8	UP472-R8	UP472-U8	UP472-L8	316

Bar Cradle Truck - 2 cradles

Model TC - Transporters for pipes & bars

4,000 LB CAP.



Model TC Shown

Product Features:

- All welded frame construction.
- 1-1/2" x 3/16" thick angle frame with 12 gauge caster mounts.
- Cradles are 22"w x 14"h.
- Bed height - 20", Overall height - 34".
- Bolt on casters, all swivel, for easy replacement or upgrade.
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - Code B6



Model TC - 4,000 lb. capacity

WxL (in)	6" Casters	Wgt. (lbs)
	Phenolic	
25 x 24	TC225-P6-AS	94

NOTE: Usual application is in Pairs

Bar Cradle Trucks - 3 & 4 cradles

Models CR, CT - Transporters for pipes & bars

5,000 LB CAP.



Model CR Shown

Product Features:

- All welded frame construction.
- 3 cradles for 62" long unit; 4 cradles for 96" long unit.
- Cradle 27"w x 14"h
- 3" x 3/16" thick flat load supports for better material support.
- Powder coated gray finish.


Model CR:

- 3" channel steel frame.
- 6" phenolic bolt on swivel casters (4) on ends and 10" x 2-1/2" phenolic wheels (2) on 1" axle in center.
- Overall height - 28".

Model CT:

- 4" channel steel frame.
- 8" phenolic bolt on swivel casters (4) on ends and 12" x 3" phenolic wheels (2) on 1" axle in center.
- Overall height - 30".

10,000 LB CAP.



Model CT Shown

Model CR - 5,000 lb. capacity

WxL (in)	Models	Wgt.(lbs)
30 x 62	CR362-P1	180
96	CR396-P1	260

Model CT - 10,000 lb. capacity

WxL (in)	Models	Wgt.(lbs)
30 x 62	CT362-P2	230
96	CT396-P2	310

Removable Plastic Bin Carts (16 to 192 Bins)

Models RE, RA - Mobile small parts organizer

1,200 LB CAPACITY*
(*800 lb with T5 casters)



Model RE Shown

Bins Sold Separately

Product Features:

- Double sided louvered panels accept different size plastic bins.
- All welded construction (except casters).
- Durable 12 gauge steel shelves and 12 gauge caster mounts for long lasting use.
- Tubular handle for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Size of louvered panels:
 - Model RE 36" w x 50" h
 - Model RA 36" w x 19" h
- Overall height - Model RE - 64", Model RA - 35" - add 4" for full pneumatic casters.
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor Lock - **Code F5 or FN**

Model RE - 50" High dual sided louvered panels (no bins)

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
30 x 36	RE336-U5	RE336-T5	RE336-L5	164	RE336-N8	188

1,200 LB CAPACITY*
(*800 lb with T5 casters)



Model RA Shown

Bins Sold Separately

Available in stainless on page 118

Model RA - 19" High dual sided louvered panels with top shelf (no bins)

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	RA236-U5	RA236-T5	RA236-L5	136	RA236-N8	160

ACCESSORIES - 3 Sizes of Plastic Bins in Yellow

Individual Bins (3 sizes)

- Specify code and quantity

Code	Size	Dimensions
RB	Large	8-1/4"w x 11"d x 7"h
RC	Medium	5-1/2"w x 11"d x 5"h
RD	Small	4-1/8"w x 7-1/2"d x 3"h

Louwer Tabs Used
3 wide x 4 high
2 wide x 3 high
1.5 wide x 2 high

Louvered tabs per panel (each side):

- Model RE: 12 wide x 24 high
- Model RA: 12 wide x 9 high

Bin Packages (Add code to end of model number)

	Code	Qty. & Size
• Model RE:	BE	48 Large
	CE	96 Medium
	DE	192 Small
	ME	Mix - 16 Large, 48 Medium, 48 Small (total 112 bins)
• Model RA:	BA	16 Large
	CA	36 Medium
	DA	64 Small
	MA	Mix - 8 Large, 12 Medium, 16 Small (total 36 bins)

Plastic Bin Sloped Shelf Truck

Model RB - 4 bin sizes for flexible small part storage with visual contact

2,000 LB CAPACITY



Model RB Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor Lock - **Code F6**
- Additional Bins:
Small - **Code RW**
Medium - **Code RX**
Large - **Code RY**
Big - **Code RZ**

Product Features:

- All welded construction (except casters).
- **12 gauge bottom deck and caster mounts**
- 1-1/2" tubular center uprights with 3/16" thick horizontal supports.
- Plastic Bins - 58 total:
 - 16 - small (4-1/8"w x 11-5/8"d x 4"h)
 - 20 - medium (6-5/8"w x 11-5/8"d x 4"h)
 - 16 - large (8-1/8"w x 11-5/8"d x 4"h)
 - 6 - big (11-1/8"w x 11-5/8"d x 4"h)
- 14 gauge sloped shelves - 6 levels on both sides.
- Corner supports - 3/16" thick.
- Bolt on 6" urethane casters, 2 swivel & 2 rigid.
- Overall height - 66".
- Powder coated gray finish.

Available
in stainless
on page 119

Model RB - Sloped shelf truck

DxW (in)	6" Casters Urethane	Wgt. (lbs)
30 x 36	RB336-U6	354

Note: ***New Bin Configuration***

Plastic Bin Sloped Shelf Stand

Model RR - 4 bin sizes for flexible small part storage with visual contact

2,000 LB CAPACITY



Model RR Shown

Options:

- Additional Bins:
Small - **Code RW**
Medium - **Code RX**
Large - **Code RY**
Big - **Code RZ**

Product Features:

- All welded construction.
- 1-1/2" tubular center uprights with 3/16" thick horizontal supports.
- 5" high legs.
- Plastic Bins - 58 total:
 - 16 - small (4-1/8"w x 11-5/8"d x 4"h)
 - 20 - medium (6-5/8"w x 11-5/8"d x 4"h)
 - 16 - large (8-1/8"w x 11-5/8"d x 4"h)
 - 6 - big (11-1/8"w x 11-5/8"d x 4"h)
- 14 gauge sloped shelves - 6 levels on both sides.
- Corner supports - 3/16" thick.
- Overall height - 64".
- Powder coated gray finish.

Available
in stainless
on page 119

Model RR - Sloped shelf stand

DxW (in)	Model	Wgt. (lbs)
30 x 36	RR336	324

Note: ***New Bin Configuration***

Plastic Max-Tote Trucks

Models RK, RM, & RL - Max-Tote holder platforms for easy sorting and distributing

150 LB CAPACITY PER TOTE



Model RK Shown

150 LB CAPACITY PER TOTE



Model RM Shown

150 LB CAPACITY PER TOTE



Model RL Shown

Product Features:

- All welded construction.
- 1-1/2" x 3/16" thick angle frame construction.
- Twin 1-1/4" tubular handles with smooth radius bend.
- Bolt on urethane casters, 2 swivel & 2 rigid, for easy replacement.
- Deck height: 8".
- Handle height above deck - 40".
- Overall height: 47".

Max-Totes:

18-3/8"w x 20"d x 12"h. (Models RK142-U5, RM160-U7, RL178-U7)

18-3/8"w x 29"d x 12"h. (Models RK342-U5, RM360-U7, RL378-U7)

- Powder coated gray finish.

Options:

- Wheel brakes on 2 swivel casters - **Code B5 or B7**

Model RK - 6 Max-Totes

DxW (in)	Models	Wgt.(lbs)
18 x 42	RK142-U5	106
30 x 42	RK342-U5	128

Model RM - 9 Max-Totes

DxW (in)	Models	Wgt.(lbs)
18 x 60	RM160-U7	124
30 x 60	RM360-U7	140

Model RL- 12 Max-Totes

DxW (in)	Models	Wgt.(lbs)
18 x 78	RL178-U7	166
30 x 78	RL378-U7	190

Plastic Tote Holder Trucks

Models TJ, TK, & TL - Tote holder trucks for easy sorting and distribution of small items

100 LB CAPACITY PER TOTE



Model TJ Shown

Product Features:

- All welded construction (except casters).
- 12 gauge flush bottom pan, and 12 gauge caster mounts.
- 1" tubular frame with 1-1/4" x 1/8" thick angle support rails.
- Bolt on 5" urethane casters, all swivel.
- Clearance between tote holders - 10".
- Overall height: Model TJ - 42", Models TL & TK - 72".
- Totes - 16"w x 25-1/8"d x 8-1/2"h.
- Powder coated gray finish.

Options:

- Wheel brakes on 2 swivel casters - Code B5

100 LB CAPACITY PER TOTE



Model TK shown

Model TL shown

SPECIFICATIONS

Model TJ - 3 Totes

DxW (in)	Models	Wgt.(lbs)
26 x 18	TJ218-U5-AS	80

Model TK - 6 Totes

DxW (in)	Models	Wgt.(lbs)
26 x 18	TK218-U5-AS	112

Model TL - 12 Totes

DxW (in)	Models	Wgt.(lbs)
26 x 36	TL236-U5-AS	190

Solid & Mesh Pan Tray Trucks

Models UT, TR, & TT - Tray trucks for solid & mesh trays

1,200 LB CAPACITY



Model TR Shown

Product Features:

- All welded construction.
- 1-1/4" tube construction - 14 gauge.
- 1-1/4" angle tray holders - 12 gauge.
- 12 gauge caster mounts.
- Bolt on casters 5" urethane, 2 swivel with brakes & 2 rigid.
- Clearance between tray holders - 10 tray truck - 6", 14 tray truck - 4", 28 tray truck - 2"
- Overall height 69".
- Powder coated gray finish.

SPECIFICATIONS

Model UT-10 Tray Trucks

DxW (in)	Models	Wgt.(lbs)
24 x 33	UT233-U5-B5	108
36 x 33	UT433-U5-B5	138

Model TR-14 Tray Trucks

DxW (in)	Models	Wgt.(lbs)
24 x 33	TR233-U5-B5	114
36 x 33	TR433-U5-B5	144

Model TT-28 Tray Trucks

DxW (in)	Models	Wgt.(lbs)
24 x 33	TT233-U5-B5	142
36 x 33	TT433-U5-B5	194

Accessory Trays:

- Solid - 16 gauge with 1-1/2" lips.
- Mesh - 16 gauge - 1/2" flattened mesh with flat solid border.
- 50# capacity per tray.

Accessory Trays

For 24 x 33 Trucks

DxW (in)	Type	Models	Wgt.(lbs)
24 x 30	Solid	ST2	15
24 x 30	Mesh	MT2	7

For 36 x 33 Trucks

DxW (in)	Type	Models	Wgt.(lbs)
36 x 30	Solid	ST4	22
36 x 30	Mesh	MT4	10



ST2 Tray Shown



MT2 Tray Shown

High Tech Work Center Instrument Carts

Model TW - Vibration reducer cart for safe instrument transport with drawer and power cord

1,200 LB CAPACITY



Product Features:

- All welded frame construction.
- Tubular construction, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Top and bottom shelves have shock absorbing, non-slip, nonconductive vinyl matting.
- Wrap-around bumper on top shelf protects walls and doorways.
- Lockable drawer 5"h x 16"w x 16"d with 2 keys.
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage.
- Bottom shelf 24" x 26" (TW236) and 24" x 38" (TW248).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Both shelves flush.
- Clearance under drawer - 14".
- Overall height - 34", (31" with 5" casters).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - Code BN or B5
- Conductive drag chain - Code DC
- Floor Lock - Code FN, F8 or F5

SPECIFICATIONS

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 36 48	TW236-N8	TW236-Z8	152	TW236-U5	128
	TW248-N8	TW248-Z8	184	TW248-U5	160

High Tech Instrument Carts

Model TB - Vibration reducer cart for safe instrument transport

1,200 LB CAPACITY



Product Features:

- All welded frame construction.
- Tubular construction, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Top and bottom shelves have shock absorbing, non-slip, nonconductive vinyl matting.
- Wrap-around bumper on top shelf protects walls and doorways.
- Bottom shelf 24" x 26" (TB236) and 24" x 38" (TB248).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Both shelves flush.
- Clearance between shelves - 21".
- Overall height - 34", (31" with 5" casters).
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 36 48	TB236-N8	TB236-Z8	124	TB236-U5	100
	TB248-N8	TB248-Z8	150	TB248-U5	126

Options:

- 2 wheel brakes on swivel casters - Code BN or B5
- 6 outlet power strip - Code PS
- Lockable drawer (5"h x 16"w x 16"d) with 2 keys - Code DS
- Conductive drag chain - Code DC
- Floor Lock - Code FN, F8 or F5

Angular Frame - Instrument 2 Shelf Carts

Models AB, AE, AL - Vibration reducer carts to safely transport instruments

1,200 LB CAPACITY



Model AB Shown

1,200 LB CAPACITY



Model AE Shown

1,200 LB CAPACITY



Model AL Shown

Product Features:

- All welded construction (except casters), durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Top and bottom shelves have shock absorbing, non-slip, nonconductive vinyl matting.
- Tubular handle with smooth radius bend (Model AE - raised ergonomic style, Model AL - 12" raised offset handle).
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips down (flush) on both shelves.
- Clearance between shelves - 20" (except Model AL - 17").
- Top shelf height - 34", (30" with 5" casters)
except Model AL - 31", (27" with 5" casters)
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock - **Code FN, F8 or F5**
- Lockable drawer (5"h x 16"w x 16"d) with 2 keys - **Code DS**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Conductive drag chain - **Code DC**
- Other shelf heights available

Model AB - Standard Handle

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
18 x 30	-	AB130-Z8	114	AB130-U5	88
36	-	AB136-Z8	122	AB136-U5	96
24 x 36	AB236-N8	AB236-Z8	130	AB236-U5	106
48	AB248-N8	AB248-Z8	150	AB248-U5	126
60	AB260-N8	AB260-Z8	172	AB260-U5	146
30 x 36	AB336-N8	AB336-Z8	148	AB336-U5	124
48	AB348-N8	AB348-Z8	174	AB348-U5	150
60	AB360-N8	AB360-Z8	200	AB360-U5	174
36 x 48	AB448-N8	AB448-Z8	198	AB448-U5	172
60	AB460-N8	AB460-Z8	228	AB460-U5	202

Model AE - Ergonomic Handle

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
18 x 30	-	AE130-Z8	110	AE130-U5	86
36	-	AE136-Z8	120	AE136-U5	96
24 x 36	AE236-N8	AE236-Z8	132	AE236-U5	108
48	AE248-N8	AE248-Z8	152	AE248-U5	128
60	AE260-N8	AE260-Z8	174	AE260-U5	148
30 x 36	AE336-N8	AE336-Z8	150	AE336-U5	126
48	AE348-N8	AE348-Z8	176	AE348-U5	152
60	AE360-N8	AE360-Z8	202	AE360-U5	176
36 x 48	AE448-N8	AE448-Z8	200	AE448-U5	174
60	AE460-N8	AE460-Z8	230	AE460-U5	204

Model AL - Low Profile, Raised Offset Handle

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
18 x 30	-	AL130-Z8	116	AL130-U5	90
36	-	AL136-Z8	124	AL136-U5	98
24 x 36	AL236-N8	AL236-Z8	132	AL236-U5	108
48	AL248-N8	AL248-Z8	152	AL248-U5	128
60	AL260-N8	AL260-Z8	174	AL260-U5	148
30 x 36	AL336-N8	AL336-Z8	150	AL336-U5	126
48	AL348-N8	AL348-Z8	176	AL348-U5	152
60	AL360-N8	AL360-Z8	202	AL360-U5	176
36 x 48	AL448-N8	AL448-Z8	200	AL448-U5	174
60	AL460-N8	AL460-Z8	230	AL460-U5	204

Angular Frame - Instrument Low Profile Carts (2 Shelves)

Models AD, AF, AJ - Low Profile vibration reducer carts to safely transport instruments

1,200 LB CAPACITY



Model AD Shown

1,200 LB CAPACITY



Model AF Shown

1,200 LB CAPACITY



Model AJ Shown

Product Features:

- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Top shelf covered with shock absorbing, non-slip cushioned, non-conductive vinyl matting (Model AD has bottom shelf covered as well).**
- Raised offset handle (above work surface): 12" (Model AD & AJ), 16" (Model AF).
- **Lockable drawer(s)** (5"h x 16"w x 16"d) with 2 keys (except Model AJ).
- **Lockable 12 gauge door(s)** with 2 keys & 14 gauge sides (except Model AD).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on both shelves (Model AD only).
- Clearance between shelves - 17" (under drawer 11" where applicable).
- Work surface height - 31", (27" with 5" casters) (Models AD & AJ), 32", (28" with 5" casters) (Model AF).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock - **Code FN, F8 or F5**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Conductive drag chain - **Code DC**
- Locks keyed differently - **Code KS**

Model AD - 1 Drawer

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 36	AD236-N8	AD236-Z8	154	AD236-U5	130
	AD248-N8	AD248-Z8	174	AD248-U5	150
	AD260-N8	AD260-Z8	196	AD260-U5	170
30 x 36	AD336-N8	AD336-Z8	172	AD336-U5	148
	AD348-N8	AD348-Z8	198	AD348-U5	174
	AD360-N8	AD360-Z8	224	AD360-U5	198
36 x 48	AD448-N8	AD448-Z8	222	AD448-U5	196
	AD460-N8	AD460-Z8	252	AD460-U5	226

Model AF - 3 Drawers, 1 Door

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 36	AF236-N8	AF236-Z8	304	AF236-U5	280
	AF248-N8	AF248-Z8	336	AF248-U5	312
30 x 36	AF336-N8	AF336-Z8	334	AF336-U5	310
	AF348-N8	AF348-Z8	376	AF348-U5	352

Model AJ - 2 Doors

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 36	AJ236-N8	AJ236-Z8	190	AJ236-U5	166
	AJ248-N8	AJ248-Z8	226	AJ248-U5	202
30 x 36	AJ336-N8	AJ336-Z8	216	AJ336-U5	192
	AJ348-N8	AJ348-Z8	256	AJ348-U5	232

2 & 3 Shelf Angular Frame Instrument Carts

Models AZ, AC, AK – Vibration reducer transporters for instruments & audio visual items

1,200 LB CAPACITY



Model AZ Shown

1,200 LB CAPACITY



Model AC Shown

1,200 LB CAPACITY



Model AK Shown

Product Features:

- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16 thick angle corners, and 12 gauge caster mounts for long lasting use.
- **All shelves have shock absorbing, non-slip, non-conductive vinyl matting.**
- Handle – Model AZ- 9" raised handle & Model AC-tubular handle with smooth radius bend, Model AK-none.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on all shelves (except Model AZ).
- Clearance between shelves - 20" (Models AC & AK), 9" (Model AZ only).
- Top shelf height - 34", (30" with 5" casters) (Models AZ & AK), 56", (52" with 5" casters) (Model AC).
- 1-1/2" shelf lips down (flush) on top shelf, all other lips up (Model AZ only).
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock - **Code FN, F8 or F5**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Conductive drag chain - **Code DC**

Model AZ – 3 Shelf, Low Profile

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 36	AZ236-N8	AZ236-Z8	192	AZ236-U5	170
48	AZ248-N8	AZ248-Z8	224	AZ248-U5	202
30 x 48	AZ348-N8	AZ348-Z8	256	AZ348-U5	234
60	AZ360-N8	AZ360-Z8	296	AZ360-U5	274

Model AC – 3 Shelf, Stock

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
18 x 36	-	AC136-Z8	156	AC136-U5	134
48	-	AC148-Z8	182	AC148-U5	160
24 x 36	AC236-N8	AC236-Z8	176	AC236-U5	154
48	AC248-N8	AC248-Z8	206	AC248-U5	184
60	AC260-N8	AC260-Z8	236	AC260-U5	214
30 x 36	AC336-N8	AC336-Z8	200	AC336-U5	178
48	AC348-N8	AC348-Z8	238	AC348-U5	216
60	AC360-N8	AC360-Z8	276	AC360-U5	254
36 x 48	AC448-N8	AC448-Z8	270	AC448-U5	248
60	AC460-N8	AC460-Z8	316	AC460-U5	294

Model AK – 2 Shelf, Transfer Cart

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 30	AK230-N8	AK230-Z8	120	AK230-U5	98
36	AK236-N8	AK236-Z8	130	AK236-U5	108
48	AK248-N8	AK248-Z8	150	AK248-U5	128
60	AK260-N8	AK260-Z8	172	AK260-U5	150
72	AK272-N8	AK272-Z8	194	AK272-U5	172
30 x 36	AK336-N8	AK336-Z8	150	AK336-U5	128
48	AK348-N8	AK348-Z8	176	AK348-U5	154
60	AK360-N8	AK360-Z8	200	AK360-U5	178
72	AK372-N8	AK372-Z8	226	AK372-U5	204
36 x 48	AK448-N8	AK448-Z8	200	AK448-U5	178
60	AK460-N8	AK460-Z8	230	AK460-U5	208
72	AK472-N8	AK472-Z8	260	AK472-U5	238

Instrument Platform, Ergonomic Platform & Wagon Trucks

Models PA, AY, AG - Heavy duty one level transporters at various heights

1,200 LB CAPACITY



Model PA Shown

1,200 LB CAPACITY



Model AY Shown

2,000 LB CAPACITY



Model AG Shown

Product Features:

- All welded frame construction (except handles & casters).
- 12 gauge steel platform.
- Platform has shock absorbing, non-slip, nonconductive vinyl matting.
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets. (Models PA & AY).
- 1" "T" handle with rubber grips (Model AG only).
- Flush platform for easy load and unload.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement (except Model AG).
- Powder coated gray finish.

Specific Model Features:

Model PA

- Platform height - 12", (8" with 5" casters).
- Handle height above deck - 30".

Model AY - Ergonomic Height Platform

- Platform height - 29", (25" with 5" casters).
- Handle height above deck - 16".

Model AG

- Platform height - 19", (21" with 16" wheels).
- Solid rod axles - 3/4".

Options:

- 2 wheel brakes on swivel casters - **Code BN or B5**
- Floor lock (Model PA only) - **Code FN, F8 or F5**
- Conductive drag chain - **Code DC**
- Adjustable height option - 4 positions, fixed height, plus 2", plus 4" & plus 6" from fixed height models (Model AY only) - **Code AL**

Model PA - Low Platform

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
18 x 36	-	PA136-Z8	94	PA136-U5	70
48	-	PA148-Z8	110	PA148-U5	86
24 x 36	PA236-N8	PA236-Z8	106	PA236-U5	82
48	PA248-N8	PA248-Z8	124	PA248-U5	100
60	PA260-N8	PA260-Z8	140	PA260-U5	116
30 x 36	PA336-N8	PA336-Z8	116	PA336-U5	92
48	PA348-N8	PA348-Z8	136	PA348-U5	112
60	PA360-N8	PA360-Z8	156	PA360-U5	132
36 x 48	PA448-N8	PA448-Z8	148	PA448-U5	124
60	PA460-N8	PA460-Z8	172	PA460-U5	148

Model AY - Ergonomic Height Platform

WxL (in)	8" Full Pneumatic Casters Models	8" Semi Pneumatic Casters Models	Wgt. (lbs)	5" Casters Models	
				Polyurethane	Wgt.(lbs)
24 x 48	AY248-N8	AY248-Z8	124	AY248-U7	114
30 x 60	AY360-N8	AY360-Z8	150	AY360-U7	140

Model AG - Pull Wagon

WxL (in)	Models		Wgt. (lbs)	Models		Wgt. (lbs)
	12" Pneumatic	16" Pneumatic		12" Mold On Rubber		
24 x 36	AG236-N2	AG236-N6	124	AG236-R2		174
48	AG248-N2	AG248-N6	136	AG248-R2		188
30 x 60	AG360-N2	AG360-N6	182	AG360-R2		232
36 x 60	AG460-N2	AG460-N6	206	AG460-R2		258
72	AG472-N2	AG472-N6	224	AG472-R2		276

Mobile Workbenches

Models SR, ST, SV - Durable utility carts with flush front edge and 2 lockable drawers for repairs and maintenance

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SR Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model ST Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SV Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- **Top shelf has front lip down for flush work area** and 3 lips up.
- **2 Lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Bottom shelf lips up for retention.
- Clearance under drawers - 17".
- Work surface height - 34" , (38" with 8" casters).
- Powder coated gray finish.

Specific Model Features:

Model ST

- 12" deep half shelf adds 14" to work surface height for tool box.

Model SV

- Tool tray is 10" deep x cart width.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Non-conductive vinyl matting on top shelf - **Code VM**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Wood top - **Code WT**
- Locks keyed differently - **Code KS**
- Eye level half shelf (12 gauge) riser for Model SV only - **Code RS**

Model SR - 2 Drawers

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	SR236-U5	SR236-T5	SR236-L5	162	SR236-N8	186
48	SR248-U5	SR248-T5	SR248-L5	182	SR248-N8	206
30 x 36	SR336-U5	SR336-T5	SR336-L5	180	SR336-N8	204
48	SR348-U5	SR348-T5	SR348-L5	204	SR348-N8	228

Model ST - 2 Drawers & 1/2 Shelf

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	ST236-U5	ST236-T5	ST236-L5	194	ST236-N8	218
48	ST248-U5	ST248-T5	ST248-L5	220	ST248-N8	244
30 x 36	ST336-U5	ST336-T5	ST336-L5	210	ST336-N8	234
48	ST348-U5	ST348-T5	ST348-L5	242	ST348-N8	266

Model SV - Tool Tray & 2 Drawers

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	SV236-U5	SV236-T5	SV236-L5	172	SV236-N8	196
48	SV248-U5	SV248-T5	SV248-L5	192	SV248-N8	216
30 x 36	SV336-U5	SV336-T5	SV336-L5	190	SV336-N8	214
48	SV348-U5	SV348-T5	SV348-L5	216	SV348-N8	240

Mobile Workbenches & Cabinets With Racks

Models SM, JW, SN, JV - Durable utility carts with racks for tools & small parts bins

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SM Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JW Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SN Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JV Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves** & 3/16" thick angle corners (Models SM & SN), 14 gauge steel shelves & sides (Models JW & JV) and 12 gauge caster mounts.
- **Lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d (Models SM & SN).
- Lockable doors are (keyed alike) with 2 keys (Models JW & JV).
- Top shelf front lip down, 3 other lips up for retention.
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Bottom shelf lips up for retention (Models SM & SN).
- Bottom shelf lips down (flush) (Models JW & JV).
- Clearance under drawers or between shelves - 17" (Models SM & SN), 24" (Models JW & JV)
- Work surface height - 34" , (38" with 8" casters) (Models SM & SN), 35" , (39" with 8" casters) (Models JW & JV)
- Overall height - 58" , (62" with 8" casters).
- Powder coated gray finish.

Models SM & JW

- **14 gauge peg board** with angle frame - 36" w x 19" h.

Models SN & JV

- **Louvered panel with angle frame** - 36" w x 19" h.
- Includes 32 yellow plastic bins (4-1/8"w x 7-1/2"d x 3"h).

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor Lock - **Code F5 or FN**
- Non-conductive vinyl matting on top shelf - **Code VM**
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord with cord storage - **Code PS**
- Add middle shelf lips down - **Code SM** (Models JV & JW).
- Other bins available (see page 139).
- Wood top - **Code WT**
- Locks keyed differently - **Code KS**

Model SM - Peg rack and 2 drawers

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	SM236-U5	SM236-T5	SM236-L5	192	SM236-N8	216
30 x 36	SM336-U5	SM336-T5	SM336-L5	210	SM336-N8	234

Model JW - Pegboard and 2 doors

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	JW236-U5	JW236-T5	JW236-L5	230	JW236-N8	254

Model SN - Louvered bin panel, 32 bins and 2 drawers

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	SN236-U5	SN236-T5	SN236-L5	198	SN236-N8	222
30 x 36	SN336-U5	SN336-T5	SN336-L5	216	SN336-N8	240

Model JV - Louvered bin panel, 32 bins and 2 doors

WxL (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	JV236-U5	JV236-T5	JV236-L5	240	JV236-N8	264

Mobile Drawer Cabinets

Models JD, JE, JF - Secure mobile storage with drawers for small item retention

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JD Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JE Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JF Shown

Product Features:

- All welded construction (except casters).
- Durable **14 gauge steel shelves & sides**, and 12 gauge caster mounts for long lasting use.
- **Lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d.
- Lockable door (keyed alike with drawers) with 2 keys (Models JE & JF).
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- Overall height - 36", (40" with 8" casters).
- Clearance behind door - 24" (Models JE & JF)
- Clearance under drawer - 17" (Model JE)
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or F8**
- Vinyl matting on top shelf - **Code VM**
- Middle shelf (behind door) - **Code HM** (Models JE & JF)
- Wood top - **Code WT**
- Locks keyed differently - **Code KS**
- Eye level half shelf (12 gauge) riser - **Code RS**

Model JD - 8 Drawers

DxW (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	JD136-U5	JD136-T5	JD136-L5	252	JD136-Z8	272
24 x 36	JD236-U5	JD236-T5	JD236-L5	270	JD236-Z8	290

Model JE - 1 Drawer & 1 Door

DxW (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	JE136-U5	JE136-T5	JE136-L5	150	JE136-Z8	170
24 x 36	JE236-U5	JE236-T5	JE236-L5	168	JE236-Z8	188

Model JF - 4 Drawers & 1 Door

DxW (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	JF136-U5	JF136-T5	JF136-L5	194	JF136-Z8	214
24 x 36	JF236-U5	JF236-T5	JF236-L5	212	JF236-Z8	233

Mobile Cabinets With Door(s)

Models JG, JH, JN - Secure access mobile units with multiple storage options

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JG Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JH Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JN Shown

Product Features:

- All welded construction (except casters).
- Durable **14 gauge steel shelves**, **14 gauge sides**, and 12 gauge caster mounts for long lasting use.
- **Lockable drawer(s)** (keyed alike) with 2 keys - 5"h x 16"w x 16"d (except Model JH)
- **Lockable door(s)** (keyed alike) with 2 keys.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- Overall height - 36", (40" with 8" casters).
- Powder coated gray finish.

Other Specifications:

Model JG:

- Includes **9 removable plastic bins** (yellow) - 5-1/2"w x 11"d x 5"h.
- Clearance under drawer - 17".

Model JH:

- Clearance behind door - 24".

Model JN:

- Clearance behind door - 17".

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or F8**
- Plastic bins (specify number) - **Code RC**
- Vinyl matting on top shelf - **Code VM**
- Add middle shelf lip down - **Code SM** (Models JH & JN only)
- Wood top - **Code WT**
- Locks keyed differently - **Code KS**
- Eye level half shelf (12 gauge) riser - **Code RS**

Model JG - 1 Drawer, 1 Door & Plastic Bins

DxW (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	JG136-U5	JG136-T5	JG136-L5	158	JG136-Z8	178
24 x 36	JG236-U5	JG236-T5	JG236-L5	176	JG236-Z8	196

Model JH - 2 Doors

DxW (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	JH136-U5	JH136-T5	JH136-L5	126	JH136-Z8	146
24 x 36	JH236-U5	JH236-T5	JH236-L5	146	JH236-Z8	166

Model JN - 2 Drawers & 2 Doors

DxW (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	JN136-U5	JN136-T5	JN136-L5	172	JN136-Z8	192
24 x 36	JN236-U5	JN236-T5	JN236-L5	190	JN236-Z8	210

Narrow Mobile Cabinets

Models JM, JT, JP, JX - Secure access mobile units with multiple storage options

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JM Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JT Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JP Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model JX Shown

Product Features:

- All welded construction (except casters).
- Durable 14 gauge steel shelves & sides, and 12 gauge caster mounts for long lasting use.
- **Lockable drawer(s)** (keyed alike) with 2 keys - 5"h x 16"w x 16"d (except Model JM).
- **Lockable door** with 2 keys (Models JM & JX).
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- Overall height - 36".
- Clearance - 24" (Model JM) & 17" (Models JT & JX)
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5**
- Floor lock - **Code F5**
- Vinyl matting on top shelf - **Code VM**
- Lockable drawer - **Code DS** (Model JT)
- Add middle shelf lip down - **Code HM** (Models JM, JT and JX)
- Available without handle - **Code NH**
- Wood top - **Code WT**
- Locks keyed differently - **Code KS** (Models JP & JX)

Model JM - 1 Door

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JM218-U5	JM218-T5	JM218-L5	136

Model JT - 1 Drawer

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JT218-U5	JT218-T5	JT218-L5	152

Model JP - 4 Drawers

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JP218-U5	JP218-T5	JP218-L5	242

Model JX - 1 Drawer, 1 Door

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 18	JX218-U5	JX218-T5	JX218-L5	162

Low Profile Mobile Cabinets

Models SJ, RJ, NJ - Low profile security cabinets

1,200 LB CAP.* (*800 lb. with T5 casters)



Model SJ Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model RJ Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model NJ Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 14 gauge sides, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Raised offset handle** (Model SJ - 12" above top shelf, Model NJ & RJ - 16" above top shelf).
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips down (flush) on top shelf.
- Clearance behind doors - SJ - 17", RJ - 19"
- Powder coated gray finish.

Specific Model Features:

Model SJ

- **Two lockable doors** with 2 keys.
- Top shelf height - 27", (31" with 8" casters).

Model RJ

- **One lockable door** with 2 keys.
- **3 lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d.
- Top shelf height - 28", (32" with 8" casters).

Model NJ

- **6 lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d.
- Top shelf height - 28", (32" with 8" casters).

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Vinyl matting on top shelf - **Code VM**
- Wood top - **Code WT**
- Locks keyed differently - **Code KS** (Models RJ & NJ)

Model SJ - 2 Doors

DxW (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	SJ236-U5	SJ236-T5	SJ236-L5	164	SJ236-N8	188
48	SJ248-U5	SJ248-T5	SJ248-L5	198	SJ248-N8	222
30 x 36	SJ336-U5	SJ336-T5	SJ336-L5	188	SJ336-N8	212
48	SJ348-U5	SJ348-T5	SJ348-L5	224	SJ348-N8	248

Model RJ - 1 Door, 3 Drawers

DxW (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	RJ236-U5	RJ236-T5	RJ236-L5	278	RJ236-N8	302
48	RJ248-U5	RJ248-T5	RJ248-L5	312	RJ248-N8	336
30 x 36	RJ336-U5	RJ336-T5	RJ336-L5	304	RJ336-N8	328
48	RJ348-U5	RJ348-T5	RJ348-L5	346	RJ348-N8	370

Model NJ - 6 Drawers

DxW (in)	5" Casters Models				8" Full Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	NJ236-U5	NJ236-T5	NJ236-L5	348	NJ236-N8	372
30 x 36	NJ336-U5	NJ336-T5	NJ336-L5	372	NJ336-N8	396

Note: 8" Semi Pneumatic casters available.

Mobile Workbench Cabinets

Models RV, RS, RP – Secure storage for tool retention & organization

2,000 LB CAPACITY



Model RV Shown

2,000 LB CAPACITY



Model RS Shown with brake option

2,000 LB CAPACITY



Model RP Shown

Product Features:

- All welded construction (except casters & drawers).
- Durable 12 gauge work top, bottom shelf, doors & caster mounts. 14 gauge sides.
- Lockable tool chest, 6 drawers – 23" w x 16" d plus height 2@4" & 4@2".
- Tubular handle with smooth radius bend.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Overall height – 36".
- Powder coated gray finish.

Model RV:

- Cabinet space – 16" w x 24" d x 26" h with 12 gauge middle shelf.
- 12 gauge vise mount tray – 10" x 24".
- Includes two lockable doors, keyed alike, with 2 keys.
- Work top– front side flush, other sides lips up for retention.

Model RS:

- Cabinet space – 18" w x 20" d x 26" h with 12 gauge middle shelf and 1 lockable door.
- 3-12 gauge storage shelves (one side) – 48" w x 4-3/4" d x 6-3/4" h.
- Work top flush – all sides.

Model RP:

- Includes 4 lockable drawers keyed alike - 5" h x 16" w x 16" d - with 2 keys.
- 3-12 gauge storage shelves (one side) – 48" w x 4-3/4" d x 6-3/4" h.
- Work top flush – all sides.

Options:

- 2 wheel brakes on swivel casters – **Code B6**
- Floor lock – **Code F6**
- Vinyl matting on work top – **Code VM**
- Wood capped top – **Code WT**

Model RV – 6 Drawers, Vise Tray & Cabinet

DxW (in)	6" Casters Models			
	Phenolic	Rubber	Urethane	Wgt.(lbs)
24 x 48	RV248-P6	RV248-R6	RV248-U6	420

Model RS – 6 Drawers, 3 Shelves & Cabinet

DxW (in)	6" Casters Models			
	Phenolic	Rubber	Urethane	Wgt.(lbs)
24 x 48	RS248-P6	RS248-R6	RS248-U6	410

Model RP – 10 Drawers & 3 Shelves

DxW (in)	6" Casters Models			
	Phenolic	Rubber	Urethane	Wgt.(lbs)
24 x 48	RP248-P6	RP248-R6	RP248-U6	504

Heavy Duty Mobile Workbenches

Models MW, MX, MR, MT - Heavy duty use workbenches

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MW Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MX Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MR Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model MT Shown

Product Features:

- All welded construction.
- Durable **12 gauge steel shelves** (ideal for mounting vises).
- **2" square tubular corner construction.**
- Bolt on casters, 2 swivel with brakes & 2 rigid.
- Powder coated gray finish.
- Flush front, other 3 sides up for retention.
- Lower half shelf has 4" back support.
- Clearance between shelves - 22".
- Work surface height - 34".

Other Specifications:

Model MX:

- Upper tool half shelf 12" deep (14" high).
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord.
- Removable plastic bins (5-1/2"w x 11"d x 5"h) on mounting rail.

Length 60" - 10 Bins Length 72" - 12 Bins

Model MR:

- 14 gauge steel pegboard - 19" high

Model MT:

- 16 gauge louvered panel - 19" high • Bins sold separately.

Options:

- **Adjustable heights** - 34", 36", 38", 40" work surface - **Code AL**
- **Lockable drawer** (left side under top shelf)
5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**
- Wood capped top - **Code WT**
- Power strip - **Code PS** (except Model MX)
- 4' light fixture and frame - **Code LF**
- Plastic bins: (specify number of bins each size)
Large (8-1/4"w x 11"d x 7"h) - **Code RB**
Med. (5-1/2"w x 11"d x 5"h) - **Code RC**
Small (4-1/8"w x 7-1/2"d x 3"h) - **Code RD**



Optional 4' Light
Fixture & Frame
Code LF

Model MW - Mobile Workbench

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MW360-U5-B5	MW360-T5-B5	MW360-L5-B5	172
72	MW372-U5-B5	MW372-T5-B5	MW372-L5-B5	196
36 x 60	MW460-U5-B5	MW460-T5-B5	MW460-L5-B5	188
72	MW472-U5-B5	MW472-T5-B5	MW472-L5-B5	214

Model MX - Mobile Workbench, 1/2 Shelf, Power Strip, Bins

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MX360-U5-B5	MX360-T5-B5	MX360-L5-B5	236
72	MX372-U5-B5	MX372-T5-B5	MX372-L5-B5	268
36 x 60	MX460-U5-B5	MX460-T5-B5	MX460-L5-B5	250
72	MX472-U5-B5	MX472-T5-B5	MX472-L5-B5	286

Model MR - Mobile Workbench, Pegboard Panel

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MR360-U5-B5	MR360-T5-B5	MR360-L5-B5	218
72	MR372-U5-B5	MR372-T5-B5	MR372-L5-B5	246
36 x 60	MR460-U5-B5	MR460-T5-B5	MR460-L5-B5	240
72	MR472-U5-B5	MR472-T5-B5	MR472-L5-B5	264

Model MT - Mobile Workbench, Louvered Panel

DxW (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
30 x 60	MT360-U5-B5	MT360-T5-B5	MT360-L5-B5	214
72	MT372-U5-B5	MT372-T5-B5	MT372-L5-B5	242
36 x 60	MT460-U5-B5	MT460-T5-B5	MT460-L5-B5	236
72	MT472-U5-B5	MT472-T5-B5	MT472-L5-B5	260

2, 3, & 4 Sided Solid Box Trucks

Models BB, BC, BD - Low deck truck for frequent loading and unloading of packages

1,200 LB CAP.* (*800 lb. with T5 casters)



Model BB Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model BC Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model BD Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- **Sides are 20" high** 14 gauge steel.
- Top shelf (deck of box) is 20" high.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 12".
- Overall height - 40", (44" with 8" casters).
- Powder coated gray finish.

Options for all Models:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Shelf lips down (flush) both shelves - **Code FA**
- Shelf lips down (flush) top shelf - **Code FT**
- Fork pockets (specify center line)- **Code FP**
- Dual handle - **Code DH**

Model BB - 2 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	BB136-U5	BB136-T5	BB136-L5	112	BB136-Z8	136
24 x 36	BB236-U5	BB236-T5	BB236-L5	140	BB236-Z8	164
48	BB248-U5	BB248-T5	BB248-L5	164	BB248-Z8	188
60	BB260-U5	BB260-T5	BB260-L5	182	BB260-Z8	206
30 x 36	BB336-U5	BB336-T5	BB336-L5	160	BB336-Z8	184
48	BB348-U5	BB348-T5	BB348-L5	186	BB348-Z8	210
60	BB360-U5	BB360-T5	BB360-L5	214	BB360-Z8	238

Model BC - 3 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	BC136-U5	BC136-T5	BC136-L5	132	BC136-Z8	156
24 x 36	BC236-U5	BC236-T5	BC236-L5	160	BC236-Z8	184
48	BC248-U5	BC248-T5	BC248-L5	190	BC248-Z8	214
60	BC260-U5	BC260-T5	BC260-L5	214	BC260-Z8	238
30 x 36	BC336-U5	BC336-T5	BC336-L5	180	BC336-Z8	204
48	BC348-U5	BC348-T5	BC348-L5	212	BC348-Z8	236
60	BC360-U5	BC360-T5	BC360-L5	244	BC360-Z8	268

Model BD - 4 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	BD136-U5	BD136-T5	BD136-L5	152	BD136-Z8	176
24 x 36	BD236-U5	BD236-T5	BD236-L5	180	BD236-Z8	204
48	BD248-U5	BD248-T5	BD248-L5	216	BD248-Z8	240
60	BD260-U5	BD260-T5	BD260-L5	246	BD260-Z8	270
30 x 36	BD336-U5	BD336-T5	BD336-L5	200	BD336-Z8	224
48	BD348-U5	BD348-T5	BD348-L5	238	BD348-Z8	262
60	BD360-U5	BD360-T5	BD360-L5	276	BD360-Z8	300

Low Profile Solid Box Trucks

Model BL - "Box on Wheels", Lowest box truck for frequent loading of parts or scrap

1,200 LB CAP.* (*800 lb. with T5 casters)



Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel bottom shelf**, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- **4 sides are 20" high** 14 gauge steel.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Overall height - 27" , (31" with 8" casters).
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	BL136-U5	BL136-T5	BL136-L5	122	BL136-Z8	146
24 x 36	BL236-U5	BL236-T5	BL236-L5	140	BL236-Z8	164
48	BL248-U5	BL248-T5	BL248-L5	164	BL248-Z8	188
60	BL260-U5	BL260-T5	BL260-L5	190	BL260-Z8	214
30 x 36	BL336-U5	BL336-T5	BL336-L5	156	BL336-Z8	180
48	BL348-U5	BL348-T5	BL348-L5	184	BL348-Z8	208
60	BL360-U5	BL360-T5	BL360-L5	212	BL360-Z8	236

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Low 3 Sided Solid Box Trucks

Model BZ - Limited access to one side, used as small package transporter

1,200 LB CAP.* (*800 lb. with T5 casters)



Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **14 gauge sheet metal 3' high on 3 sides.**
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement and superior cart tracking - see specifications chart.
- 1-1/2" shelf lips up for retention.
- Overall height - 44" , (48" with 8" casters).
- Powder coated gray finish.

4' High Sides
Version
model FA
see page 86

SPECIFICATIONS

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	BZ236-U5	BZ236-T5	BZ236-L5	164	BZ236-Z8	188
48	BZ248-U5	BZ248-T5	BZ248-L5	180	BZ248-Z8	204
30 x 48	BZ348-U5	BZ348-T5	BZ348-L5	208	BZ348-Z8	232
60	BZ360-U5	BZ360-T5	BZ360-L5	230	BZ360-Z8	254

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock (centered on handle end) - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Shelf lip down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

2, 3, & 4 Sided Mesh Box Trucks

Models GB, GC, GD - Low deck truck for frequent loading and unloading of packages

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GB Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GC Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GD Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- **Sides are 20" high** flattened 13 gauge expanded mesh.
- Top shelf (deck of box) is 20" high.
- **1-1/2" angle reinforces top edges.**
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 12".
- Overall height - 40" , (44" with 8" casters).
- Powder coated gray finish.

Options for all Models:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Shelf lips down (flush) both shelves - **Code FA**
- Shelf lips down (flush) top shelf - **Code FT**
- Fork pockets (specify center line) - **Code FP**
- Dual handle - **Code DH**

Model GB - 2 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	GB136-U5	GB136-T5	GB136-L5	102	GB136-Z8	126
24 x 36	GB236-U5	GB236-T5	GB236-L5	122	GB236-Z8	146
48	GB248-U5	GB248-T5	GB248-L5	142	GB248-Z8	166
60	GB260-U5	GB260-T5	GB260-L5	162	GB260-Z8	186
30 x 36	GB336-U5	GB336-T5	GB336-L5	142	GB336-Z8	166
48	GB348-U5	GB348-T5	GB348-L5	168	GB348-Z8	192
60	GB360-U5	GB360-T5	GB360-L5	192	GB360-Z8	216

Model GC - 3 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	GC136-U5	GC136-T5	GC136-L5	112	GC136-Z8	136
24 x 36	GC236-U5	GC236-T5	GC236-L5	132	GC236-Z8	156
48	GC248-U5	GC248-T5	GC248-L5	156	GC248-Z8	180
60	GC260-U5	GC260-T5	GC260-L5	178	GC260-Z8	202
30 x 36	GC336-U5	GC336-T5	GC336-L5	152	GC336-Z8	176
48	GC348-U5	GC348-T5	GC348-L5	180	GC348-Z8	204
60	GC360-U5	GC360-T5	GC360-L5	208	GC360-Z8	232

Model GD - 4 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	GD136-U5	GD136-T5	GD136-L5	120	GD136-Z8	144
24 x 36	GD236-U5	GD236-T5	GD236-L5	140	GD236-Z8	164
48	GD248-U5	GD248-T5	GD248-L5	168	GD248-Z8	192
60	GD260-U5	GD260-T5	GD260-L5	194	GD260-Z8	218
30 x 36	GD336-U5	GD336-T5	GD336-L5	160	GD336-Z8	184
48	GD348-U5	GD348-T5	GD348-L5	194	GD348-Z8	218
60	GD360-U5	GD360-T5	GD360-L5	224	GD360-Z8	248

Low Profile Mesh Box Trucks

Models GL, GZ, GX - Low Mesh Box Trucks

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GL Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GZ Shown

1,200 LB CAP.* (*800 lb. with T5 casters)



Model GX Shown

Product Features:

- All welded construction (except casters and drop gate).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners & top frame, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Powder coated gray finish.

Other Specifications:

Model GL

- **4 sides** are 20" high flattened 13 gauge expanded mesh.
- **1-1/2" angle reinforces top edge** on 4 sides.
- Overall height - 27", (31" with 8" casters).

Model GZ

- **Limited access one side.**
- **3 sides** are 3' high flattened 13 gauge expanded mesh.
- 1-1/2" shelf lips up for retention.
- Overall height - 44", (48" with 8" casters).

Model GX

- **Limited access one side.**
- **3 sides** are 3' high flattened 13 gauge expanded mesh.
- **4th side retention uses removable 1/4" wire rod drop gate**, hinged in horizontal middle, 2" x 2" wire with double wire perimeter.
- 1-1/2" shelf lips up for retention.
- Overall height - 44", (48" with 8" casters).

Options:

- 2 wheel brakes on swivel casters - **Code B5 or BN**
- Floor lock - **Code F5 or FN**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Shelf lip down (flush) - **Code FA** (Model GZ)

4' High Sides
Version
model ZA
see page 82

Model GL - Box on Wheels, 4 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
18 x 36	GL136-U5	GL136-T5	GL136-L5	86	GL136-Z8	110
24 x 36	GL236-U5	GL236-T5	GL236-L5	100	GL236-Z8	124
48	GL248-U5	GL248-T5	GL248-L5	116	GL248-Z8	140
60	GL260-U5	GL260-T5	GL260-L5	134	GL260-Z8	158
30 x 36	GL336-U5	GL336-T5	GL336-L5	114	GL336-Z8	138
48	GL348-U5	GL348-T5	GL348-L5	132	GL348-Z8	156
60	GL360-U5	GL360-T5	GL360-L5	150	GL360-Z8	174

Model GZ - 3 Sides

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 36	GZ236-U5	GZ236-T5	GZ236-L5	110	GZ236-Z8	134
48	GZ248-U5	GZ248-T5	GZ248-L5	124	GZ248-Z8	148
30 x 48	GZ348-U5	GZ348-T5	GZ348-L5	140	GZ348-Z8	164
60	GZ360-U5	GZ360-T5	GZ360-L5	158	GZ360-Z8	182

Model GX - 3 Sides, Removable Drop Gate

WxL (in)	5" Casters Models				8" Semi Pneumatic	
	Urethane	Thermorubber	Steel	Wgt. (lbs)	Models	Wgt. (lbs)
24 x 48	GX248-U5	GX248-T5	GX248-L5	160	GX248-Z8	184
60	GX260-U5	GX260-T5	GX260-L5	182	GX260-Z8	206
30 x 48	GX348-U5	GX348-T5	GX348-L5	190	GX348-Z8	214
60	GX360-U5	GX360-T5	GX360-L5	216	GX360-Z8	240

3, 4, & 5 Shelf Stock Trucks

Models CC, CD, CE - Versatile heavy duty multiple shelf trucks

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model CC Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model CD Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model CE Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - Model CC - 17", Model CD - 15" & Model CE - 13".
- Overall height - Model CC - 48", Model CD - 60" & Model CE - 68".
- Powder coated gray finish.

Options:

- Brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Model CC - 3 Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CC136-P6	CC136-R6	CC136-U6	132
48	CC148-P6	CC148-R6	CC148-U6	154
24 x 36	CC236-P6	CC236-R6	CC236-U6	156
48	CC248-P6	CC248-R6	CC248-U6	186
60	CC260-P6	CC260-R6	CC260-U6	216
72	CC272-P6	CC272-R6	CC272-U6	246
30 x 36	CC336-P6	CC336-R6	CC336-U6	180
48	CC348-P6	CC348-R6	CC348-U6	216
60	CC360-P6	CC360-R6	CC360-U6	252
72	CC372-P6	CC372-R6	CC372-U6	288
36 x 48	CC448-P6	CC448-R6	CC448-U6	246
60	CC460-P6	CC460-R6	CC460-U6	290
72	CC472-P6	CC472-R6	CC472-U6	332

Model CD - 4 Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CD136-P6	CD136-R6	CD136-U6	164
48	CD148-P6	CD148-R6	CD148-U6	194
24 x 36	CD236-P6	CD236-R6	CD236-U6	196
48	CD248-P6	CD248-R6	CD248-U6	234
60	CD260-P6	CD260-R6	CD260-U6	274
72	CD272-P6	CD272-R6	CD272-U6	314
30 x 36	CD336-P6	CD336-R6	CD336-U6	226
48	CD348-P6	CD348-R6	CD348-U6	274
60	CD360-P6	CD360-R6	CD360-U6	322
72	CD372-P6	CD372-R6	CD372-U6	370
36 x 48	CD448-P6	CD448-R6	CD448-U6	314
60	CD460-P6	CD460-R6	CD460-U6	372
72	CD472-P6	CD472-R6	CD472-U6	428

Model CE - 5 Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CE136-P6	CE136-R6	CE136-U6	194
48	CE148-P6	CE148-R6	CE148-U6	232
24 x 36	CE236-P6	CE236-R6	CE236-U6	232
48	CE248-P6	CE248-R6	CE248-U6	282
60	CE260-P6	CE260-R6	CE260-U6	330
72	CE272-P6	CE272-R6	CE272-U6	380
30 x 36	CE336-P6	CE336-R6	CE336-U6	270
48	CE348-P6	CE348-R6	CE348-U6	330
60	CE360-P6	CE360-R6	CE360-U6	390
72	CE372-P6	CE372-R6	CE372-U6	450
36 x 48	CE448-P6	CE448-R6	CE448-U6	380
60	CE460-P6	CE460-R6	CE460-U6	450
72	CE472-P6	CE472-R6	CE472-U6	520

Fixed & Adjustable Shelf Stock Trucks

Models CF, CZ, CG - Heavy duty trucks for warehouse, stockroom, & shipping

3,000 LB CAPACITY*(*2,000 lb with rubber casters)



Model CF Shown

3,000 LB CAPACITY*(*2,000 lb with rubber casters)



Model CZ Shown

1,200 LB CAPACITY*(*800 lb with rubber casters)



Model CG Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use (Models CF & CZ).
- **3/16" thick angle frame shelves with reinforced 13 gauge mesh decks**, except for solid 12 gauge bottom shelf. (Model CG only).
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention - (only bottom shelf for Model CZ).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - (Model CZ only).
- Model CZ - Adjustable shelf is flush only.
- Clearance between shelves - Model CF - 11", Model CG - 13".
- Overall height - Model CF - 72", Model CZ - 57", Model CG - 67".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B5 or B6**
- Floor lock - **Code F5 or F6**
- All shelves lips down - **Code FA**
- Additional adjustable shelves - **Code AT** (Model CZ only)

Model CF - 6 Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
18 x 36	CF136-P6	CF136-R6	CF136-U6	220
48	CF148-P6	CF148-R6	CF148-U6	266
24 x 36	CF236-P6	CF236-R6	CF236-U6	266
48	CF248-P6	CF248-R6	CF248-U6	326
60	CF260-P6	CF260-R6	CF260-U6	384
72	CF272-P6	CF272-R6	CF272-U6	444
30 x 36	CF336-P6	CF336-R6	CF336-U6	312
48	CF348-P6	CF348-R6	CF348-U6	384
60	CF360-P6	CF360-R6	CF360-U6	456
72	CF372-P6	CF372-R6	CF372-U6	528
36 x 48	CF448-P6	CF448-R6	CF448-U6	442
60	CF460-P6	CF460-R6	CF460-U6	528
72	CF472-P6	CF472-R6	CF472-U6	598

Model CZ - Adjustable Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	CZ236-P6	CZ236-R6	CZ236-U6	176
48	CZ248-P6	CZ248-R6	CZ248-U6	198
60	CZ260-P6	CZ260-R6	CZ260-U6	218
72	CZ272-P6	CZ272-R6	CZ272-U6	240
30 x 48	CZ348-P6	CZ348-R6	CZ348-U6	224
60	CZ360-P6	CZ360-R6	CZ360-U6	248
72	CZ372-P6	CZ372-R6	CZ372-U6	274
36 x 48	CZ448-P6	CZ448-R6	CZ448-U6	250
60	CZ460-P6	CZ460-R6	CZ460-U6	280
72	CZ472-P6	CZ472-R6	CZ472-U6	308

Model CG - Visual 5 Shelf

WxL (in)	5" Casters Models			Wgt. (lbs)
	Urethane	Thermorubber	Steel	
24 x 36	CG236-U5	CG236-T5	CG236-L5	198
48	CG248-U5	CG248-T5	CG248-L5	228
30 x 48	CG348-U5	CG348-T5	CG348-L5	254
60	CG360-U5	CG360-T5	CG360-L5	300

3, 4, & 5 Shelf Order Picking Trucks

Models CO, DO, EO - Heavy duty stock trucks with built in writing stand for record keeping

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model CO Shown

Model DO Shown

Model EO Shown

Product Features:

- Writing stand 12" by width of cart and all welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - Model CO - 17", Model DO - 15", Model EO - 13".
- Overall height - Model CO - 48", Model DO - 60", Model EO - 68".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor Lock - **Code F6**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Shorter
2 & 3 Shelf
Order Picking Carts
Models SO & LO
see page 16

Model CO - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	C0236-P6	C0236-R6	C0236-U6	166
48	C0248-P6	C0248-R6	C0248-U6	196
60	C0260-P6	C0260-R6	C0260-U6	226
72	C0272-P6	C0272-R6	C0272-U6	258
30 x 36	C0336-P6	C0336-R6	C0336-U6	192
48	C0348-P6	C0348-R6	C0348-U6	228
60	C0360-P6	C0360-R6	C0360-U6	264
72	C0372-P6	C0372-R6	C0372-U6	300
36 x 48	C0448-P6	C0448-R6	C0448-U6	260
60	C0460-P6	C0460-R6	C0460-U6	304
72	C0472-P6	C0472-R6	C0472-U6	348

Model DO - 4 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	D0236-P6	D0236-R6	D0236-U6	206
48	D0248-P6	D0248-R6	D0248-U6	244
60	D0260-P6	D0260-R6	D0260-U6	284
72	D0272-P6	D0272-R6	D0272-U6	326
30 x 36	D0336-P6	D0336-R6	D0336-U6	238
48	D0348-P6	D0348-R6	D0348-U6	286
60	D0360-P6	D0360-R6	D0360-U6	334
72	D0372-P6	D0372-R6	D0372-U6	382
36 x 48	D0448-P6	D0448-R6	D0448-U6	326
60	D0460-P6	D0460-R6	D0460-U6	384
72	D0472-P6	D0472-R6	D0472-U6	440

Model EO - 5 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	E0236-P6	E0236-R6	E0236-U6	244
48	E0248-P6	E0248-R6	E0248-U6	294
60	E0260-P6	E0260-R6	E0260-U6	342
72	E0272-P6	E0272-R6	E0272-U6	392
30 x 36	E0336-P6	E0336-R6	E0336-U6	282
48	E0348-P6	E0348-R6	E0348-U6	342
60	E0360-P6	E0360-R6	E0360-U6	402
72	E0372-P6	E0372-R6	E0372-U6	462
36 x 48	E0448-P6	E0448-R6	E0448-U6	392
60	E0460-P6	E0460-R6	E0460-U6	462
72	E0472-P6	E0472-R6	E0472-U6	532

3, 4, & 5 Shelf Ergonomic Handled Trucks

Models NC, ND, NE - Heavy duty trucks with a comfortable ergonomic handle

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts.
- **Ergonomic tubular handle** with smooth radius bend for comfort.
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - Model NC - 17", Model ND - 15", Model NE - 13".
- Overall height - Model NC - 48", Model ND - 60", Model NE - 68".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips down - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Model NC - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	NC236-P6	NC236-R6	NC236-U6	158
48	NC248-P6	NC248-R6	NC248-U6	188
60	NC260-P6	NC260-R6	NC260-U6	218
72	NC272-P6	NC272-R6	NC272-U6	248
30 x 36	NC336-P6	NC336-R6	NC336-U6	182
48	NC348-P6	NC348-R6	NC348-U6	218
60	NC360-P6	NC360-R6	NC360-U6	254
72	NC372-P6	NC372-R6	NC372-U6	290
36 x 48	NC448-P6	NC448-R6	NC448-U6	248
60	NC460-P6	NC460-R6	NC460-U6	292
72	NC472-P6	NC472-R6	NC472-U6	334

Model ND - 4 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ND236-P6	ND236-R6	ND236-U6	198
48	ND248-P6	ND248-R6	ND248-U6	236
60	ND260-P6	ND260-R6	ND260-U6	276
72	ND272-P6	ND272-R6	ND272-U6	316
30 x 36	ND336-P6	ND336-R6	ND336-U6	228
48	ND348-P6	ND348-R6	ND348-U6	276
60	ND360-P6	ND360-R6	ND360-U6	324
72	ND372-P6	ND372-R6	ND372-U6	372
36 x 48	ND448-P6	ND448-R6	ND448-U6	316
60	ND460-P6	ND460-R6	ND460-U6	374
72	ND472-P6	ND472-R6	ND472-U6	430

Model NE - 5 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	NE236-P6	NE236-R6	NE236-U6	234
48	NE248-P6	NE248-R6	NE248-U6	284
60	NE260-P6	NE260-R6	NE260-U6	332
72	NE272-P6	NE272-R6	NE272-U6	382
30 x 36	NE336-P6	NE336-R6	NE336-U6	272
48	NE348-P6	NE348-R6	NE348-U6	332
60	NE360-P6	NE360-R6	NE360-U6	392
72	NE372-P6	NE372-R6	NE372-U6	452
36 x 48	NE448-P6	NE448-R6	NE448-U6	382
60	NE460-P6	NE460-R6	NE460-U6	452
72	NE472-P6	NE472-R6	NE472-U6	522

Model NE Shown

2, 3, & 4 Shelf 2 Sided Mesh Trucks

Models EB, EC, ED - Clear view heavy duty trucks with maximum durability

3,000 LB CAPACITY



Model EB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model EC Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model ED Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Two sided entry** for ease of access.
- **Two ends flattened 13 gauge expanded mesh** 4' high.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves - Model EB - 22", Model EC - 15" & Model ED - 13"
- 1-1/2" shelf lips up for retention.
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**

Model EB - 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	EB236-P6	EB236-R6	EB236-U6	148
48	EB248-P6	EB248-R6	EB248-U6	168
60	EB260-P6	EB260-R6	EB260-U6	188
72	EB272-P6	EB272-R6	EB272-U6	208
30 x 48	EB348-P6	EB348-R6	EB348-U6	198
60	EB360-P6	EB360-R6	EB360-U6	248
72	EB372-P6	EB372-R6	EB372-U6	274
36 x 48	EB448-P6	EB448-R6	EB448-U6	246
60	EB460-P6	EB460-R6	EB460-U6	278
72	EB472-P6	EB472-R6	EB472-U6	312

Model EC - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	EC236-P6	EC236-R6	EC236-U6	180
48	EC248-P6	EC248-R6	EC248-U6	210
60	EC260-P6	EC260-R6	EC260-U6	240
72	EC272-P6	EC272-R6	EC272-U6	270
30 x 48	EC348-P6	EC348-R6	EC348-U6	250
60	EC360-P6	EC360-R6	EC360-U6	286
72	EC372-P6	EC372-R6	EC372-U6	322
36 x 48	EC448-P6	EC448-R6	EC448-U6	292
60	EC460-P6	EC460-R6	EC460-U6	334
72	EC472-P6	EC472-R6	EC472-U6	376

Model ED - 4 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ED236-P6	ED236-R6	ED236-U6	212
48	ED248-P6	ED248-R6	ED248-U6	252
60	ED260-P6	ED260-R6	ED260-U6	292
72	ED272-P6	ED272-R6	ED272-U6	332
30 x 48	ED348-P6	ED348-R6	ED348-U6	302
60	ED360-P6	ED360-R6	ED360-U6	350
72	ED372-P6	ED372-R6	ED372-U6	398
36 x 48	ED448-P6	ED448-R6	ED448-U6	354
60	ED460-P6	ED460-R6	ED460-U6	408
72	ED472-P6	ED472-R6	ED472-U6	464

2, 3, & 4 Shelf 2 Sided Stock Trucks

Models KB, KC, KD - Clear view heavy duty trucks with maximum durability

3,000 LB CAPACITY



Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Two sided entry** for ease of access.
- **Two ends 1" x 3/16" steel slats on 6" centers 4' high.**
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves - Model KB - 22", Model KC - 15" & Model KD - 13"
- 1-1/2" shelf lips up for retention.
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model KB Shown

Model KB - 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KB236-P6	KB236-R6	KB236-U6	152
48	KB248-P6	KB248-R6	KB248-U6	172
60	KB260-P6	KB260-R6	KB260-U6	192
72	KB272-P6	KB272-R6	KB272-U6	212
30 x 48	KB348-P6	KB348-R6	KB348-U6	204
60	KB360-P6	KB360-R6	KB360-U6	252
72	KB372-P6	KB372-R6	KB372-U6	280
36 x 48	KB448-P6	KB448-R6	KB448-U6	254
60	KB460-P6	KB460-R6	KB460-U6	288
72	KB472-P6	KB472-R6	KB472-U6	320

Model KC - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KC236-P6	KC236-R6	KC236-U6	184
48	KC248-P6	KC248-R6	KC248-U6	214
60	KC260-P6	KC260-R6	KC260-U6	244
72	KC272-P6	KC272-R6	KC272-U6	274
30 x 48	KC348-P6	KC348-R6	KC348-U6	256
60	KC360-P6	KC360-R6	KC360-U6	292
72	KC372-P6	KC372-R6	KC372-U6	328
36 x 48	KC448-P6	KC448-R6	KC448-U6	300
60	KC460-P6	KC460-R6	KC460-U6	342
72	KC472-P6	KC472-R6	KC472-U6	384

Model KD - 4 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	KD236-P6	KD236-R6	KD236-U6	216
48	KD248-P6	KD248-R6	KD248-U6	256
60	KD260-P6	KD260-R6	KD260-U6	296
72	KD272-P6	KD272-R6	KD272-U6	336
30 x 48	KD348-P6	KD348-R6	KD348-U6	308
60	KD360-P6	KD360-R6	KD360-U6	356
72	KD372-P6	KD372-R6	KD372-U6	404
36 x 48	KD448-P6	KD448-R6	KD448-U6	362
60	KD460-P6	KD460-R6	KD460-U6	416
72	KD472-P6	KD472-R6	KD472-U6	472

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)

Model KC Shown



Model KD Shown

2, 3, & 4 Shelf 2 Sided Solid Trucks

Models DB, DC, DD - Solid heavy duty trucks with maximum durability

3,000 LB CAPACITY



Model DB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model DC Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model DD Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Two sided entry** for ease of access.
- **Two ends 14 gauge steel 4' high**.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves - Model DB - 22", Model DC - 15" & Model DD - 13"
- 1-1/2" shelf lips up for retention.
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Writing stand - **Code WS**

Model DB - 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DB236-P6	DB236-R6	DB236-U6	164
48	DB248-P6	DB248-R6	DB248-U6	184
60	DB260-P6	DB260-R6	DB260-U6	204
72	DB272-P6	DB272-R6	DB272-U6	226
30 x 48	DB348-P6	DB348-R6	DB348-U6	222
60	DB360-P6	DB360-R6	DB360-U6	248
72	DB372-P6	DB372-R6	DB372-U6	270
36 x 48	DB448-P6	DB448-R6	DB448-U6	260
60	DB460-P6	DB460-R6	DB460-U6	290
72	DB472-P6	DB472-R6	DB472-U6	318

Model DC - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DC236-P6	DC236-R6	DC236-U6	198
48	DC248-P6	DC248-R6	DC248-U6	228
60	DC260-P6	DC260-R6	DC260-U6	258
72	DC272-P6	DC272-R6	DC272-U6	288
30 x 48	DC348-P6	DC348-R6	DC348-U6	274
60	DC360-P6	DC360-R6	DC360-U6	312
72	DC372-P6	DC372-R6	DC372-U6	348
36 x 48	DC448-P6	DC448-R6	DC448-U6	320
60	DC460-P6	DC460-R6	DC460-U6	366
72	DC472-P6	DC472-R6	DC472-U6	410

Model DD - 4 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	DD236-P6	DD236-R6	DD236-U6	230
48	DD248-P6	DD248-R6	DD248-U6	270
60	DD260-P6	DD260-R6	DD260-U6	310
72	DD272-P6	DD272-R6	DD272-U6	350
30 x 48	DD348-P6	DD348-R6	DD348-U6	328
60	DD360-P6	DD360-R6	DD360-U6	378
72	DD372-P6	DD372-R6	DD372-U6	426
36 x 48	DD448-P6	DD448-R6	DD448-U6	384
60	DD460-P6	DD460-R6	DD460-U6	444
72	DD472-P6	DD472-R6	DD472-U6	500

2, 3, & 4 Sloped Shelf 3 Sided Rod Trucks

Models HT, HS, HR - Transporters with sloped shelves to prevent items from rolling off

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model HT Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model HS Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model HR Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, **1" tubular frame**, and 12 gauge caster mounts.
- Limited one side access.
- **1" sloped (back) shelves** (except bottom shelf).
- **Vertically mounted 1/2" rods, on 6" centers, on 3 sides, 4' high.**
- Bolt on casters, 2 swivel & 2 rigid for easy replacement.
- 1-1/2" shelf lips down (flush).
- Clearance between shelves - Model HT - 22", Model HS - 15", Model HR - 13".
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- All shelves lips up - **Code GA**
- Push handle - **Code PH**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Model HT - 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HT248-P6	HT248-R6	HT248-U6	180
60	HT260-P6	HT260-R6	HT260-U6	200
30 x 48	HT348-P6	HT348-R6	HT348-U6	202
60	HT360-P6	HT360-R6	HT360-U6	232

Model HS - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HS248-P6	HS248-R6	HS248-U6	222
60	HS260-P6	HS260-R6	HS260-U6	252
30 x 48	HS348-P6	HS348-R6	HS348-U6	254
60	HS360-P6	HS360-R6	HS360-U6	292

Model HR - 4 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	HR248-P6	HR248-R6	HR248-U6	260
60	HR260-P6	HR260-R6	HR260-U6	300
30 x 48	HR348-P6	HR348-R6	HR348-U6	298
60	HR360-P6	HR360-R6	HR360-U6	354

1, 2 & 3 Shelf 3 Sided Mesh Trucks

Models ZA, ZB, ZC - Heavy duty truck with visual sides for large packages

2,000 LB CAPACITY



Model ZA Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model ZB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model ZC Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **Three sides flattened 13 gauge expanded mesh** 4' high.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves - Model ZB - 22" & Model ZC - 15"
- 1-1/2" shelf lips up for retention.
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

**3' High Sides
Version
Model GZ
see page 73**

Model ZA - 1 Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZA236-P6	ZA236-R6	ZA236-U6	136
48	ZA248-P6	ZA248-R6	ZA248-U6	152
60	ZA260-P6	ZA260-R6	ZA260-U6	172
72	ZA272-P6	ZA272-R6	ZA272-U6	188
30 x 48	ZA348-P6	ZA348-R6	ZA348-U6	170
60	ZA360-P6	ZA360-R6	ZA360-U6	200
72	ZA372-P6	ZA372-R6	ZA372-U6	220
36 x 48	ZA448-P6	ZA448-R6	ZA448-U6	192
60	ZA460-P6	ZA460-R6	ZA460-U6	220
72	ZA472-P6	ZA472-R6	ZA472-U6	244

Model ZB - 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZB236-P6	ZB236-R6	ZB236-U6	170
48	ZB248-P6	ZB248-R6	ZB248-U6	196
60	ZB260-P6	ZB260-R6	ZB260-U6	220
72	ZB272-P6	ZB272-R6	ZB272-U6	246
30 x 48	ZB348-P6	ZB348-R6	ZB348-U6	222
60	ZB360-P6	ZB360-R6	ZB360-U6	252
72	ZB372-P6	ZB372-R6	ZB372-U6	282
36 x 48	ZB448-P6	ZB448-R6	ZB448-U6	250
60	ZB460-P6	ZB460-R6	ZB460-U6	284
72	ZB472-P6	ZB472-R6	ZB472-U6	320

Model ZC - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZC236-P6	ZC236-R6	ZC236-U6	202
48	ZC248-P6	ZC248-R6	ZC248-U6	238
60	ZC260-P6	ZC260-R6	ZC260-U6	274
72	ZC272-P6	ZC272-R6	ZC272-U6	310
30 x 48	ZC348-P6	ZC348-R6	ZC348-U6	276
60	ZC360-P6	ZC360-R6	ZC360-U6	318
72	ZC372-P6	ZC372-R6	ZC372-U6	360
36 x 48	ZC448-P6	ZC448-R6	ZC448-U6	310
60	ZC460-P6	ZC460-R6	ZC460-U6	360
72	ZC472-P6	ZC472-R6	ZC472-U6	410

4 Shelf 3 Sided Mesh Trucks

Model ZD - Heavy duty trucks with visual sides for large packages

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model ZD Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **Three sides flattened 13 gauge expanded mesh 4' high.**
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 13".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZD236-P6	ZD236-R6	ZD236-U6	226
48	ZD248-P6	ZD248-R6	ZD248-U6	270
60	ZD260-P6	ZD260-R6	ZD260-U6	314
72	ZD272-P6	ZD272-R6	ZD272-U6	360
30 x 48	ZD348-P6	ZD348-R6	ZD348-U6	316
60	ZD360-P6	ZD360-R6	ZD360-U6	368
72	ZD372-P6	ZD372-R6	ZD372-U6	422
36 x 48	ZD448-P6	ZD448-R6	ZD448-U6	360
60	ZD460-P6	ZD460-R6	ZD460-U6	422
72	ZD472-P6	ZD472-R6	ZD472-U6	484

Adjustable Shelf 3 Sided Mesh Trucks

Model ZR - Adjustable shelf trucks with visual sides for large packages

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model ZR Shown
With Option FA

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Three sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- All welded construction (except casters and adjustable shelf).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **Three sides flattened 13 gauge expanded mesh 4' high.**
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention on bottom shelf only, adjustable shelf is flush only.
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	ZR236-P6	ZR236-R6	ZR236-U6	184
48	ZR248-P6	ZR248-R6	ZR248-U6	208
60	ZR260-P6	ZR260-R6	ZR260-U6	234
72	ZR272-P6	ZR272-R6	ZR272-U6	258
30 x 48	ZR348-P6	ZR348-R6	ZR348-U6	236
60	ZR360-P6	ZR360-R6	ZR360-U6	264
72	ZR372-P6	ZR372-R6	ZR372-U6	292
36 x 48	ZR448-P6	ZR448-R6	ZR448-U6	262
60	ZR460-P6	ZR460-R6	ZR460-U6	294
72	ZR472-P6	ZR472-R6	ZR472-U6	328

1, 2 & 3 Shelf 3 Sided Slat Trucks

Models HA, HB & HC - Heavy duty trucks with visual sides for large packages

2,000 LB CAPACITY



Model HA Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model HB Shown

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model HC Shown

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **1" x 3/16" steel slats on 6" centers 4' high on 3 sides.**
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves - Model HB - 22" & Model HC - 15"
- 1-1/2" shelf lips up for retention.
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Model HA - 1 Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HA236-P6	HA236-R6	HA236-U6	150
48	HA248-P6	HA248-R6	HA248-U6	166
60	HA260-P6	HA260-R6	HA260-U6	186
72	HA272-P6	HA272-R6	HA272-U6	204
30 x 48	HA348-P6	HA348-R6	HA348-U6	188
60	HA360-P6	HA360-R6	HA360-U6	216
72	HA372-P6	HA372-R6	HA372-U6	240
36 x 48	HA448-P6	HA448-R6	HA448-U6	216
60	HA460-P6	HA460-R6	HA460-U6	240
72	HA472-P6	HA472-R6	HA472-U6	266

Model HB - 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HB236-P6	HB236-R6	HB236-U6	176
48	HB248-P6	HB248-R6	HB248-U6	206
60	HB260-P6	HB260-R6	HB260-U6	234
72	HB272-P6	HB272-R6	HB272-U6	260
30 x 48	HB348-P6	HB348-R6	HB348-U6	234
60	HB360-P6	HB360-R6	HB360-U6	266
72	HB372-P6	HB372-R6	HB372-U6	300
36 x 48	HB448-P6	HB448-R6	HB448-U6	264
60	HB460-P6	HB460-R6	HB460-U6	300
72	HB472-P6	HB472-R6	HB472-U6	338

Model HC - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HC236-P6	HC236-R6	HC236-U6	210
48	HC248-P6	HC248-R6	HC248-U6	248
60	HC260-P6	HC260-R6	HC260-U6	286
72	HC272-P6	HC272-R6	HC272-U6	324
30 x 48	HC348-P6	HC348-R6	HC348-U6	288
60	HC360-P6	HC360-R6	HC360-U6	332
72	HC372-P6	HC372-R6	HC372-U6	376
36 x 48	HC448-P6	HC448-R6	HC448-U6	326
60	HC460-P6	HC460-R6	HC460-U6	378
72	HC472-P6	HC472-R6	HC472-U6	430

4 Shelf 3 Sided Slat Trucks

Model HD - Heavy duty trucks with visual sides for large packages

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model HD Shown
With Option FA

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **1" x 3/16" steel slats on 6" centers 4' high on 3 sides.**
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 13".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HD236-P6	HD236-R6	HD236-U6	244
48	HD248-P6	HD248-R6	HD248-U6	290
60	HD260-P6	HD260-R6	HD260-U6	340
72	HD272-P6	HD272-R6	HD272-U6	388
30 x 48	HD348-P6	HD348-R6	HD348-U6	340
60	HD360-P6	HD360-R6	HD360-U6	398
72	HD372-P6	HD372-R6	HD372-U6	454
36 x 48	HD448-P6	HD448-R6	HD448-U6	388
60	HD460-P6	HD460-R6	HD460-U6	454
72	HD472-P6	HD472-R6	HD472-U6	520

Adjustable Shelf 3 Sided Slat Trucks

Model HZ - Adjustable shelf trucks with visual sides for large packages

3,000 LB CAPACITY*

(*2,000 lb with rubber casters)



Model HZ Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- All welded construction (except casters and adjustable shelf).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **1" x 3/16" steel slats on 6" centers 4' high on 3 sides.**
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention on bottom shelf only, adjustable shelf is flush only.
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	HZ236-P6	HZ236-R6	HZ236-U6	204
48	HZ248-P6	HZ248-R6	HZ248-U6	230
60	HZ260-P6	HZ260-R6	HZ260-U6	258
72	HZ272-P6	HZ272-R6	HZ272-U6	288
30 x 48	HZ348-P6	HZ348-R6	HZ348-U6	260
60	HZ360-P6	HZ360-R6	HZ360-U6	300
72	HZ372-P6	HZ372-R6	HZ372-U6	334
36 x 48	HZ448-P6	HZ448-R6	HZ448-U6	300
60	HZ460-P6	HZ460-R6	HZ460-U6	336
72	HZ472-P6	HZ472-R6	HZ472-U6	374

1, 2, & 3 Shelf 3 Sided Solid Trucks

Models FA, FB & FC - Heavy duty large package trucks

2,000 LB CAPACITY



Model FA Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model FB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model FC Shown

Product Features:

- Limited access one side.
- 14 gauge sheet metal 4' high on 3 sides.
- All welded construction (except casters).
- Durable 12 gauge steel shelves, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Clearance between shelves - Model FB - 22" & Model FC - 15"
- 1-1/2" shelf lips up for retention.
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- Shelf lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

3' High Sides
Version
Model BZ
see page 71

Model FA - 1 Shelf

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FA236-P6	FA236-R6	FA236-U6	178
48	FA248-P6	FA248-R6	FA248-U6	202
60	FA260-P6	FA260-R6	FA260-U6	228
72	FA272-P6	FA272-R6	FA272-U6	254
30 x 48	FA348-P6	FA348-R6	FA348-U6	230
60	FA360-P6	FA360-R6	FA360-U6	276
72	FA372-P6	FA372-R6	FA372-U6	308
36 x 48	FA448-P6	FA448-R6	FA448-U6	270
60	FA460-P6	FA460-R6	FA460-U6	306
72	FA472-P6	FA472-R6	FA472-U6	340

Model FB - 2 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FB236-P6	FB236-R6	FB236-U6	210
48	FB248-P6	FB248-R6	FB248-U6	246
60	FB260-P6	FB260-R6	FB260-U6	280
72	FB272-P6	FB272-R6	FB272-U6	318
30 x 48	FB348-P6	FB348-R6	FB348-U6	284
60	FB360-P6	FB360-R6	FB360-U6	324
72	FB372-P6	FB372-R6	FB372-U6	364
36 x 48	FB448-P6	FB448-R6	FB448-U6	320
60	FB460-P6	FB460-R6	FB460-U6	366
72	FB472-P6	FB472-R6	FB472-U6	410

Model FC - 3 Shelves

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FC236-P6	FC236-R6	FC236-U6	244
48	FC248-P6	FC248-R6	FC248-U6	290
60	FC260-P6	FC260-R6	FC260-U6	336
72	FC272-P6	FC272-R6	FC272-U6	380
30 x 48	FC348-P6	FC348-R6	FC348-U6	336
60	FC360-P6	FC360-R6	FC360-U6	390
72	FC372-P6	FC372-R6	FC372-U6	440
36 x 48	FC448-P6	FC448-R6	FC448-U6	384
60	FC460-P6	FC460-R6	FC460-U6	444
72	FC472-P6	FC472-R6	FC472-U6	504

4 Shelf 3 Sided Solid Trucks

Model FD - Heavy duty trucks for large packages

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model FD Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock (centered on handle end) - **Code F6**
- Ergonomic handle - **Code EH**
- All shelves lips down (flush) - **Code FA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Product Features:

- All welded construction (except casters).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **14 gauge sheet metal 4' high on 3 sides.**
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention.
- Clearance between shelves - 13".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FD236-P6	FD236-R6	FD236-U6	276
48	FD248-P6	FD248-R6	FD248-U6	332
60	FD260-P6	FD260-R6	FD260-U6	388
72	FD272-P6	FD272-R6	FD272-U6	444
30 x 48	FD348-P6	FD348-R6	FD348-U6	390
60	FD360-P6	FD360-R6	FD360-U6	452
72	FD372-P6	FD372-R6	FD372-U6	520
36 x 48	FD448-P6	FD448-R6	FD448-U6	444
60	FD460-P6	FD460-R6	FD460-U6	520
72	FD472-P6	FD472-R6	FD472-U6	594

Adjustable Shelf 3 Sided Solid Trucks

Model FR - Heavy duty trucks for large packages

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- All welded construction (except casters and adjustable shelf).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- **Limited access one side.**
- **14 gauge sheet metal 4' high on 3 sides.**
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- 1-1/2" shelf lips up for retention on bottom shelf only, adjustable shelf is flush only.
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 36	FR236-P6	FR236-R6	FR236-U6	260
48	FR248-P6	FR248-R6	FR248-U6	294
60	FR260-P6	FR260-R6	FR260-U6	330
72	FR272-P6	FR272-R6	FR272-U6	366
30 x 48	FR348-P6	FR348-R6	FR348-U6	330
60	FR360-P6	FR360-R6	FR360-U6	378
72	FR372-P6	FR372-R6	FR372-U6	420
36 x 48	FR448-P6	FR448-R6	FR448-U6	378
60	FR460-P6	FR460-R6	FR460-U6	420
72	FR472-P6	FR472-R6	FR472-U6	468

1, 2 & 3 Shelf Mesh Security Trucks

Models VA, VB, VC - Heavy duty secured cart with visual sides

2,000 LB CAPACITY



Model VA Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model VB Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model VC Shown

Product Features:

- All welded construction (except casters).
- **Four sides flattened 13 gauge expanded mesh 4' high and top cover.**
- **2 flattened 13 gauge expanded mesh doors on one side with lockable hasp** (padlock not included).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Shelf lips down (flush).
- Clearance between shelves:
Model VA - 46"
Model VB - 22"
Model VC - 15"
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Model VA - 1 Shelf

DxW (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VA248-P6	VA248-R6	VA248-U6	230
60	VA260-P6	VA260-R6	VA260-U6	266
30 x 48	VA348-P6	VA348-R6	VA348-U6	256
60	VA360-P6	VA360-R6	VA360-U6	290
36 x 48	VA448-P6	VA448-R6	VA448-U6	276
60	VA460-P6	VA460-R6	VA460-U6	314
72	VA472-P6	VA472-R6	VA472-U6	346

Note: Doors add 4" to width

Model VB - 2 Shelves

DxW (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VB248-P6	VB248-R6	VB248-U6	274
60	VB260-P6	VB260-R6	VB260-U6	314
30 x 48	VB348-P6	VB348-R6	VB348-U6	306
60	VB360-P6	VB360-R6	VB360-U6	350
36 x 48	VB448-P6	VB448-R6	VB448-U6	338
60	VB460-P6	VB460-R6	VB460-U6	386
72	VB472-P6	VB472-R6	VB472-U6	430

Note: Doors add 4" to width

Model VC - 3 Shelves

DxW (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VC248-P6	VC248-R6	VC248-U6	318
60	VC260-P6	VC260-R6	VC260-U6	368
30 x 48	VC348-P6	VC348-R6	VC348-U6	360
60	VC360-P6	VC360-R6	VC360-U6	414
36 x 48	VC448-P6	VC448-R6	VC448-U6	400
60	VC460-P6	VC460-R6	VC460-U6	462
72	VC472-P6	VC472-R6	VC472-U6	520

Note: Doors add 4" to width

4 Shelf Mesh Security Truck

Model VD - Heavy duty secured cart with visual sides

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model VD Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**

Product Features:

- All welded construction (except casters).
- **Four sides flattened 13 gauge expanded mesh 4' high and top cover.**
- **2 flattened 13 gauge expanded mesh doors on one side with lockable hasp** (padlock not included).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Shelf lips down (flush).
- Clearance between shelves - 10".
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VD248-P6	VD248-R6	VD248-U6	360
60	VD260-P6	VD260-R6	VD260-U6	420
30 x 48	VD348-P6	VD348-R6	VD348-U6	414
60	VD360-P6	VD360-R6	VD360-U6	480
36 x 48	VD448-P6	VD448-R6	VD448-U6	462
60	VD460-P6	VD460-R6	VD460-U6	540
72	VD472-P6	VD472-R6	VD472-U6	616

Note: Doors add 4" to width

Adjustable Shelf Mesh Security Truck

Model VR - Heavy duty secured cart with visual sides

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model VR Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT**

Product Features:

- All welded construction (except casters and adjustable shelf).
- **Four sides flattened 13 gauge expanded mesh 4' high and top cover.**
- **2 flattened 13 gauge expanded mesh doors on one side with lockable hasp** (padlock not included).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers.
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Shelf lips down (flush).
- Overall height - 57".
- Powder coated gray finish.

SPECIFICATIONS

WxL (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VR248-P6	VR248-R6	VR248-U6	298
60	VR260-P6	VR260-R6	VR260-U6	342
30 x 48	VR348-P6	VR348-R6	VR348-U6	330
60	VR360-P6	VR360-R6	VR360-U6	378
36 x 48	VR448-P6	VR448-R6	VR448-U6	364
60	VR460-P6	VR460-R6	VR460-U6	412
72	VR472-P6	VR472-R6	VR472-U6	458

Note: Doors add 4" to width

1, 2 & Adjustable Shelf Solid Security Trucks

Models VE, VF, VZ - Heavy duty secured storage of items

2,000 LB CAPACITY



Model VE Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model VF Shown

3,000 LB CAPACITY*
(*2,000 lb with rubber casters)



Model VZ Shown

Product Features:

- All welded construction (except casters).
- **14 gauge solid sides 4' high with solid 14 gauge top.**
- **2 solid doors on one side with lockable hasp** (padlock not included).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers (Model VZ only).
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge caster mounts for long lasting use.
- Tubular handle with smooth radius bend for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Shelf lips down (flush).
- Clearance between shelves:
Model VE - 46"
Model VF - 22"
Model VZ - Adjustable
- Overall height - 57".
- Powder coated gray finish.

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Floor lock - **Code F6**
- Ergonomic handle - **Code EH**
- All sides solid 5' high - **Code SF**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional adjustable shelves - **Code AT** (Model VZ)

Model VE - 1 Shelf

DxW (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VE248-P6	VE248-R6	VE248-U6	400
60	VE260-P6	VE260-R6	VE260-U6	466
30 x 48	VE348-P6	VE348-R6	VE348-U6	462
60	VE360-P6	VE360-R6	VE360-U6	536
36 x 48	VE448-P6	VE448-R6	VE448-U6	500
60	VE460-P6	VE460-R6	VE460-U6	564
72	VE472-P6	VE472-R6	VE472-U6	626

Note: Doors add 4" to width

Model VF - 2 Shelves

DxW (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VF248-P6	VF248-R6	VF248-U6	416
60	VF260-P6	VF260-R6	VF260-U6	490
30 x 48	VF348-P6	VF348-R6	VF348-U6	460
60	VF360-P6	VF360-R6	VF360-U6	546
36 x 48	VF448-P6	VF448-R6	VF448-U6	508
60	VF460-P6	VF460-R6	VF460-U6	582
72	VF472-P6	VF472-R6	VF472-U6	656

Note: Doors add 4" to width

Model VZ - 2 Shelves, 1 Adjustable Shelf

DxW (in)	6" Casters Models			Wgt. (lbs)
	Phenolic	Rubber	Urethane	
24 x 48	VZ248-P6	VZ248-R6	VZ248-U6	434
60	VZ260-P6	VZ260-R6	VZ260-U6	508
30 x 48	VZ348-P6	VZ348-R6	VZ348-U6	478
60	VZ360-P6	VZ360-R6	VZ360-U6	560
36 x 48	VZ448-P6	VZ448-R6	VZ448-U6	522
60	VZ460-P6	VZ460-R6	VZ460-U6	596
72	VZ472-P6	VZ472-R6	VZ472-U6	670

Note: Doors add 4" to width

Casters For Steel Carts

Jamco carts offer unique twin-hole pattern caster mounts that will accept casters with 1-3/4" x 3" & 3" x 3" bolt hole patterns (unless otherwise noted).

Wheel Characteristics

- Phenolic
 - Best rollability, high strength, hardest material.
- Rubber
 - Best if floor has debris, quieter roll.
- Polyurethane
 - Best if floor conditions vary, non-marking.
- Thermorubber
 - Gray non-marking, soft rubber for quietest roll and best floor protection.
- Steel (semi)
 - High shock and impact resistant.
- Full Pneumatic
 - Absorbs shock and vibration, quiet movement, best for uneven floors or transporting over ridges in floors or mezzazines. Requires periodic maintenance.
- Semi Pneumatic
 - Same as full pneumatic without maintenance of air.

Brakes

- Wing Brakes (Toe)
 - On swivel casters only, must be ordered with caster.
- Floor Lock
 - Mount is welded in place, makes models not returnable.

4 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
U4	4 x 1-1/4	1-3/4 x 3	Polyurethane	Ball	1,200 lbs	N/A	B4
T4	4 x 1-1/4	1-3/4 x 3	Thermorubber	Ball	800 lbs	N/A	B4

5 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
U5	5 x 1-1/4	1-3/4 x 3	Polyurethane	Ball	1,200 lbs	F5	B5
T5	5 x 1-1/4	1-3/4 x 3	Thermorubber	Ball	800 lbs	F5	B5
L5	5 x 1-1/4	1-3/4 x 3	Steel (semi)	Plain	1,200 lbs	F5	B5

7 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
P7	5 x 2	3 x 3	Phenolic	Roller	4,000 lbs	F7	B7
R7	5 x 2	3 x 3	Rubber (Mold-on)	Roller	1,800 lbs	F7	B7
U7	5 x 2	3 x 3	Polyurethane	Roller	3,000 lbs	F7	B7
T7	5 x 2	3 x 3	Thermorubber	Roller	2,000 lbs	F7	B7
L7	5 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F7	B7

6 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
P6	6 x 2	3 x 3	Phenolic	Roller	4,800 lbs	F6	B6
R6	6 x 2	3 x 3	Rubber (Mold-on)	Roller	2,000 lbs	F6	B6
U6	6 x 2	3 x 3	Polyurethane	Roller	3,600 lbs	F6	B6
T6	6 x 2	3 x 3	Thermorubber	Roller	2,200 lbs	F6	B6
L6	6 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F6	B6

8 Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
P8	8 x 2	3 x 3	Phenolic	Roller	4,800 lbs	F8	B8
R8	8 x 2	3 x 3	Rubber (Mold-on)	Roller	2,400 lbs	F8	B8
U8	8 x 2	3 x 3	Polyurethane	Roller	3,800 lbs	F8	B8
T8	8 x 2	3 x 3	Thermorubber	Roller	2,400 lbs	F8	B8
L8	8 x 2	3 x 3	Steel (semi)	Roller	4,000 lbs	F8	B8

N Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
N8	8 x 3	3 x 3	Full Pneumatic	Roller	1,200 lbs	FN	BN
N1	12 x 4	3 x 3	Full Pneumatic	Ball	2,200 lbs	N/A	N/A
Z8	8 x 3	3 x 3	Semi Pneumatic	Ball	2,000 lbs	F8	BN

Mill Duty Series

Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks
MP	8 x 2-1/2	3 x 3	Phenolic	Ball	7,000 lbs	ML	BM
MS	8 x 2-1/2	3 x 3	Steel	Ball	7,000 lbs	ML	BM

Floor Lock



4 Series



Urethane Thermorubber

5 Series



Urethane Thermorubber



Steel

7, 6, & 8 Series



Phenolic Mold On Rubber



Urethane Thermorubber




Steel

N Series



Full Pneumatic Semi Pneumatic

Mill Duty Series



Phenolic Steel

Stainless Steel Carts, Platforms, Trucks, Cabinets & Tables

83 Models - 27 Pages

Carts, Platforms & Trucks



Cabinets



Tables





Stainless Steel Cabinets with Paddle Latch Handle

Models KU, KV, & KW - Ideal for restaurant, cleanroom, or healthcare applications

400 LB CAP. per shelf



Model KU Shown

400 LB CAP. per shelf



Model KV Shown

400 LB CAP. per shelf



Model KW Shown

Product Features:

- Premium polished 304 stainless steel, welded construction.
- 18 gauge stainless sides with 12 gauge feet.
- Feet have slots for bolt down kit to secure cabinet to floor.
- 18 gauge stainless steel shelves.
- Shelves adjust on 2-1/2" centers.
- Shelves are secured with bolts for maximum stability.
- Top has flush front, sides and back have 1-1/4" lips up.
- Smooth hemmed edges.
- Twin 18 gauge doors with dual latch system open to a full 180°.
- Flush paddle latch lock in 304 stainless steel, includes 2 keys.
- Overall heights:
 - 41" (Model KU)
 - 65" (Model KV)
 - 77" (Model KW)

Options:

- Additional shelves - see chart for shelf model
- Bolt down kit - **Code SK**

Model KU - Cabinet - 41" Height, 2 Adjustable Shelves

DxW (in)	Model	Wgt. (lbs)	Shelf Model	Wgt. (lbs)
18 x 36	KU136	132	OY136	12
48	KU148	162	OY148	16
24 x 36	KU236	142	OY236	16
48	KU248	186	OY248	20

Model KV - Cabinet - 65" Height, 3 Adjustable Shelves

DxW (in)	Model	Wgt. (lbs)	Shelf Model	Wgt. (lbs)
18 x 36	KV136	200	OY136	12
48	KV148	240	OY148	16
24 x 36	KV236	212	OY236	16
48	KV248	274	OY248	20

Model KW - Cabinet - 77" Height, 4 Adjustable Shelves

DxW (in)	Model	Wgt. (lbs)	Shelf Model	Wgt. (lbs)
18 x 36	KW136	238	OY136	12
48	KW148	284	OY148	16
24 x 36	KW236	256	OY236	16
48	KW248	326	OY248	20



Stainless Steel Wall Cabinets with Bins

Model KP - Wall cabinets with bins for pharmaceutical, healthcare, & food service



Model KP Shown

Product Features:

- Premium polished 304 stainless steel, welded construction.
- 3 sided 18 gauge stainless wrap construction.
- 18 gauge stainless steel shelves.
- Includes 20-InSight® Ultra Clear Bins - 4-1/8" w x 7-3/8" d x 3-1/4" h.
- Top has flush front, sides and back have 1-1/4" lips up.
- Smooth hemmed edges.
- Wall mountable on 16" & 24" centers (hardware not included).
- Twin 18 gauge doors with dual latch system.
- Flush paddle latch lock in 304 stainless steel, includes 2 keys.
- Overall height - 30".

Options:

- Additional Bins - see chart for bin model
- Bin covers - **Code RL**

Model KP - 20 Bins

DxW (in)	Model	Wgt. (lbs)
12 x 30	KP130	92

Bin Model	Wgt. (lbs)
RM	1



Stainless Steel Wall Cabinets with Shelves

Model KS - Wall cabinets with shelves for pharmaceutical, healthcare & food service

150 LB CAP. per shelf



Model KS Shown

Product Features:

- Premium polished 304 stainless steel, welded construction.
- 3 sided 18 gauge stainless wrap construction.
- Includes 2-18 gauge stainless steel shelves.
- Shelves adjust on 2-1/2" centers.
- Top has flush front, sides and back have 1-1/4" lips up.
- Smooth hemmed edges.
- Wall mountable on 16" & 24" centers (hardware not included).
- Twin 18 gauge doors with dual latch system.
- Flush paddle latch lock in 304 stainless steel, includes 2 keys.
- Overall height - 30".

Options:

- Additional Shelves - see chart for shelf model

Model KS - 2 Adjustable Shelves

DxW (in)	Model	Wgt. (lbs)
12 x 30	KS130	80

Shelf Model	Wgt. (lbs)
OZ130	8

Stainless Steel Work Height Cabinets

Models ZP, ZU, ZV - Stainless steel fixed cabinets with drawers and or door(s)

1,200 LB CAPACITY



Model ZP Shown

1,200 LB CAPACITY



Model ZU Shown

1,200 LB CAPACITY



Model ZV Shown

Product Features:

- All welded construction.
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction with 14 gauge feet.
- **Lockable Stainless Drawers** (4-1/4" h x 16" w x 16" d) with 2 keys (except Model ZP).
- **Lockable Stainless Door(s)** with 2 keys.
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Cabinet Model	Overall Height	Clearance Behind Door(s)
ZP	34"	24"
ZU	34"	18"
ZV	34"	24"

Options:

- Middle shelf behind door(s) - **Code SM** (Models ZP & ZU only)
Code HM (Model ZV only)
- Vinyl matting on top shelf - **Code VM**

Model ZP – 2 Doors

DxW (in)	Model	Wgt. (lbs)
18 x 36	ZP136	100
24 x 36	ZP236	114

Model ZU – 2 Drawers, 2 Doors

DxW (in)	Model	Wgt. (lbs)
18 x 36	ZU136	140
24 x 36	ZU236	154

Model ZV – 4 Drawers, 1 Door

DxW (in)	Model	Wgt. (lbs)
18 x 36	ZV136	172
24 x 36	ZV236	186

Stainless Steel Narrow Work Height Cabinets

Models VW, VX, VY – Stainless steel fixed cabinets with drawer(s) and/or a door

1,200 LB CAPACITY



Model VW Shown

1,200 LB CAPACITY



Model VX Shown

1,200 LB CAPACITY



Model VY Shown

Product Features:

- All welded construction.
- **Stainless**, with premium polished shelves in durable 16 gauge.
- 3 sided 16 gauge stainless wrap construction with 14 gauge feet.
- **Lockable Stainless Drawer(s)** (4-1/4" h x 16" w x 16" d) with 2 keys (Models VW & VX only).
- **Lockable Stainless Door** with 2 keys (Models VX & VY only).
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Mobile Cabinet Model	Overall Height	Clearance Behind Door
VW.....	34"	N/A
VX.....	34"	18"
VY.....	34"	24"

Options:

- Middle shelf behind door - **Code HM** (Models VX & VY only)
- Vinyl matting on top shelf - **Code VM**

Model VW – 4 Drawers

DxW (in)	Model	Wgt. (lbs)
18 x 18	VW118	136

Model VX – 1 Drawer, 1 Door

DxW (in)	Model	Wgt. (lbs)
18 x 18	VX118	80

Model VY – 1 Door

DxW (in)	Model	Wgt. (lbs)
18 x 18	VY118	62



Stainless Steel Workbenches & Tops

Models YE, UK, UL - Stainless steel workbenches for laboratory & healthcare applications

1,500 LB CAPACITY




Model YE Shown

1,200 LB CAPACITY



Model UK Shown



Model UL Shown

Product Features:

Model YE: ***EXTRA HEAVY DUTY***

- Fully welded frame construction.
- **Durable 14 gauge premium polished stainless steel.**
- Bottom shelf is set back for comfortable use.
- 2" angle frame legs with pre-punched floor mounting pads.
- Flush top shelf.
- Clearance between shelves - 22".
- Overall height - 35".

Model UK:

- Fully welded frame construction.
- **Durable 16 gauge premium polished stainless steel.**
- Stainless top is double formed around wood core.
- Base and bottom shelf are inset.
- 1-1/2" square tubular legs with adjustable feet for use on uneven surfaces.
- Clearance between shelves - 19".
- Overall height - 35".

Model UL:

- **Durable 16 gauge premium polished stainless steel.**
- Stainless top is double formed around wood core.
- Top can be placed on sets of legs or on existing flush work surfaces.

Options for Model YE only:

- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys - **Code DZ**

Model YE - Workbench

DxW (in)	Model	Wgt. (lbs)
24 x 48	YE248	82
30 x 60	YE360	106
72	YE372	124

Model UK - Open

DxW (in)	Model	Wgt. (lbs)
30 x 60	UK360	140
72	UK372	156

Model UL - 1-1/2" Top

DxW (in)	Model	Wgt. (lbs)
30 x 60	UL360	84
72	UL372	100



Stainless Steel 3 Sided Workbenches

Models VN, VO, VP - Stainless steel workbenches with wood core tops

1,200 LB CAPACITY



Model VN Shown

Product Features:

- Fully welded frame construction.
- **Durable 16 gauge premium polished stainless steel.**
- Stainless top is double formed around wood core.
- Base and bottom shelf are inset.
- 1-1/2" square tubular legs with adjustable feet for use on uneven surfaces.
- 18 gauge one piece stainless steel wrap around shell.
- Overall height - 35".

Other Specifications:

Model VN:

- Clearance between shelves - 19".

Model VO:

- Includes 3 lockable stainless drawers (4-1/4"h x 16"w x 16"d) with 2 keys.
- Drawers are three across.
- Clearance under drawers - 13".

Model VP:

- Includes 3 lockable stainless drawers (4-1/4"h x 16"w x 16"d) with 2 keys.
- Drawers are stacked on the left.
- Clearance between shelves - 19".

1,200 LB CAPACITY



Model VO Shown

Model VN – Sides

DxW (in)	Model	Wgt. (lbs)
30 x 60	VN360	174
72	VN372	190

Model VO – Sides, Drawers

DxW (in)	Model	Wgt. (lbs)
30 x 60	VO360	240
72	VO372	256

1,200 LB CAPACITY



Model VP Shown

Model VP - Sides, Drawers

DxW (in)	Model	Wgt. (lbs)
30 x 60	VP360	236
72	VP372	252

Stainless Steel Work Stands

Models XU, XW, YG - Stainless steel work stands for laboratory & healthcare applications

1,200 LB CAPACITY



Model XU Shown

1,200 LB CAPACITY



Model XW Shown

1,200 LB CAPACITY



Model YG Shown

Product Features:

- All welded construction.
- **Stainless, premium polished shelves** in durable 16 gauge.
- 1-1/2" Stainless 16 gauge corner angles.
- Pre-punched mounting pads.

Dimensions:

Table Model	Overall Height	Clearance Between Shelves
XU	34"	9"
XW	30"	20"
YG	32"	10"

Other Specifications:

Model XU:

- **Lockable Stainless Drawer** (4-1/4"h x 16"w x 16"d) with 2 keys.
- Top & middle shelf - flush front with other 3 sides lips up.
- Bottom shelf - flush.

Models XW & YG:

- All shelves flush.

Options:

- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys - **Code DZ** (Model XW only)

Model XU - 3 Shelves, 1 Drawer

DxW (in)	Model	Wgt. (lbs)
18 x 18	XU118	70

Model XW - 2 Shelves

DxW (in)	Model	Wgt. (lbs)
18 x 24	XW124	32
30	XW130	36
36	XW136	40
24 x 36	XW236	50
48	XW248	62

Model YG - 3 Shelves

DxW (in)	Model	Wgt. (lbs)
18 x 24	YG124	42
30	YG130	50
36	YG136	56
24 x 36	YG236	70
48	YG248	90

Stainless Steel Mobile Narrow Work Stands

Models XX, XR, YD - Stainless steel mobile work stands for laboratory & healthcare applications

1,200 LB CAPACITY



Model XX Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 16 gauge, 1-1/2" stainless corner angles (Models XX & XR only).
- 3 sided 16 gauge stainless wrap construction (Model YD only).
- **Lockable Stainless Drawer** (4-1/4"h x 16"w x 16"d) with 2 keys. (Models XR & YD only).
- Top shelf - flush front lip with other 3 sides lips up, bottom shelf flush.
- Middle shelf - flush front lip with other 3 sides lips up (Models XX & XR only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- All locks are keyed alike - call for other key options.

Dimensions:

Work stand Model	Overall Height	Clearance Between Shelves
XX	34"	11"
XR	34"	8"
YD	34"	18"

Options:

- 2 wheel brakes on swivel casters -
Caster Code**Brake Code**
U5/T5**B5**
S5**BX**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers - **Code LB** (Models XX & XR only)

1,200 LB CAPACITY



Model XR Shown

Model XX - 3 Shelves

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	XX118-U5-AS	XX118-S5-AS	XX118-T5-AS	44

1,200 LB CAPACITY



Model YD Shown

Model XR - 3 Shelves, 1 Drawer

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	XR118-U5-AS	XR118-S5-AS	XR118-T5-AS	70

Model YD - Sides, 2 Shelves, 1 Drawer

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YD118-U5-AS	YD118-S5-AS	YD118-T5-AS	84

Stainless Steel Mobile Narrow Cabinets

Models YF, YS, YT – Stainless steel mobile cabinets with drawer(s) and/or a door

1,200 LB CAPACITY



Model YF Shown

1,200 LB CAPACITY



Model YS Shown

1,200 LB CAPACITY



Model YT Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction.
- **Lockable Stainless Drawer(s)** (4-1/4" h x 16" w x 16" d) with 2 keys (Models YF & YS only).
- **Lockable Stainless Door** with 2 keys (Models YS & YT only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- Bottom shelf - flush (Models YS & YT only).
- All locks are keyed alike - call for other key options.

Dimensions:

Mobile Cabinet Model	Overall Height	Clearance Between Shelves
YF	34"	N/A
YS	34"	18"
YT	34"	24"

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U5/T5 **B5**
S5 **BX**
- Middle shelf behind door - **Code HM** (Models YS & YT only)
- Vinyl matting on top shelf - **Code VM**

Model YF – 4 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YF118-U5-AS	YF118-S5-AS	YF118-T5-AS	144

Model YS – 1 Drawer, 1 Door

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YS118-U5-AS	YS118-S5-AS	YS118-T5-AS	92

Model YT – 1 Door

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YT118-U5-AS	YT118-S5-AS	YT118-T5-AS	74

Stainless Steel Mobile Work Stands

Models XV, YC, YR, YK - Stainless mobile work stands for laboratory & healthcare applications

1,200 LB CAPACITY



Model XV Shown

1,200 LB CAPACITY



Model YC Shown

1,200 LB CAPACITY



Model YR Shown

1,200 LB CAPACITY



Model YK Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 16 gauge 1-1/2" stainless corner posts (Models XV & YR only).
- 3 sided 16 gauge stainless wrap construction (Models YC & YK only).
- **Lockable Stainless Drawers** (4-1/4"h x 16"w x 16"d) with 2 keys (Models YR & YK only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are 2 rigid & 2 swivel for superior tracking, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- Middle shelf:
 - Flush front lip with other 3 sides up (Model XV only).
 - Flush (Model YC only).
- Bottom Shelf:
 - Flush (Models XV, YC, & YK only).
 - 1-1/2" lips up (Model YR only).

Dimensions:

Cabinet Model	Overall Height	Clearance Between Shelves
XV	35"	11"
YC	34"	11"
YR	35"	18"
YK	34"	18"

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U5/T5 **B5**
S5 **BX**
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers - **Code LB** (Models XV & YR only)

Model XV – 3 Shelves

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 24	XV124-U5	XV124-S5	XV124-T5	56
30	XV130-U5	XV130-S5	XV130-T5	62
36	XV136-U5	XV136-S5	XV136-T5	68
24 x 36	XV236-U5	XV236-S5	XV236-T5	86

Model YC – Sides, 3 Shelves

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 18	YC118-U5	YC118-S5	YC118-T5	68
36	YC136-U5	YC136-S5	YC136-T5	98
24 x 36	YC236-U5	YC236-S5	YC236-T5	120

Model YR – 2 Shelves, 2 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YR136-U5	YR136-S5	YR136-T5	96
24 x 36	YR236-U5	YR236-S5	YR236-T5	106

Model YK – Sides, 2 Shelves, 2 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YK136-U5	YK136-S5	YK136-T5	130
24 x 36	YK236-U5	YK236-S5	YK236-T5	146

Stainless Steel Mobile Cabinets

Models YW, YZ, YV - Stainless mobile cabinets for laboratory & healthcare applications

1,200 LB CAPACITY



Model YW Shown

1,200 LB CAPACITY



Model YZ Shown

1,200 LB CAPACITY



Model YV Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction.
- **Lockable Stainless Drawers** (4-1/4" h x 16" w x 16" d) with 2 keys (Model YV only).
- **Lockable Stainless Doors** with 2 keys.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are 2 rigid & 2 swivel for superior tracking, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Cabinet Model	Overall Height	Clearance Between Shelves
YW	34"	24"
YZ	34"	11"
YV	34"	18"

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U5/T5 **B5**
S5 **BX**
- All swivel casters - **Code AS**
- Middle shelf behind doors - **Code SM** (Model YV only)
- Vinyl matting on top shelf - **Code VM**

Model YW – 2 Doors

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YW136-U5	YW136-S5	YW136-T5	108
24 x 36	YW236-U5	YW236-S5	YW236-T5	124

Model YZ – 2 Doors, Middle Shelf

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YZ136-U5	YZ136-S5	YZ136-T5	122
24 x 36	YZ236-U5	YZ236-S5	YZ236-T5	140

Model YV – 2 Drawers, 2 Doors

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YV136-U5	YV136-S5	YV136-T5	146
24 x 36	YV236-U5	YV236-S5	YV236-T5	162

Stainless Steel Mobile Cabinets

Models YX, YY, ZO - Stainless mobile cabinets for laboratory & healthcare applications

1,200 LB CAPACITY



Model YX Shown

1,200 LB CAPACITY



Model YY Shown

1,200 LB CAPACITY



Model ZO Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in durable 16 gauge.**
- 3 sided 16 gauge stainless wrap construction.
- **Lockable Stainless Drawer(s)** (4-1/4"h x 16"w x 16"d) with 2 keys.
- **Lockable Stainless Door** with 2 keys (Models YX & YY only).
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are 2 rigid & 2 swivel for superior tracking, available in stainless or steel rigs.
- Top shelf - flush front lip with other 3 sides lips up.
- All locks are keyed alike - call for other key options.

Dimensions:

Cabinet Model	Overall Height	Clearance Between Shelves Behind Door	Clearance Between Drawer And Shelf
YX	34"	24"	17"
YY	34"	24"	N/A
ZO	34"	N/A	N/A

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U5/T5 **B5**
S5 **BX**
- All swivel casters - **Code AS**
- Middle shelf behind door - **Code HM** (Models YX & YY only)
- Vinyl matting on top shelf - **Code VM**

Model YX – 1 Door, 1 Drawer

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YX136-U5	YX136-S5	YX136-T5	128
24 x 36	YX236-U5	YX236-S5	YX236-T5	148

Model YY – 4 Drawers, 1 Door

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	YY136-U5	YY136-S5	YY136-T5	180
24 x 36	YY236-U5	YY236-S5	YY236-T5	196

Model ZO – 8 Drawers

DxW (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 36	ZO136-U5	ZO136-S5	ZO136-T5	258
24 x 36	ZO236-U5	ZO236-S5	ZO236-T5	274

Medium Duty 2 Shelf Stainless Steel Utility Carts

Models ZE, ZF, ZG - Stainless carts with standard and ergonomic handles

600 LB CAPACITY



Model ZE Shown

600 LB CAPACITY



Model ZF Shown

600 LB CAPACITY



Model ZG Shown

Product Features:

- All welded construction (except casters & ergonomic handles).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless tubular handle**
 - Standard welded (Models ZE & ZF only)
 - Ergonomic bolt on (Model ZG only)
- 1-1/4" shelf lips
 - All lips up for retention (Models ZE & ZG only)
 - Flush right side with other 3 sides lips up (Model ZF only)
- Bumper guards on all 4 corners.
- Overall height (excluding handle) - 34".
- Clearance between shelves - 25".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
T4.....**B4**
S4.....**BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH** (Model ZF only)

Model ZE - Standard Handle - Lips Up

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZE124-T4-AS	ZE124-S4-AS	34
30	ZE130-T4-AS	ZE130-S4-AS	36
22 x 36	ZE236-T4-AS	ZE236-S4-AS	44
48	ZE248-T4-AS	ZE248-S4-AS	50

Model ZF - Standard Handle - 3 Lips Up & 1 Lip Down

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZF124-T4-AS	ZF124-S4-AS	34
30	ZF130-T4-AS	ZF130-S4-AS	36
22 x 36	ZF236-T4-AS	ZF236-S4-AS	44
48	ZF248-T4-AS	ZF248-S4-AS	50

Model ZG - Ergonomic Handle - Lips Up

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZG124-T4-AS	ZG124-S4-AS	36
30	ZG130-T4-AS	ZG130-S4-AS	38
22 x 36	ZG236-T4-AS	ZG236-S4-AS	46
48	ZG248-T4-AS	ZG248-S4-AS	52

BOXED TO SHIP FED EX GROUND

Note: 22" x 48" Ship Freight

Medium Duty 3 Shelf Stainless Steel Utility Carts

Models ZH, ZJ, ZK - Stainless carts with standard and ergonomic handles

600 LB CAPACITY



Model ZH Shown

600 LB CAPACITY



Model ZJ Shown

600 LB CAPACITY



Model ZK Shown

Product Features:

- All welded construction (except casters & ergonomic handles).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless tubular handle**
 - Standard welded (Models ZH & ZJ only)
 - Ergonomic bolt on (Model ZK only)
- 1-1/4" shelf lips
 - All lips up for retention (Models ZH & ZK only)
 - Flush right side with other 3 sides lips up (Model ZJ only)
- Bumper guards on all 4 corners.
- Overall height (excluding handle) - 34".
- Clearance between shelves - 11".

Options:

- Brakes on 2 swivel casters -
 Caster Type **Brake Code**
 T4 **B4**
 S4 **BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH** (Model ZJ only)

Model ZH - Standard Handle - Lips Up

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZH124-T4-AS	ZH124-S4-AS	38
30	ZH130-T4-AS	ZH130-S4-AS	42
22 x 36	ZH236-T4-AS	ZH236-S4-AS	54
48	ZH248-T4-AS	ZH248-S4-AS	64

Model ZJ - Standard Handle - 3 Lips Up & 1 Lip Down

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZJ124-T4-AS	ZJ124-S4-AS	38
30	ZJ130-T4-AS	ZJ130-S4-AS	42
22 x 36	ZJ236-T4-AS	ZJ236-S4-AS	54
48	ZJ248-T4-AS	ZJ248-S4-AS	64

Model ZK - Ergonomic Handle - Lips Up

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZK124-T4-AS	ZK124-S4-AS	40
30	ZK130-T4-AS	ZK130-S4-AS	44
22 x 36	ZK236-T4-AS	ZK236-S4-AS	56
48	ZK248-T4-AS	ZK248-S4-AS	66

BOXED TO SHIP FED EX GROUND

Note: 22" x 48" Ship Freight

Medium Duty 2 Shelf Stainless Steel Deep Lip Carts

Model ZM - Stainless steel carts with standard handle and 2-1/2" deep lips

600 LB CAPACITY



Model ZM Shown

BOXED TO SHIP FED EX GROUND

Note: 22" x 48" Ship Freight

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 2-1/2" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 34".
- Clearance between shelves - 22".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
T4.....**B4**
S4**BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZM - 2 Shelves

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZM124-T4-AS	ZM124-S4-AS	36
30	ZM130-T4-AS	ZM130-S4-AS	38
22 x 36	ZM236-T4-AS	ZM236-S4-AS	48
48	ZM248-T4-AS	ZM248-S4-AS	54

Medium Duty 3 Shelf Stainless Steel Deep Lip Carts

Model ZN - Stainless steel carts with standard handle and 2-1/2" deep lips

600 LB CAPACITY



Model ZN Shown

BOXED TO SHIP FED EX GROUND

Note: 22" x 48" Ship Freight

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 2-1/2" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 34".
- Clearance between shelves - 10".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
T4.....**B4**
S4**BV**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZN - 3 Shelves

WxL (in)	4" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
16 x 24	ZN124-T4-AS	ZN124-S4-AS	44
30	ZN130-T4-AS	ZN130-S4-AS	48
22 x 36	ZN236-T4-AS	ZN236-S4-AS	60
48	ZN248-T4-AS	ZN248-S4-AS	70

Medium Duty 4 Shelf Stainless Steel Linen Carts

Model ZL - Stainless steel linen carts with nylon cover

600 LB CAPACITY



Model ZL Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- **Blue nylon cover**, velcro closures, flame resistant & durable.
- Shelves are flush for easy load and unload.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 47".
- Clearance between shelves - 12".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
T5.....**B5**
S5**BX**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZL - 4 Shelves, Nylon Cover

WxL (in)	5" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
22 x 36	ZL236-T5-AS	ZL236-ST-AS	70
48	ZL248-T5-AS	ZL248-ST-AS	84

Medium Duty 3 Shelf Stainless Steel Supply Carts

Model ZW - Stainless steel supply carts with standard handle

600 LB CAPACITY



Model ZW Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular Handle.**
- Bumper guards on all 4 corners.
- Overall height - 42".
- Clearance between shelves - 16".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
T5.....**B5**
S5**BX**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZW - 3 Shelves

WxL (in)	5" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
22 x 36	ZW236-T5-AS	ZW236-ST-AS	52
48	ZW248-T5-AS	ZW248-ST-AS	62

Medium Duty 4 Shelf Stainless Steel Supply Carts

Model ZX - Stainless steel supply carts with standard handle

600 LB CAPACITY



Model ZX Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular handle.**
- Bumper guards on all 4 corners.
- Overall height - 48".
- Clearance between shelves - 12".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
T5.....**B5**
S5**BX**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZX - 4 Shelves

WxL (in)	5" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
22 x 36	ZX236-T5-AS	ZX236-ST-AS	66
48	ZX248-T5-AS	ZX248-ST-AS	80

Medium Duty 5 Shelf Stainless Steel Supply Carts

Model ZY - Stainless steel supply carts with standard handle

600 LB CAPACITY



Model ZY Shown

Product Features:

- All welded construction (except casters).
- **Stainless, premium polished shelves in 20 gauge with hemmed edges.**
- 16 gauge stainless corner angles and 14 gauge stainless caster mounts.
- 1-1/4" Lips up for retention.
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade.
- Casters are all swivel, available in stainless or steel rigs.
- **Stainless Tubular handle.**
- Bumper guards on all 4 corners.
- Overall height - 53".
- Clearance between shelves - 10".

Options:

- Brakes on 2 swivel casters -
Caster Type**Brake Code**
T5.....**B5**
S5**BX**
- Change casters to 2 rigid, 2 swivel - **Remove AS from model**
- Add ergonomic handle - **Code EH**

Model ZY - 5 Shelves

WxL (in)	5" Thermorubber Casters Model		Wgt. (lbs)
	Steel Rig	Stainless Rig	
22 x 36	ZY236-T5-AS	ZY236-ST-AS	78
48	ZY248-T5-AS	ZY248-ST-AS	94

Tubular Frame Stainless Steel 2 & 3 Shelf Service Carts

Models XF, XM, XG, XN - Stainless steel "U" frame service carts with bumpers

800 LB CAPACITY



Model XF Shown

1,200 LB CAP.*(*800 lb with thermorubber casters)



Model XM Shown

800 LB CAPACITY



Model XG Shown

1,200 LB CAP.*(*800 lb with thermorubber casters)



Model XN Shown

Product Features:

- All welded construction (except casters & donut handle).
- **Stainless, premium polished shelves** in durable 16 gauge.
- **1" square tubular stainless "U" frame.**
- 1" stainless tubular handle with donut bumper ends.
- "L" shaped bumpers on front legs.
- Flush right side with other 3 sides 1-1/2" lips up.
- Casters are available with stainless or steel rigs.
- **Wheels:**
 - 2 - 8" x 1-1/2" on an axle, 2 - 5" x 1-1/4" swivel casters (Models XF & XG only).
 - 2 rigid, 2 swivel 5" x 1-1/4" casters (Models XM & XN only).
- Overall height - 37".
- **Clearance:**
 - 22" (Models XF & XM only)
 - 10" (Models XG & XN only)

Options:

- 2 wheel brakes on swivel casters
Caster Type Brake Code
TR, T5, U5..... **B5**
TS, ST, S5..... **BX**
- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys - **Code DZ** (Models XF & XM only)

Model XF - 2 Shelves (8" wheels & 5" casters)

WxL (in)	8"/5" Thermorubber Casters Models		
	Steel Rig	Stainless Rig	Wgt. (lbs)
18 x 24	XF124-TR	XF124-TS	48
30	XF130-TR	XF130-TS	54
36	XF136-TR	XF136-TS	60
24 x 36	XF236-TR	XF236-TS	72
48	XF248-TR	XF248-TS	86

Model XM - 2 Shelves (5" casters)

WxL (in)	5" Thermorubber Models		5" Urethane Models		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Stainless Rig	
18 x 24	XM124-T5	XM124-ST	XM124-U5	XM124-S5	48
30	XM130-T5	XM130-ST	XM130-U5	XM130-S5	54
36	XM136-T5	XM136-ST	XM136-U5	XM136-S5	60
24 x 36	XM236-T5	XM236-ST	XM236-U5	XM236-S5	72
48	XM248-T5	XM248-ST	XM248-U5	XM248-S5	86

Model XG - 3 Shelves (8" wheels & 5" casters)

WxL (in)	8"/5" Thermorubber Casters Models		
	Steel Rig	Stainless Rig	Wgt. (lbs)
18 x 24	XG124-TR	XG124-TS	60
30	XG130-TR	XG130-TS	68
36	XG136-TR	XG136-TS	76
24 x 36	XG236-TR	XG236-TS	92
48	XG248-TR	XG248-TS	112

Model XN - 3 Shelves (5" casters)

WxL (in)	5" Thermorubber Models		5" Urethane Models		Wgt. (lbs)
	Steel Rig	Stainless Rig	Steel Rig	Stainless Rig	
18 x 24	XN124-T5	XN124-ST	XN124-U5	XN124-S5	60
30	XN130-T5	XN130-ST	XN130-U5	XN130-S5	68
36	XN136-T5	XN136-ST	XN136-U5	XN136-S5	76
24 x 36	XN236-T5	XN236-ST	XN236-U5	XN236-S5	92
48	XN248-T5	XN248-ST	XN248-U5	XN248-S5	112

Stainless Steel 2 & 3 Shelf Standard & Ergonomic Handle Carts

Models XB, XA, XS, XT - Stainless steel standard & ergonomic handles

1,200 LB CAPACITY



Model XB Shown

1,200 LB CAPACITY



Model XA Shown

1,200 LB CAPACITY



Model XS Shown

1,200 LB CAPACITY



Model XT Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves in durable 16 gauge.**
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend - standard (XA & XB), raised ergonomic (XS & XT).
- 1-1/2" shelf lips up for retention.
- Overall height (excluding handle) is 35", 39" (with 8" casters).
- Clearance between shelves - 25" (Models XB & XS); 11" (Models XA & XT).

Options:

- 2 wheel brakes on swivel casters -
Caster Type Brake Code
U5 B5
S5 BX
Z8 BN

- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers - **Code LB**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys (Models XB & XS) - **Code DZ**

Model XB - Standard Handle - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XB124-U5	XB124-S5	52	XB124-Z8	76
30	XB130-U5	XB130-S5	56	XB130-Z8	80
36	XB136-U5	XB136-S5	60	XB136-Z8	84
24 x 36	XB236-U5	XB236-S5	70	XB236-Z8	94
48	XB248-U5	XB248-S5	82	XB248-Z8	106
30 x 48	XB348-U5	XB348-S5	94	XB348-Z8	118
60	XB360-U5	XB360-S5	108	XB360-Z8	132

Model XA - Standard Handle - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XA124-U5	XA124-S5	60	XA124-Z8	84
30	XA130-U5	XA130-S5	66	XA130-Z8	90
36	XA136-U5	XA136-S5	72	XA136-Z8	96
24 x 36	XA236-U5	XA236-S5	86	XA236-Z8	110
48	XA248-U5	XA248-S5	104	XA248-Z8	128
30 x 48	XA348-U5	XA348-S5	122	XA348-Z8	146
60	XA360-U5	XA360-S5	142	XA360-Z8	166

Model XS - Ergonomic Handle - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XS124-U5	XS124-S5	48	XS124-Z8	72
30	XS130-U5	XS130-S5	54	XS130-Z8	78
36	XS136-U5	XS136-S5	60	XS136-Z8	84
24 x 36	XS236-U5	XS236-S5	70	XS236-Z8	94
48	XS248-U5	XS248-S5	82	XS248-Z8	106
30 x 48	XS348-U5	XS348-S5	94	XS348-Z8	118
60	XS360-U5	XS360-S5	108	XS360-Z8	132

Model XT - Ergonomic Handle - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XT124-U5	XT124-S5	60	XT124-Z8	84
30	XT130-U5	XT130-S5	68	XT130-Z8	92
36	XT136-U5	XT136-S5	76	XT136-Z8	100
24 x 36	XT236-U5	XT236-S5	88	XT236-Z8	112
48	XT248-U5	XT248-S5	106	XT248-Z8	130
30 x 48	XT348-U5	XT348-S5	124	XT348-Z8	148
60	XT360-U5	XT360-S5	144	XT360-Z8	168

Stainless Steel 2 & 3 Shelf Bumper & Standard Handle Carts

Models XH, XJ, XK, XY - Carts w/bumper handles or flush one side for flush load and unload

1,200 LB CAPACITY



Model XH Shown

1,200 LB CAPACITY



Model XJ Shown

1,200 LB CAPACITY



Model XK Shown

1,200 LB CAPACITY



Model XY Shown

Product Features:

- All welded construction (except casters & donut handle).
- **Stainless with premium polished shelves in durable 16 gauge.**
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** Donut bumper at handle ends (XH & XJ), Smooth radius bend (XK & XY)
- "L" shaped rubber bumpers on front legs standard on (XH & XJ).
- Shelf Lips: 1-1/2" shelf lips - All up (XH & XJ) - Right side flush, other 3 sides up (XK & XY)
- Overall height is 35", (39" with 8" casters).
- Clearance between shelves - Models XH - 25"; XJ - 11"; XK - 23"; XY - 10".

Options:

- 2 wheel brakes on swivel casters -

Caster Type **Brake Code**

U5 **B5**

S5 **BX**

Z8 **BN**

- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys (XH&XK only) - **Code DZ**

Model XH - Donut Bumper Handle - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XH124-U5	XH124-S5	54	XH124-Z8	78
30	XH130-U5	XH130-S5	58	XH130-Z8	82
36	XH136-U5	XH136-S5	62	XH136-Z8	86
24 x 36	XH236-U5	XH236-S5	72	XH236-Z8	96
48	XH248-U5	XH248-S5	84	XH248-Z8	108
30 x 48	XH348-U5	XH348-S5	96	XH348-Z8	120
60	XH360-U5	XH360-S5	110	XH360-Z8	134

Model XJ - Donut Bumper Handle - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XJ124-U5	XJ124-S5	62	XJ124-Z8	86
30	XJ130-U5	XJ130-S5	68	XJ130-Z8	92
36	XJ136-U5	XJ136-S5	74	XJ136-Z8	98
24 x 36	XJ236-U5	XJ236-S5	88	XJ236-Z8	112
48	XJ248-U5	XJ248-S5	106	XJ248-Z8	130
30 x 48	XJ348-U5	XJ348-S5	124	XJ348-Z8	148
60	XJ360-U5	XJ360-S5	144	XJ360-Z8	168

Model XK - Right Side Flush - 2 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XK124-U5	XK124-S5	52	XK124-Z8	76
30	XK130-U5	XK130-S5	56	XK130-Z8	80
36	XK136-U5	XK136-S5	60	XK136-Z8	84
24 x 36	XK236-U5	XK236-S5	70	XK236-Z8	94
48	XK248-U5	XK248-S5	82	XK248-Z8	106
30 x 48	XK348-U5	XK348-S5	94	XK348-Z8	118
60	XK360-U5	XK360-S5	108	XK360-Z8	132

Model XY - Right Side Flush - 3 Shelf

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	XY124-U5	XY124-S5	60	XY124-Z8	84
30	XY130-U5	XY130-S5	66	XY130-Z8	90
36	XY136-U5	XY136-S5	72	XY136-Z8	96
24 x 36	XY236-U5	XY236-S5	86	XY236-Z8	110
48	XY248-U5	XY248-S5	104	XY248-Z8	128
30 x 48	XY348-U5	XY348-S5	122	XY348-Z8	146
60	XY360-U5	XY360-S5	142	XY360-Z8	166

Stainless Steel 2 & 3 Shelf, 3" Deep Lip & Order Picking Carts

Models XZ, YU, XO, YO - Stainless steel carts with deep lips or writing stands

1,200 LB CAPACITY



Model XZ Shown

1,200 LB CAPACITY



Model YU Shown

1,200 LB CAPACITY



Model XO Shown

1,200 LB CAPACITY



Model YO Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves** in durable 16 gauge.
- 1-1/2" stainless corner angles, and stainless caster mounts.
- Writing stand 12" by cart width (Models XO & YO only).
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend.
- Overall height (excluding handle) is 35", (39" with 8" casters).
- Clearance between shelves - Model XZ - 22", YU - 9", XO - 25", YO - 11".

Options:

- 2 wheel brakes on swivel casters -

Caster Type Brake Code

U5.....B5

S5 BX

Z8 BN

- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers - **Code LB**
- Lockable stainless drawer (4-1/4"h x 16"w x 16"d) with 2 keys - **Code DZ** (Models XZ & XO only)

Model XZ - 2 Shelf 3" Lips

WxL (in)	5" Urethane Casters Models			8" Casters Models	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XZ130-U5	XZ130-S5	50	XZ130-Z8	72
36	XZ136-U5	XZ136-S5	56	XZ136-Z8	78
24 x 36	XZ236-U5	XZ236-S5	70	XZ236-Z8	92

Model YU - 3 Shelf 3" Lips

WxL (in)	5" Urethane Casters Models			8" Casters Models	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YU130-U5	YU130-S5	68	YU130-Z8	90
36	YU136-U5	YU136-S5	76	YU136-Z8	98
24 x 36	YU236-U5	YU236-S5	94	YU236-Z8	116

Model XO - 2 Shelf, Writing Stand - Order Picker

WxL (in)	5" Urethane Casters Models			8" Casters Models	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XO130-U5	XO130-S5	64	XO130-Z8	86
36	XO136-U5	XO136-S5	68	XO136-Z8	90
24 x 36	XO236-U5	XO236-S5	78	XO236-Z8	100
48	XO248-U5	XO248-S5	90	XO248-Z8	112
30 x 48	XO348-U5	XO348-S5	104	XO348-Z8	126
60	XO360-U5	XO360-S5	118	XO360-Z8	140

Model YO - 3 Shelf, Writing Stand - Order Picker

WxL (in)	5" Urethane Casters Models			8" Casters Models	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YO130-U5	YO130-S5	74	YO130-Z8	96
36	YO136-U5	YO136-S5	80	YO136-Z8	102
24 x 36	YO236-U5	YO236-S5	94	YO236-Z8	116
48	YO248-U5	YO248-S5	112	YO248-Z8	134
30 x 48	YO348-U5	YO348-S5	130	YO348-Z8	152
60	YO360-U5	YO360-S5	152	YO360-Z8	174

Stainless Steel Platforms, Low Profile & Transfer Carts

Models XP, YP, XL, YB - Stainless steel platforms & low profile & transfer carts

1,200 LB CAPACITY



Model XP Shown

1,200 LB CAPACITY



Model YP Shown

1,200 LB CAPACITY



Model XL Shown

1,200 LB CAPACITY



Model YB Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves and decks** in durable **16 gauge**.
- 1-1/2" stainless corner angles (Models XL & YB only), and stainless caster mounts.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels.
- **Tubular handle** with smooth radius bend for comfort and uniform appearance -30" handle height above platform (XP & YP); raised offset handle (XL).
- 1-1/2" shelf lips down (flush) for easy loading. Model XL bottom shelf has 1-1/2" shelf lips up for retention.
- Cart shelf/platform deck dimensions:

Model	Height	Clearance Between Shelves
XP	9"	N/A
YP	9"	N/A
XL	27"	17"
YB	30"	20"

*Add 4" to height for Z8 casters

Options:

- 2 wheel brakes on swivel casters -
 - All swivel casters - **Code AS**
 - Vinyl matting on top shelf - **Code VM**
- Caster Type**Brake Code**
- U5**B5**
- S5**BX**
- Z8**BN**

Model XP - Platform - Removable Handle

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XP130-U5	XP130-S5	46	XP130-Z8	70
36	XP136-U5	XP136-S5	48	XP136-Z8	72
24 x 36	XP236-U5	XP236-S5	54	XP236-Z8	78
48	XP248-U5	XP248-S5	60	XP248-Z8	84
30 x 48	XP348-U5	XP348-S5	68	XP348-Z8	92
60	XP360-U5	XP360-S5	74	XP360-Z8	98

Model YP - Platform - 2 Removable Handles

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	YP130-U5	YP130-S5	52	YP130-Z8	76
36	YP136-U5	YP136-S5	54	YP136-Z8	78
24 x 36	YP236-U5	YP236-S5	60	YP236-Z8	84
48	YP248-U5	YP248-S5	66	YP248-Z8	90
30 x 48	YP348-U5	YP348-S5	74	YP348-Z8	98
60	YP360-U5	YP360-S5	80	YP360-Z8	104

Model XL - Low Profile - Raised Offset Handle

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 30	XL130-U5	XL130-S5	56	XL130-Z8	80
36	XL136-U5	XL136-S5	60	XL136-Z8	84
24 x 36	XL236-U5	XL236-S5	70	XL236-Z8	94
48	XL248-U5	XL248-S5	82	XL248-Z8	106
30 x 48	XL348-U5	XL348-S5	94	XL348-Z8	118
60	XL360-U5	XL360-S5	108	XL360-Z8	132

Model YB - Transfer Cart

WxL (in)	5" Urethane Casters Model			8" Casters Model	
	Steel Rig	Stainless Rig	Wgt. (lbs)	Semi Pneumatic	Wgt. (lbs)
18 x 24	YB124-U5	YB124-S5	50	YB124-Z8	74
30	YB130-U5	YB130-S5	54	YB130-Z8	78
36	YB136-U5	YB136-S5	58	YB136-Z8	82
24 x 36	YB236-U5	YB236-S5	68	YB236-Z8	92
48	YB248-U5	YB248-S5	80	YB248-Z8	104
30 x 48	YB348-U5	YB348-S5	92	YB348-Z8	116
60	YB360-U5	YB360-S5	106	YB360-Z8	130

1,800 lb Capacity Stainless Service & Transfer Carts & Platform Trucks

Models YJ, YN, YM, YL - Heavy Duty Stainless Transporters

1,800 LB CAPACITY



Model YJ Shown

1,800 LB CAPACITY



Model YN Shown

1,800 LB CAPACITY



Model YM Shown

1,800 LB CAPACITY



Model YL Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves** in durable **16 gauge**.
- 2" stainless corner angles (except model YL), and stainless caster mounts with "twin caster hole pattern" to mount various sized casters.
- Bolt on casters, 2 swivel & 2 rigid for superior tracking.
- Caster rigs available in steel or stainless with urethane wheels.
- Tubular handle with smooth radius bend (model YL's handle is removable and 30" above deck).
- 1-1/2" shelf lips (models YJ & YN), Lips flush (Models YM & YL).
- Cart shelf dimensions:

Cart Model	Top Shelf/Deck Height	Clearance Between Shelves
YJ	35"	25"
YN	35"	11"
YM	31"	20"
YL	10"	N/A

Options:

- 2 wheel brakes on swivel casters -
Caster Type **Brake Code**
U6/T6 **B6**
S6 **BY**
- All swivel casters - **Code AS**
- Vinyl matting on top shelf - **Code VM**
- Front leg "L" bumpers (except Model YL) - **Code LB**
- Lockable stainless drawer (4-1/4" h x 16" w x 16" d) with 2 keys - **Code DZ** (Models YJ & YM only)

Model YJ - Standard Handle - 2 Shelf

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YJ236-U6	YJ236-S6	YJ236-T6	92
48	YJ248-U6	YJ248-S6	YJ248-T6	104
30 x 48	YJ348-U6	YJ348-S6	YJ348-T6	116
60	YJ360-U6	YJ360-S6	YJ360-T6	130

Model YN - Standard Handle - 3 Shelf

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YN236-U6	YN236-S6	YN236-T6	108
48	YN248-U6	YN248-S6	YN248-T6	126
30 x 48	YN348-U6	YN348-S6	YN348-T6	144
60	YN360-U6	YN360-S6	YN360-T6	164

Model YM - Transfer Cart

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YM236-U6	YM236-S6	YM236-T6	90
48	YM248-U6	YM248-S6	YM248-T6	102
30 x 48	YM348-U6	YM348-S6	YM348-T6	114
60	YM360-U6	YM360-S6	YM360-T6	128

Model YL - Platform - Removable Handle

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	YL236-U6	YL236-S6	YL236-T6	76
48	YL248-U6	YL248-S6	YL248-T6	82
30 x 48	YL348-U6	YL348-S6	YL348-T6	90
60	YL360-U6	YL360-S6	YL360-T6	96

1,800 Lb Capacity Stainless Steel 3, 4, & 5 Shelf Stock Trucks

Models XC, XD, XE - Heavy Duty Stainless transporters

1,800 LB CAPACITY



Model XC Shown

Product Features:

- All welded construction (except casters).
- **Stainless with premium polished shelves** in durable **16 gauge**.
- 2" stainless corner angles and stainless caster mounts with "twin hole pattern" to mount various sized casters.
- Bolt on casters, 2 swivel & 2 rigid, for superior tracking.
- Caster rigs available in steel or stainless for urethane wheels.
- **Tubular handle** with smooth radius bend for comfort and uniform appearance.
- 1-1/2" shelf lips up for retention.
- Cart shelf dimensions:

Cart Model	Overall Height	Clearance Between Shelves
XC	47"	17"
XD	53"	13"
XE	60"	11"

Options:

- 2 wheel brakes on swivel casters -
Caster Type**Brake Code**
U6/T6**B6**
S6**BY**
- All swivel casters - **Code AS**
- Ergonomic handle - **Code EH**
- Flush top shelf - **Code FT**
- All shelves flush - **Code FA**
- Right side flush, other 3 sides lips up (all shelves) - **Code LA**

1,800 LB CAPACITY



Model XD Shown

Model XC - 3 Shelf Truck

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 30	XC130-U6	XC130-S6	XC130-T6	94
36	XC136-U6	XC136-S6	XC136-T6	100
24 x 36	XC236-U6	XC236-S6	XC236-T6	114
48	XC248-U6	XC248-S6	XC248-T6	132
30 X 48	XC348-U6	XC348-S6	XC348-T6	150
60	XC360-U6	XC360-S6	XC360-T6	170

1,800 LB CAPACITY



Model XE Shown

Model XD - 4 Shelf Truck

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
18 x 30	XD130-U6	XD130-S6	XD130-T6	108
36	XD136-U6	XD136-S6	XD136-T6	116
24 x 36	XD236-U6	XD236-S6	XD236-T6	134
48	XD248-U6	XD248-S6	XD248-T6	158
30 X 48	XD348-U6	XD348-S6	XD348-T6	182
60	XD360-U6	XD360-S6	XD360-T6	208

Model XE - 5 Shelf Truck

WxL (in)	6" Urethane Casters Model		6" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 36	XE236-U6	XE236-S6	XE236-T6	154
48	XE248-U6	XE248-S6	XE248-T6	184
30 x 48	XE348-U6	XE348-S6	XE348-T6	214
60	XE360-U6	XE360-S6	XE360-T6	246

Stainless Steel Plastic Tote Box Trucks

Models YH, YA, YQ - Plastic tote box truck organizers

100 LB CAPACITY per Tote



Model YH Shown

100 LB CAPACITY per Tote



Model YA Shown

100 LB CAPACITY per Tote



Model YQ Shown

Product Features:

- All welded construction (except casters).
- 16 gauge flush stainless bottom pan with stainless caster mounts.
- 1" square stainless tube with stainless angle tote support rails.
- Bolt on 5" urethane casters, all swivel.
- Clearance between tote supports - 10".
- Overall height - 42" (Models YH & YA) & 72" (Model YQ).
- Totes - 16"w x 25-1/8"d x 8-1/2" h (gray).

Options:

- 2 wheel brakes on swivel casters -
Caster Type**Brake Code**
U5/T5**B5**
S5**BX**
- Additional totes - **Code RA**

Model YH – 3 Plastic Tote Box Truck

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
26 x 18	YH218-U5-AS	YH218-S5-AS	YH218-T5-AS	60

Model YA – 6 Plastic Tote Box Truck

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
26 x 36	YA236-U5-AS	YA236-S5-AS	YA236-T5-AS	100

Model YQ – 12 Plastic Tote Box Truck

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
26 x 36	YQ236-U5-AS	YQ236-S5-AS	YQ236-T5-AS	154



Stainless Steel Removable Plastic Bin Carts

Models ZT, RN, & RO - Stainless steel mobile small parts organizers

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model ZT Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model RN Shown

1,200 LB CAP.*(*800 lb with Thermorubber casters)



Model RO Shown

Product Features:

- Double sided louvered panels accept plastic bins.
- All welded construction (except casters).
- Premium polished stainless steel.
- Durable 16 gauge stainless steel shelves and 14 gauge caster mounts.
- Tubular handle for comfort and uniform appearance.
- Bolt on casters, 2 swivel & 2 rigid, for easy replacement.
- Size of louvered panels - 19"h x 30"w.
- Overall height - 35".

Other Specifications:

Model ZT:

- Bins sold separately.

Model RN:

- Includes 6 TiltView® bins:
 - 2@ 23-5/8" w x 3-3/4" d x 4-1/2" h.
 - 2@ 23-5/8" w x 5-3/8" d x 6-1/2" h.
 - 2@ 23-5/8" w x 6-3/4" d x 8-3/16" h.

Model RO:

- Includes 40 InSight® Ultra Clear Bins:
 - 4-1/8" w x 7-3/8" d x 3-1/4" h.

Available in
steel on
page 53

Model ZT - 19" High dual louvered panel, top shelf, no bins

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 30	ZT230-U5	ZT230-S5	ZT230-T5	82

Model RN - 19" High dual louvered panel, top shelf, tilt bins

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 30	RN230-U5	RN230-S5	RN230-T5	112

Model RO - 19" High dual louvered panel, top shelf, bins

WxL (in)	5" Urethane Casters Model		5" Thermorubber Casters Model	
	Steel Rig	Stainless Rig	Steel Rig	Wgt. (lbs)
24 x 30	RO230-U5	RO230-S5	RO230-T5	108



Stainless Steel Plastic Bin Sloped Shelf Truck

Model ZS - 4 bin sizes for flexible small part storage with visual contact

1,200 LB CAPACITY



Model ZS Shown

Options:

- 2 wheel brakes on swivel casters - **Code B6**
- Additional Bins:
Small - **Code RW**
Medium - **Code RX**
Large - **Code RY**
Big - **Code RZ**

Product Features:

- All welded construction (except casters).
- **Durable 16 gauge stainless steel bottom deck and 14 gauge caster mounts.**
- 1-1/2" tubular center uprights with 3/16" thick horizontal supports.
- Plastic Bins - 58 total:
16 - small (4-1/8"w x 11-5/8"d x 4"h)
20 - medium (6-5/8"w x 11-5/8"d x 4"h)
16 - large (8-1/8"w x 11-5/8"d x 4"h)
6 - big (11-1/8"w x 11-5/8"d x 4"h)
- Durable 16 gauge stainless steel sloped shelves - 6 levels on both sides.
- Corner supports - 3/16" thick.
- Bolt on 5" urethane casters, 2 swivel & 2 rigid.
- Overall height - 64".

Model ZS - Sloped shelf truck

DxW (in)	5" Casters Urethane	Wgt. (lbs)
30 x 36	ZS336-U5	236

Available in
steel on
page 54



Stainless Steel Plastic Bin Sloped Shelf Stand

Model ZZ - 4 bin sizes for flexible small part storage with visual contact

1,200 LB CAPACITY



Model ZZ Shown

Options:

- Additional Bins:
Small - **Code RW**
Medium - **Code RX**
Large - **Code RY**
Big - **Code RZ**

Product Features:

- All welded construction.
- 1-1/2" tubular center uprights with 3/16" thick horizontal supports.
- 5" high legs.
- Plastic Bins - 58 total:
16 - small (4-1/8"w x 11-5/8"d x 4"h)
20 - medium (6-5/8"w x 11-5/8"d x 4"h)
16 - large (8-1/8"w x 11-5/8"d x 4"h)
6 - big (11-1/8"w x 11-5/8"d x 4"h)
- Durable 16 gauge stainless steel sloped shelves - 6 levels on both sides.
- Corner supports - 3/16" thick.
- Overall height - 64".

Model ZZ - Sloped shelf stand

DxW (in)	Model	Wgt. (lbs)
30 x 36	ZZ336	234

Available in
steel on
page 54

Casters For Stainless Steel Carts

Jamco carts offer unique twin-hole pattern caster mounts that will accept casters with 1-3/4" x 3" & 3" x 3" bolt hole patterns (unless otherwise noted).

Wheel Characteristics

- Polyurethane
 - Best if floor conditions vary, non-marking.
- Thermorubber
 - Gray non-marking, soft rubber for quietest roll and best floor protection.
- Full Pneumatic
 - Absorbs shock and vibration, quiet movement, best for uneven floors or transporting over ridges in floors or mezzazines. Requires periodic maintenance.
- Semi Pneumatic
 - Same as full pneumatic without maintenance of air.

Brakes

- Wing Brakes (Toe)
 - On swivel casters only, must be ordered with caster.

4 Series

Code	Size (in)	Bolt Hole Pattern (in)	Rig	Wheel Material	Bearing	Capacity (set of 4)	Brake Locks
T4	4 x 1-1/4	1-3/4 x 3	Steel	Thermorubber	Ball	800 lbs	B4
S4	4 x 1-1/4	1-3/4 x 3	Stainless	Thermorubber	Ball	800 lbs	BV

4 Series



5 Series

Code	Size (in)	Bolt Hole Pattern (in)	Rig	Wheel Material	Bearing	Capacity (set of 4)	Brake Locks
U5	5 x 1-1/4	1-3/4 x 3	Steel	Polyurethane	Ball	1,200 lbs	B5
T5	5 x 1-1/4	1-3/4 x 3	Steel	Thermorubber	Ball	800 lbs	B5
S5	5 x 1-1/4	1-3/4 x 3	Stainless	Polyurethane	Ball	1,200 lbs	BX
ST	5 x 1-1/4	1-3/4 x 3	Stainless	Thermorubber	Ball	800 lbs	BX

5 Series



6 Series

Code	Size (in)	Bolt Hole Pattern (in)	Rig	Wheel Material	Bearing	Capacity (set of 4)	Brake Locks
U6	6 x 2	3 x 3	Steel	Polyurethane	Roller	3,600 lbs	B6
T6	6 x 2	3 x 3	Steel	Thermorubber	Roller	2,200 lbs	B6
S6	6 x 2	3 x 3	Stainless	Polyurethane	Roller	3,600 lbs	BY

6 Series



N Series

Code	Size (in)	Bolt Hole Pattern (in)	Rig	Wheel Material	Bearing	Capacity (set of 4)	Brake Locks
N8	8 x 3	3 x 3	Steel	Pneumatic	Roller	1,200 lbs	BN
Z8	8 x 3	3 x 3	Steel	Thermorubber	Ball	2,200 lbs	BN

N Series



Safety Cabinets - Flammable, Hazardous Waste, Drum, Emergency, Paint & Ink, Corrosive, Pesticide, & Fire Resistant

30 Models - 10 Pages

Flammable



Forkliftable



Corrosive



Pesticide



Waste



Drum



Self Close Mechanism


***Shown without top cap



Jamco Heavy Duty Safety Cabinet Features

More steel than other brands, FM Approved

14 gauge doors are 56% more steel than 18 gauge of others, superior weld hinges with brass pins give greater support for doors, Meet OSHA, NFPA code 30, UFC 79 standards, and are **FM APPROVED** flush handled. Powder Coated Yellow (Flammable), Red (Paint & Ink), Blue (Corrosive), Green (Pesticides) & Gray (Hazardous Waste).



FEATURES

1. Exclusive, gas cylinder, self close mechanism
2. Lead fusible link
3. 2" flame arrester vents
4. Flush Mounted paddle handle
5. 4" Heavy Duty weld hinge with 3/8" brass pin
6. Grounding connector
7. Adjustable leveling feet
8. 2" leak proof sump for spill containment
9. 16 gauge louvered shelf supports to adjust shelves on 2-1/2" centers
10. 3 point locking system
11. Rounded safety corners on doors
12. Safety signage in large red lettering
13. Heavy Duty 14 gauge door



Safety Cabinets For Flammables - 3 Door Types

Models BM, BS, BF - flammable liquid storage, double walled

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet and grounding connector.
- **Powder coated yellow finish.**
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.



Three Door Types:

Model BM - 2 Doors

- Manual close doors open full 180°.

Model BS - 2 Doors

- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165°.
- Concealed self closing mechanism.

Model BF - 1 Bi-Fold Door

- Manual close door opens to the right.

Options:

- Additional galvanized shelves - **see charts**



Model BM90 Shown



Model BS60 Shown



Model BF45 Shown

Model BM - Manual Close

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
22	BM22	34 x 18 x 35	1	182	GS134	8
28	BM28	34 x 18 x 44	2	234	GS134	8
30	BM30	43 x 18 x 44	1	254	GS143	12
44	BM44	34 x 18 x 65	3	334	GS134	8
45	BM45	43 x 18 x 65	2	360	GS143	12
60	BM60	34 x 34 x 65	2	440	GS334	16
90	BM90	43 x 34 x 65	2	504	GS343	22
120	BM120	59 x 34 x 65	2	620	GS359	30

Model BS - Self Close

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
22	BS22	34 x 18 x 35	1	196	GS134	8
28	BS28	34 x 18 x 44	2	248	GS134	8
30	BS30	43 x 18 x 44	1	268	GS143	12
44	BS44	34 x 18 x 65	3	348	GS134	8
45	BS45	43 x 18 x 65	2	374	GS143	12
60	BS60	34 x 34 x 65	2	454	GS334	16
90	BS90	43 x 34 x 65	2	518	GS343	22

Model BF - Bi-Fold

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
30	BF30	43 x 18 x 44	1	260	GS143	12
45	BF45	43 x 18 x 65	2	366	GS143	12
60	BF60	34 x 34 x 65	2	446	GS334	16
90	BF90	43 x 34 x 65	2	510	GS343	22

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Forkliftable Safety Cabinets For Flammables - 3 Door Types

Models FM, FS, FF - flammable liquid storage, double walled, with floor clearance

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 4" high feet allow for movement of empty unit with a fork lift truck.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- Doors are double walled, 14 gauge outside & 18 gauge inside.
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- Powder coated yellow finish.
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.



Three Door Types:

Model FM - 2 Doors

- Manual close door opens full 180°.

Model FS - 2 Doors

- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165°.
- Concealed self closing mechanism.

Model FF - 1 Bi-Fold Door

- Manual close door opens to the right.

Options:

- Additional galvanized shelves - see charts



Model FM45 Shown



Model FS45 Shown



Model FF45 Shown

Model FM - Manual Close

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
28	FM28	34 x 18 x 49	2	230	GS134	8
30	FM30	43 x 18 x 49	1	250	GS143	12
44	FM44	34 x 18 x 70	3	340	GS134	8
45	FM45	43 x 18 x 70	2	368	GS143	12
60	FM60	34 x 34 x 70	2	444	GS334	16
90	FM90	43 x 34 x 70	2	508	GS343	22
120	FM120	59 x 34 x 70	2	626	GS359	30

Model FS - Self Close

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
28	FS28	34 x 18 x 49	2	250	GS134	8
30	FS30	43 x 18 x 49	1	270	GS143	12
44	FS44	34 x 18 x 70	3	354	GS134	8
45	FS45	43 x 18 x 70	2	388	GS143	12
60	FS60	34 x 34 x 70	2	460	GS334	16
90	FS90	43 x 34 x 70	2	524	GS343	22

Model FF - Bi-Fold

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
30	FF30	43 x 18 x 49	1	260	GS143	12
45	FF45	43 x 18 x 70	2	378	GS143	12
60	FF60	34 x 34 x 70	2	450	GS334	16
90	FF90	43 x 34 x 70	2	516	GS343	22

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Made in USA

Safety Cabinets for Flammables - 1 Door Manual

Model BA - contain flammable liquids in protected storage



Model BA Shown

Options:

- Additional galvanized shelves - see charts

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Door has 3 point locking system and radius edges.
- **Door is double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated yellow finish.**
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 standards.
- **Manual close door.**



Model BA - Manual Close

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
6	BA06*	23 x 18 x 22	0	92	GS123	6
12	BA12	23 x 18 x 35	1	130	GS123	6
18	BA18	23 x 18 x 44	2	166	GS123	6
24	BA24	23 x 18 x 65	3	244	GS123	6
60	BA60	23 x 34 x 65	3	410	GS323	12

*Not FM Approved

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Cabinets for Flammables - 1 Door Self Close

Model BJ - 1 contain flammable liquids in protected storage



Concealed
Self-Close
Mechanism

Model BJ Shown

Options:

- Additional galvanized shelves - see charts

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Door has 3 point locking system and radius edges.
- **Door is double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated yellow finish.**
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.
- **Self close door shuts and latches automatically as fusible link melts under fire conditions at 165°**
- Concealed self closing mechanism.



Model BJ - Self Close

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
6	BJ06*	23 x 18 x 22	0	98	GS123	6
12	BJ12	23 x 18 x 35	1	142	GS123	6
18	BJ18	23 x 18 x 44	2	178	GS123	6
24	BJ24	23 x 18 x 65	3	250	GS123	6
60	BJ60	23 x 34 x 65	3	416	GS323	12

*Not FM Approved

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Cabinets – Under Counter or Fume Hood – 35" High

Models BT, BK – Store flammable items under counter, designed for laboratory use



Model BT22 Shown

Options:

- Additional galvanized shelves - see charts



Concealed Self-Close Mechanism
Model BK Only

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- Furniture type kickplate (3"d x 4"h toe kick).
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Door(s) have 3 point locking system and radius edges.
- **Door(s) are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents mounted on back wall.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Adjustable leveling feet.
- **Powder coated yellow finish.**
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, NFPA code 30, & UFC 79 standards.
- **Door(s) open full 180°.**
- **Self close door(s) shut, index and latch automatically as fusible link(s) melt under fire conditions at 165°.** (Model BK only)
- Concealed self closing mechanism. (Model BK Only)



Models BT (Manual) & BK (Self-Close) - 35" High

Capacity Gallons	Models Manual	Wgt. (lbs)	Size (in) W x D x H	Models Self Close	Wgt. (lbs)	# Shelves	# Doors	Add'l Shelves	
								Models	Wgt.
12	BT12	150	24 x 22 x 35	BK12	156	1	1	GS222	8
22	BT22	198	36 x 22 x 35	BK22	212	1	2	GS322	12
30	BT30	240	48 x 22 x 35	BK30	254	1	2	GS422	16

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Cabinets – Counter Top / Stackable – 22" High

Models BY, BU – Store flammable items on counter or stacked on other cabinets



Model BY15 Shown Stacked on Model BM30

Options:

- Additional galvanized shelves - see charts



Concealed Self-Close Mechanism
Model BU Only

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Door(s) have 3 point locking system and radius edges.
- **Door(s) are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Adjustable leveling feet with rubber caps.
- **Powder coated yellow finish.**
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, NFPA code 30, & UFC 79 standards.
- **Door(s) open full 180°.**
- **Self close door(s) shut, index and latch automatically as fusible link(s) melt under fire conditions at 165°.** (Model BU only)
- Concealed self closing mechanism. (Model BU Only)



Models BY (Manual) & BU (Self-Close) - 22" High

Capacity Gallons	Models Manual	Wgt. (lbs)	Size (in) W x D x H	Models Self Close	Wgt. (lbs)	# Shelves	# Doors	Add'l Shelves	
								Models	Wgt.
6	BY06*	92	23 x 18 x 22	BU06*	98	0	1	GS123	6
11	BY11*	140	34 x 18 x 22	BU11*	154	0	2	GS134	8
15	BY15	160	43 x 18 x 22	BU15	174	0	2	GS143	12

*Not FM Approved

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons



Wall Mount Safety Cabinets

Model RG - Flammable liquid storage, double walled, wall mountable



Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- **Powder coated yellow finish.**
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA and NFPA code 30 standards.
- 2 Doors - Manual close doors open full 180°.
- Wall mountable with wall bracket included, hardware is not included.



SPECIFICATIONS

Capacity Gallons	Model	Size (in) W x D x H	# of Shelves	Wgt. (lbs)	Add'l Shelf	
					Model	Wgt.
20	RG20	34 x 12 x 44	2	192	GS120	6



Emergency Response Cabinets

Model EA - Double walled cabinet for emergency response supplies



Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Adjustable leveling feet and grounding connector.
- **Powder coated yellow finish.**
- Safety signage is green with large white letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- 2 Doors - Manual close doors open full 180°.
- Meets OSHA, and NFPA code 30 standards.



SPECIFICATIONS


Capacity Gallons	Model	Size (in) W x D x H	# of Shelves	Wgt. (lbs)	Add'l Shelf	
					Model	Wgt.
45	EA45	43 x 18 x 65	4	384	GS143	12

Safety Cabinets for Paint & Ink Cans - 3 Door Types

Models BP, BN, BH - paint & ink storage, double walled



Model BP48 Shown



Concealed
Self-Close
Mechanism



Model BP48 Shown

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated red finish.**
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.



Three Door Types:

Model BP - 1 or 2 Doors

- Manual close door opens full 180°.

Model BN - 1 or 2 Doors

- Self close door(s) shut, index and latch automatically as fusible link(s) melt under fire conditions at 165°.
- Concealed self closing mechanism.

Model BH - 1 Bi-Fold Door

- Manual close door opens to the right.

Options:

- Additional galvanized shelves - **see charts**
- 4" feet (except on 23" wide) - **Code TF**

Model BP - Manual Close

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)	Add'l Shelves	
						Models	Wgt.
12	BP12*	23 x 18 x 22.	1	1	114	GS123	6
18	BP18	23 x 18 x 35	2	1	136	GS123	6
24	BP24	23 x 18 x 44	3	1	170	GS123	6
30	BP30	34 x 18 x 35	2	2	190	GS134	8
36	BP36	23 x 18 x 65	5	1	272	GS123	6
48	BP48	43 x 18 x 44	3	2	276	GS143	12
72	BP72	43 x 18 x 65	5	2	392	GS143	12
96	BP96	34 x 34 x 65	5	2	488	GS334	16
120	BP120	43 x 34 x 65	5	2	566	GS343	22

Model BN - Self Close

*Not FM Approved

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)	Add'l Shelves	
						Models	Wgt.
12	BN12*	23 x 18 x 22	1	1	122	GS123	6
18	BN18	23 x 18 x 35	2	1	138	GS123	6
24	BN24	23 x 18 x 44	3	1	174	GS123	6
30	BN30	34 x 18 x 35	2	2	204	GS134	8
36	BN36	23 x 18 x 65	5	1	286	GS123	6
48	BN48	43 x 18 x 44	3	2	290	GS143	12
72	BN72	43 x 18 x 65	5	2	406	GS143	12
96	BN96	34 x 34 x 65	5	2	502	GS334	16
120	BN120	43 x 34 x 65	5	2	584	GS343	22

Model BH - Bi-Fold

*Not FM Approved

Capacity Gallons	Models	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)	Add'l Shelves	
						Models	Wgt.
48	BH48	43 x 18 x 44	3	1	282	GS143	12
72	BH72	43 x 18 x 65	5	1	398	GS143	12
96	BH96	34 x 34 x 65	5	1	494	GS334	16
120	BH120	43 x 34 x 65	5	1	572	GS343	22

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Cabinets for Corrosives or Pesticides - 3 Doors Types

Models CL, FL, CK, FK, CJ, FJ - manual, bi fold & self close doors with double wall cabinets to contain chemicals in protected storage



Note: Steel Corrosive Safety Cabinets - are not recommended for the storage of aggressive acids like nitric, hydrochloric or sulfuric.

Corrosive Model CL30 Shown



Concealed Self-Close Mechanism



Poly-Liner Tray



Pesticides Model FL30 Shown

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated:**
 - Blue (Models CL, CK & CJ)
 - Green (Models FL, FK & FJ)
- Safety signage in large letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- **Polyethylene tray liner for shelves & sill**
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.



Three Door Types:

Models CL & FL - 1 or 2 Doors

- Manual close door opens full 180°.

Models CK & FK - 1 or 2 Doors

- Self close door(s) shut, index and latch automatically as fusible link(s) melt under fire conditions at 165°.
- Concealed self closing mechanism.

Models CJ & FJ - 1 Bi-Fold Door

- Manual close door opens to the right.

Options:

- Additional galvanized shelves with liners - **see charts**
- 4" high feet (except on 23" wide units) - **Code TF**

Models CL (Corrosive) & FL (Pesticide) - Manual Close

Capacity Gallons	Models		Size (in) W x D x H	# Shelves	# Tray Liners	# Doors	Wgt. (lbs)	Add'l Shelf w/liner	
	Corrosive	Pesticide						Models	Wgt.
6	CL06*	FL06*	23 x 18 x 22	0	1	1	92	GL123	6
12	CL12	FL12	23 x 18 x 35	1	2	1	138	GL123	6
18	CL18	FL18	23 x 18 x 44	2	3	1	176	GL123	6
24	CL24	FL24	23 x 18 x 65	3	4	1	248	GL123	6
30	CL30	FL30	43 x 18 x 44	1	2	2	260	GL143	12
45	CL45	FL45	43 x 18 x 65	2	3	2	368	GL143	12
60	CL60	FL60	34 x 34 x 65	2	3	2	456	GL334	16

Models CK (Corrosive) & FK (Pesticide) - Self Close

Capacity Gallons	Models		Size (in) W x D x H	# Shelves	# Tray Liners	# Doors	Wgt. (lbs)	Add'l Shelf w/liner	
	Corrosive	Pesticide						Models	Wgt.
6	CK06*	FK06*	23 x 18 x 22	0	1	1	98	GL123	6
12	CK12	FK12	23 x 18 x 35	1	2	1	144	GL123	6
18	CK18	FK18	23 x 18 x 44	2	3	1	182	GL123	6
24	CK24	FK24	23 x 18 x 65	3	4	1	254	GL123	6
30	CK30	FK30	43 x 18 x 44	1	2	2	274	GL143	12
45	CK45	FK45	43 x 18 x 65	2	3	2	382	GL143	12
60	CK60	FK60	34 x 34 x 65	2	3	2	470	GL334	16

Models CJ (Corrosive) & FJ (Pesticide) - Bi-Fold

Capacity Gallons	Models		Size (in) W x D x H	# Shelves	# Tray Liners	Wgt. (lbs)	Add'l Shelf w/liner	
	Manual	Self-Close					Models	Wgt.
30	CJ30	FJ30	43 x 18 x 44	1	2	266	GL143	12
45	CJ45	FJ45	43 x 18 x 65	2	3	374	GL143	12
60	CJ60	FJ60	34 x 34 x 65	2	3	462	GL334	16

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons *Not FM Approved

Made in USA

Safety Cabinets for Flammables - 55 Gallon Drum(s)

Models BV, BW, BO - contain 30 to 55 gallon drum(s) of flammables



Model BV Shown
with optional drum roller



Concealed Self-Close Mechanism
Model BW Only



Model BO Shown

Options:

- Drum roller for BV1, BO120 & BW1 - **Code DA**
- Drum roller for BV2 - **Code DB**
- Drum ramp (24" x 28") - **Code DR**
- 4" feet - **Code TF**

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- Galvanized steel 1/2 depth shelf adjusts on 2-1/2" centers.
- Adjustable leveling feet.
- **Powder coated yellow finish.**
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.



Two Door Types:

Model BV, BO - 2 Doors

- Manual close doors open full 180°.

Model BW - 2 Doors

- **Self close doors** (shut, index, and latch automatically as fusible link(s) melt under fire conditions at 165°).
- Concealed self closing mechanism.

Model BV - Manual Close

No. Drums	Models	Size (in) W x D x H	# of Shelves	Wgt. (lbs)	Add'l Shelves Models	Wgt.
1	BV1	34 x 34 x 65	1	384	GS134	8
2	BV2	59 x 34 x 65	1	550	GS159	16

Model BW - Self Close

No. Drums	Model	Size (in) W x D x H	# of Shelves	Wgt. (lbs)	Add'l Shelf Model	Wgt.
1	BW1	34 x 34 x 65	1	396	GS134	8

Model BO - Manual Close - Combo Unit*

No. Drums	No. 5 Gallon Cans	Model	Size (in) W x D x H	Wgt. (lbs)	Add'l Shelf right Model	Wgt.	Add'l Shelf left Model	Wgt.
1	12	BO120	59 x 34 x 65	610	GS134	16	GS323	12

*Combo unit - 2 compartments:

- Right Side - 1 vertical 55 drum; 1 adjustable shelf included
- Left Side - 3 shelves for 12- 5 Gallon Safety Cans

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons



Hazardous Materials Cabinets

Models RC & RD - Hazardous material storage, double walled



Model RC45 Shown



Concealed
Self-Close
Mechanism

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty weld hinges with 3/8" brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet and grounding connector.
- **Powder coated gray finish.**
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.
- Manual close doors open full 180° (Model RC).
- Self close doors shut, index, and latch automatically as fusible link(s) melt under fire conditions at 165° with concealed self-closing mechanism (Model RD).



Options:

- Drum Roller for RC1 & RD1 - **Code DA**
- Drum Roller for RC2 - **Code DB**
- Drum Ramp (24" x 28") - **Code DR**
- 4" feet (except on 23" wide units) - **Code TF**

Models RC (Manual) & RD (Self Close)

Capacity Gallons	Models Manual	Wgt. (lbs)	Size (in) W x D x H	Models Self Close	Wgt (lbs)	# Shelves	# Doors	Add'l Shelves	
								Models	Wgt.
12	RC12	130	23 X 18 X 35	RD12	142	1	1	GS123	6
30	RC30	254	43 X 18 X 44	RD30	268	2	2	GS143	12
45	RC45	360	43 X 18 X 65	RD45	374	2	2	GS143	12
60	RC60	440	34 X 34 X 65	RD60	454	2	2	GS334	16



Model RC2 with Drum Rollers option Shown

Drum Models

# Drums	Models Manual	Wgt. (lbs)	Size (in) W x D x H	Models Self Close	Wgt (lbs)	# Shelves	# Doors	Add'l Shelves	
								Models	Wgt.
1	RC1	384	34 X 34 X 65	RD1	396	1	2	GS134	8
2	RC2	550	59 X 34 X 65	-		1	2	GS159	16

Fire Resistant Double Walled Security Cabinets

Model BR - Manual Closed storage cabinet to secure materials or valuables



Model BR Shown

Options:

- Putty Powder Coat Finish - Code PP

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- Lockable flush handle with 2 keys.
- Doors are double walled, 14 gauge outside & 18 gauge inside.
- Doors have 3 point locking system and radius edges.
- 4" heavy duty weld hinges with 3/8" brass pins.
- Adjustable leveling feet.
- **Powder coated gray finish.**
- Powder coated, galvanized steel shelves adjust on 2-1/2" centers.
- Manual close doors (open to full 180°)

SPECIFICATIONS

Capacity (cu ft)	Models	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)	Add'l Shelves	
						Models	Wgt.
5	BR5	23 x 18 x 22	1	1	98	PS123	5
7	BR7	34 x 18 x 22	1	2	148	PS134	8
8	BR8	23 x 18 x 35	2	1	150	PS123	5
9	BR9	43 x 18 x 22	1	2	168	PS143	10
10	BR10	23 x 18 x 44	3	1	180	PS123	5
12	BR12	34 x 18 x 35	2	2	190	PS134	8
14	BR14	34 x 18 x 44	3	2	230	PS134	8
15	BR15	23 x 18 x 65	4	1	258	PS123	5
19	BR19	43 x 18 x 44	3	2	280	PS143	10
23	BR23	34 x 18 x 65	4	2	348	PS134	8
29	BR29	43 x 18 x 65	4	2	424	PS143	10
30	BR30	23 x 34 x 65	4	1	384	PS323	10
43	BR43	34 x 34 x 65	4	2	474	PS334	15
55	BR55	43 x 34 x 65	4	2	544	PS343	19
75	BR75	59 x 34 x 65	4	2	666	PS359	26

Fire Resistant Double Walled Security Cabinets

Model BX - Bi-Fold Closed storage cabinet to secure materials or valuables



Model BX55 Shown

Options:

- Putty Powder Coat Finish - Code PP

Product Features:

- All welded double wall 18 gauge construction with 1-1/2" insulating air space.
- Lockable flush handle with 2 keys.
- Doors are double walled, 14 gauge outside & 18 gauge inside.
- Doors have 3 point locking system and radius edges.
- 4" heavy duty weld hinges with 3/8" brass pins.
- Adjustable leveling feet.
- **Powder coated gray finish.**
- Powder coated, galvanized steel shelves adjust on 2-1/2" centers.
- Bi-fold manual close door opens to the right.

SPECIFICATIONS

Capacity (cu ft)	Models	Size (in) W x D x H	# Shelves	Wgt. (lbs)	Add'l Shelves	
					Models	Wgt.
19	BX19	43 x 18 x 44	3	278	PS143	10
29	BX29	43 x 18 x 65	4	396	PS143	10
43	BX43	34 x 34 x 65	4	480	PS334	15
55	BX55	43 x 34 x 65	4	550	PS343	19

**Storage Cabinets - Steel 12, 14, & 16 Gauge
Spill Containment, Gas Cylinder, Security, Shelf, Garment,
Work Shelf Height & Plastic Bin**

70 Models - 21 Pages

12 Gauge



Security



14 Gauge



Garment



Work Shelf Height



Plastic Bin



16 Gauge



Gas Cylinder



Spill Containment



Mill Duty 12 Gauge Cabinets

Models MJ, MO, MZ - Super rugged closed storage to secure materials or valuables

2,000 LB CAP. PER SHELF



Model MJ Shown

Product Features:

- All welded 12 gauge construction.
- Super structure extra bracing - exterior skeleton of 1/8" angle on front facing corners.
- Heavy duty lockable door handle (casting) - (padlock not included).
- Extra heavy duty full length piano hinges welded to frame to retain doors.
- 4" high feet allow for moving of empty unit with fork lift truck.
- Overall height - 78"
- Powder coated black finish.

Specific Features:

Model MJ

- Four 12 gauge adjustable shelves (on 1-1/2" centers) with 2" lips (corners welded).

Model MO

- Three 12 gauge adjustable shelves (on 1-1/2" centers) with 2" lips (corners welded).
- Adjustable drawer 36" unit - (5"h x 30"w x 20"d); 48" unit - (5"h x 42"w x 20"d).

Model MZ

- Three 12 gauge adjustable shelves (on 1-1/2" centers) with 2" lips (corners welded).
- Three adjustable drawers 36" unit - (5"h x 30"w x 20"d); 48" unit - (5"h x 42"w x 20"d).

2,000 LB CAP. PER SHELF & 250 LB PER DRAWER



Model MO Shown

Options:

- Floor bolt down kit - **Code BK**
- Powder coated gray finish - **Code GP**
- Additional Shelf - **Code HT**
- Adjustable drawers (except Model MJ):
 - 36" wide units - **Code DM**
 - 48" wide units - **Code DN**

Model MJ - 4 Shelves

DxW (in)	Models	Wgt. (lbs)
24 x 36	MJ236	560
48	MJ248	680
60	MJ260	800

2,000 LB CAP. PER SHELF & 250 LB PER DRAWER



Model MZ Shown

Model MO - 3 Shelves, 1 Drawer

DxW (in)	Models	Wgt. (lbs)
24 x 36	M0236	582
48	M0248	708

Model MZ - 3 Shelves, 3 Drawers

DxW (in)	Models	Wgt. (lbs)
24 x 36	MZ236	687
48	MZ248	820

1, 2, 3 & 4 Shelf Mesh 12 Gauge Cabinets

Models MA, MB, MC, MD - Durable storage to secure materials with contents in view

3,000 LB CAPACITY



Model MB Shown

Options:

- Floor bolt down kit - **Code BK**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- All sides flattened 13 gauge expanded mesh 5' high - **Code SF**
- Powder coated gray finish - **Code GP**

Product Features:

- All welded construction.
- Durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge feet.
- **Flattened 13 gauge expanded mesh top & 4' high sides.**
- **2 flattened 13 gauge expanded mesh doors on one side with lockable hasp** (padlock not included).
- Shelf lips down (flush).
- **Powder coated black finish.**
- Clearance between shelves - Model MA - 46", Model MB - 22", Model MC - 15", Model MD - 10".
- Overall height - 54".

SPECIFICATIONS

DxW (in)	1 Shelf		2 Shelves		3 Shelves		4 Shelves	
	Models	Wgt.	Models	Wgt.	Models	Wgt.	Models	Wgt.
24 x 48	MA248	234	MB248	276	MC248	318	MD248	360
60	MA260	266	MB260	318	MC260	370	MD260	422
30 x 48	MA348	260	MB348	312	MC348	364	MD348	416
60	MA360	298	MB360	362	MC360	426	MD360	490
36 X 48	MA448	288	MB448	348	MC448	408	MD448	468
60	MA460	330	MB460	404	MC460	478	MD460	552
72	MA472	378	MB472	452	MC472	532	MD472	598

Note: Doors add 4" depth

Heavy Duty Mesh & Solid Security Cabinets with Adjustable Shelves

Models MH, MF, MV - Closed storage cabinet to secure materials or valuables

3,000 LB CAPACITY



Model MH

Model MF

Model MV

Note: Doors add 4" depth

Product Features:

- All welded construction.
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers.
- Durable **12 gauge steel shelves**, and 3/16" thick angle corners.
- Shelf lips down (flush).
- **Powder coated black finish.**
- Overall height - 54".

Other Specifications:

Model MH:

- **14 gauge solid top & 4' high solid sides.**
- 2 solid doors with lockable hasp (padlock not included).

Model MF:

- **Flattened 13 gauge expanded mesh top and 4' high mesh sides.**
- 2 flattened 13 gauge expanded mesh doors with lockable hasp (padlock not included).

Model MV:

- **14 gauge solid top & 4' high solid sides.**
- 2 flattened 13 gauge expanded mesh doors with lockable hasp (padlock not included).

Options:

- All sides 5' high - **Code SF**
- Floor bolt down kit - **Code BK**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Additional Shelves - **Code AT**
- Powder coated gray finish - **Code GP**

Model MH - Solid

DxW (in)	1 Adj. Shelf	
	Models	Wgt.
24 x 48	MH248	464
60	MH260	538
30 x 48	MH348	500
60	MH360	588
36 x 48	MH448	544
60	MH460	620
72	MH472	694

Model MF - Mesh

DxW (in)	1 Adj. Shelf	
	Models	Wgt.
24 x 48	MF248	386
60	MF260	430
30 x 48	MF348	412
60	MF360	464
36 x 48	MF448	440
60	MF460	496
72	MF472	540

Model MV - Mesh Doors

DxW (in)	1 Adj. Shelf	
	Models	Wgt.
24 x 48	MV248	408
60	MV260	468
30 x 48	MV348	444
60	MV360	518
36 x 48	MV448	488
60	MV460	550
72	MV472	610

3 Shelf Security 12 Gauge Cabinets

Model MG, NH, ME - Heavy duty lockable cabinet to secure small valuables

2,000 LB CAPACITY



Model MG Shown

2,000 LB CAPACITY



Model NH Shown

2,000 LB CAPACITY



Model ME Shown

Product Features:

- All welded construction.
- 3 durable **12 gauge steel shelves**, 3/16" thick angle corners, and 12 gauge feet.
- Shelf lips down (flush).
- **Powder coated black finish.**
- Clearance between shelves –
54" High Cabinets - 15"
66" High Cabinets - 18"

Specific Model Features:

Model MG

- **14 gauge solid top & sides.**
- 14 gauge solid door on one side with lockable hasp (padlock not included).

Model NH

- **14 gauge solid top & sides.**
- 1 flattened 13 gauge expanded mesh door with lockable hasp (padlock not included).

Model ME

- **Sides & top are flattened 13 gauge mesh with 14 gauge solid back panel.**
- 1 flattened 13 gauge expanded mesh door with lockable hasp (padlock not included).

Options:

- Powder coated gray finish - **Code GP**
- Floor bolt down kit - **Code BK**

Model MG - Solid

DxW (in)	Models 54" High	Wgt. (lbs)	Models 66" High	Wgt. (lbs)
24 x 24	MG224	270	MG224SF	310
24 x 30	MG230	310	MG230SF	350
24 x 36	MG236	350	MG236SF	390

Note: Doors add 4" to depth

Model NH - Mesh Door

DxW (in)	Models 54" High	Wgt. (lbs)	Models 66" High	Wgt. (lbs)
24 x 24	NH224	240	NH224SF	280
24 x 30	NH230	280	NH230SF	320
24 x 36	NH236	320	NH236SF	360

Note: Doors add 4" to depth

Model ME - Mesh

DxW (in)	Models 54" High	Wgt. (lbs)	Models 66" High	Wgt. (lbs)
24 x 24	ME224	200	ME224SF	230
24 x 30	ME230	240	ME230SF	270
24 x 36	ME236	280	ME236SF	310

Note: Doors add 4" to depth

Heavy Duty 14 Gauge Welded Cabinets - Solid Doors

Models DL, GG, HG - Durable storage cabinets to secure materials and valuables

1,000 LB CAPACITY PER SHELF



Model DL Shown

Product Features:

- All welded 14 gauge construction.
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- Shelves adjust on 2-1/2" centers.
- 4" high feet allow for moving of empty unit with fork lift truck.
- Powder coated black finish.
- Overall height - 78"

Other Specifications:

Model DL

- Includes four 14 gauge reinforced shelves with 1-1/2" lips.

Model GG

- Includes three 14 gauge reinforced shelves with 1-1/2" lips.
- Three drawers 36" Unit - (5"h x 30"w x 20"d); 48" Unit - (5"h x 42"w x 20"d).

Model HG

- Includes two 14 gauge reinforced shelves with 1-1/2" lips.
- Lockable drawers (5"h x 16"w x 16"d) with 2 keys.

1,000 LB CAPACITY PER SHELF



Model GG Shown

Options:

- Powder coated gray finish - **Code GP**
- Additional Shelf - **Code RT**
- Floor bolt down kit - **Code BK**
- Adjustable drawers (Model GG only):
 - 36" wide units - **Code DM**
 - 48" wide units - **Code DN**

Model DL - 4 Shelves

DxW (in)	Models	Wgt. (lbs)
18 x 36	DL136	320
48	DL148	392
60	DL160	464
24 x 36	DL236	370
48	DL248	450
60	DL260	520
72	DL272	606

1,000 LB CAPACITY PER SHELF



Model HG248 Shown

Model GG - 3 Shelves, 3 Drawers

DxW (in)	Models	Wgt. (lbs)
24 x 36	GG236	500
48	GG248	598

Model HG - 2 Shelves, Drawers

DxW (in)	Models	# of Drawers	Wgt. (lbs)
24 x 36	HG236	3	408
48	HG248	6	560
60	HG260	9	700

Heavy Duty 14 Gauge Welded Cabinets - Clearview Doors

Models DJ, GE, HU - Durable storage to secure materials with contents in view

1,000 LB CAPACITY PER SHELF



Model DJ Shown

1,000 LB CAPACITY PER SHELF



Model GE Shown

1,000 LB CAPACITY PER SHELF



Model HU248 Shown

Product Features:

- All welded 14 gauge construction.
- Clearview door panels are 13 gauge expanded mesh.
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- Shelves adjust on 2-1/2" centers.
- 4" high feet allow for moving of empty unit with fork lift truck.
- Powder coated black finish.
- Overall height - 78"

Specific Model Features:

Model DJ

- Includes four 14 gauge shelves with 1-1/2" lips.

Model GE

- Includes three 14 gauge reinforced shelves with 1-1/2" lips.
- Three drawers 36" Unit - (5"h x 30"w x 20"d); 48" Unit - (5"h x 42"w x 20"d).

Model HU

- Includes two 14 gauge reinforced shelves with 1-1/2" lips.
- Lockable drawers (5"h x 16"w x 16"d) with 2 keys.

Options:

- Powder coated gray finish - **Code GP**
- Additional Shelf - **Code RT**
- Floor bolt down kit - **Code BK**
- Adjustable drawers (Model GE only):
 - 36" wide units - **Code DM**
 - 48" wide units - **Code DN**

Model DJ - 4 Shelves

DxW (in)	Models	Wgt. (lbs)
18 x 36	DJ136	306
48	DJ148	368
60	DJ160	430
24 x 36	DJ236	354
48	DJ248	426
60	DJ260	496

Model GE - 3 Shelves, 3 Drawers

DxW (in)	Models	Wgt. (lbs)
24 x 36	GE236	438
48	GE248	534

Model HU - 2 Shelves, Drawers

DxW (in)	Models	# of Drawers	Wgt. (lbs)
24 x 36	HU236	3	416
48	HU248	6	562
60	HU260	9	700

1,800 Lb Capacity per Shelf, 14 Gauge Cabinets, Solid Doors

Model DS - Durable closed storage cabinets to secure materials and valuables

1,800 LB CAPACITY PER SHELF

Product Features:

- All welded 14 gauge construction.
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- Includes four 14 gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength.
- Shelves adjust on 2-1/2" centers.
- 4" high feet allow for moving of empty unit with fork lift truck.
- Powder coated black finish.
- Overall height - 78"

SPECIFICATIONS

DxW (in)	Models	Wgt. (lbs)
18 x 36	DS136	330
48	DS148	404
60	DS160	476
24 x 36	DS236	380
48	DS248	462
60	DS260	544

Options:

- Powder coated gray finish - Code GP
- Additional Shelf - Code ET
- Floor bolt down kit - Code BK

1,800 Lb Capacity per Shelf, 14 Gauge Cabinets, Clearview Doors

Models DM - Durable closed storage, with clearview of contents, to secure materials and valuables

1,800 LB CAPACITY PER SHELF

Product Features:

- All welded 14 gauge construction.
- Clearview door panels are 13 gauge expanded mesh.
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- Includes four 14 gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength.
- Shelves adjust on 2-1/2" centers.
- 4" high feet allow for moving of empty unit with fork lift truck.
- Powder coated black finish.
- Overall height - 78".

SPECIFICATIONS

DxW (in)	Models	Wgt. (lbs)
18 x 36	DM136	316
48	DM148	380
60	DM160	442
24 x 36	DM236	364
48	DM248	438
60	DM260	510

Options:

- Powder coated gray finish - Code GP
- Additional Shelf - Code ET
- Floor bolt down kit - Code BK

14 Gauge Steel Garment Cabinets

Models MS, MK, MU - Closed storage to secure garments and other materials

300 LB CAPACITY PER ADJUSTABLE SHELF



Model MS

300 LB CAPACITY PER ADJUSTABLE SHELF



Model MK

1,000 LB CAPACITY PER SHELF



Model MU

Product Features:

- All welded 14 gauge construction (walls and doors).
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- Full fixed top shelf - 18 gauge with 12" clearance.
- 4" high feet allow for moving of empty unit with fork lift truck.
- Powder coated black finish.
- Overall height - 78"

Specific Model Features:

Model MS

- Vertical divider separates interior into two halves.
- 4 adjustable 20" x 20" half shelves, adjust on 2-1/2" centers.
- 1-1/4" garment bar - 16" (36" wide unit) & 28" (48" wide unit).

Model MK

- Vertical divider separates interior into two halves.
- 3 Lockable drawers (5"h x 16"w x 16"d) with 2 keys.
- 2 adjustable 20" x 20" half shelves, adjust on 2-1/2" centers.
- 1-1/4" garment bar - 16" (36" wide unit) & 28" (48" wide unit).

Model MU

- 1-1/4" garment bar - Full width of cabinet.
- Full fixed bottom shelf - 18 gauge with 12" clearance.

Options:

- Powder coated gray finish - **Code GP**
- Extra half shelves with adjustable clips - **Code GC** (Models MS & MK only)
- Broom holder attached outside on cabinet side wall (single handle holder will accommodate handles from 7/8" to 1-1/4") - **Code BH**
- Floor bolt down kit - **Code BK**

Model MS - 4 Adjustable Shelves

DxW (in)	Models	Wgt. (lbs)
24 x 36	MS236	352
48	MS248	410

Model MK - 2 Adjustable Shelves, 3 Drawers

DxW (in)	Models	Wgt. (lbs)
24 x 36	MK236	412
48	MK248	470

Model MU - 2 Fixed Shelves, Full Garment Bar

DxW (in)	Models	Wgt. (lbs)
24 x 36	MU236	310
48	MU248	368

14 Gauge Steel Narrow Security Cabinets

Models WP, JR, JS - Closed storage cabinet to secure materials or valuables

2,000 LB CAPACITY



Model WP Shown

Product Features:

- All welded construction.
- **Lockable door** with 2 keys (Models WP & JR).
- **Lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d - (Models JR & JS).
- Durable **14 gauge steel shelves & sides** and 12 gauge feet.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- **Powder coated gray finish.**
- Clearance between shelves - 24" (Model WP); 18" (Model JR).
- Overall height - 33".

Options:

- Add middle shelf lips down (flush) - **Code HM** (Except Model JS)
- Vinyl matting on work surface - **Code VM**
- Wood Top - **Code WT**
- Locks keyed differently - **Code KS**

2,000 LB CAPACITY



Model JR Shown

Model WP - 1 Door

DxW (in)	Model	Wgt. (lbs)
24 x 18	WP218	126

Model JR - 1 Door, 1 Drawer

DxW (in)	Model	Wgt. (lbs)
24 x 18	JR218	152

2,000 LB CAPACITY



Model JS Shown

Model JS - 4 Drawers

DxW (in)	Model	Wgt. (lbs)
24 x 18	JS218	232

14 Gauge Steel Security Cabinets

Models WJ, JK, JL - Closed storage cabinet to secure materials or valuables

2,000 LB CAPACITY



Model WJ Shown

Product Features:

- All welded construction.
- **Lockable door(s)** (keyed alike) with 2 keys (Models WJ & JK).
- **Lockable drawers** (keyed alike) with 2 keys - 5"h x 16"w x 16"d - (Models JK & JL).
- Durable **14 gauge steel shelves**, 14 gauge sides and 12 gauge feet.
- Top shelf front lip down, 3 other lips up for retention.
- Bottom shelf lips down (flush).
- **Powder coated gray finish.**
- Clearance between shelves - 24" (Models WJ & JK).
- Overall height - 33".

Options:

- Add middle shelf lips down (flush) - **Code SM** (Model WJ only)
- Vinyl matting on work surface - **Code VM**
- Middle shelf (behind door) shelf lips down (flush) - **Code HM** (Model JK only)
- Wood top - **Code WT**
- Locks keyed differently - **Code KS**

2,000 LB CAPACITY



Model JK Shown

Model WJ - 2 Doors

DxW (in)	Models	Wgt. (lbs)
18 x 36	WJ136	142
24 x 36	WJ236	162

2,000 LB CAPACITY



Model JL Shown

Model JK - 4 Drawers, 1 Door

DxW (in)	Models	Wgt. (lbs)
18 x 36	JK136	318
24 x 36	JK236	362

Model JL - 8 Drawers

DxW (in)	Models	Wgt. (lbs)
18 x 36	JL136	412
24 x 36	JL236	462

Made in USA

14 Gauge Steel Welded Cabinets - Solid Doors with Pegboard

Models GV, GW, GY - Durable closed storage - doors with pegboard

1,000 LB CAPACITY PER SHELF



Model GV236 Shown

1,000 LB CAPACITY PER SHELF



Model GW236 Shown

1,000 LB CAPACITY PER SHELF



Model GY236 Shown

Product Features:

- All welded 14 gauge construction.
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- Pegboard on doors will accept all 1/8" & 1/4" pegboard hooks.
- 4" high feet allow for moving of empty unit with fork lift truck.
- Overall height - 78"
- Powder coated black finish.

Model GV:

- Shelves adjust on 2-1/2" centers.
- Includes two 14 gauge reinforced shelves with 1-1/2" lips.
- Lockable drawers (5"h x 16"w x 16"d) with 2 keys.

Model GW:

- Lockable drawers (5"h x 16"w x 16"d) with 2 keys
- Yellow plastic Large Bins (8-1/4"w x 11"d x 7"h)

Model GY:

- Yellow plastic bin sizes: Large Bins (8-1/4"w x 11"d x 7"h)
- Includes two 14 gauge reinforced shelves with 1-1/2" lips.
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers.

Options:

- Additional Shelf - **Code ST** (Models GV & GY only)
- Additional Big Bins - **Code RG** (Models GW & GY only)
- Additional Large Bins - **Code RB** (Models GW & GY only)
- Powder coated gray finish - **Code - GP**
- Floor bolt down kit - **Code BK**

Model GV - Pegboard Doors, Drawers, Shelves

DxW (in)	Models	# of Drawers	Wgt. (lbs)
24 x 36	GV236	3	464
48	GV248	6	632
60	GV260	9	794

Model GW - Pegboard Doors, Drawers, Bins

DxW (in)	Models	Number of Drawers	Number of Large Bins	Wgt. (lbs)
24 x 36	GW236	3	16	428
48	GW248	6	20	584
60	GW260	9	24	738

Model GY - Pegboard Doors, Shelves, Bins

DxW (in)	Models	No. of Bins Large	Wgt. (lbs)
24 x 36	GY236	16	418
48	GY248	20	518
60	GY260	24	620

Plastic Bin & Shelf 14 Gauge Steel Cabinets - Solid Doors

Models HK, HN, HH, HY- Durable closed storage with solid doors



Model HK236 Shown



Model HN248 Shown

1,000 LB CAP. per shelf



Model HH236 Shown

1,000 LB CAP. per shelf



Model HY236 Shown

Product Features:

- All welded 14 gauge construction.
- Full louvered panel - back wall (Model HK only).
- Yellow plastic bin sizes:
Big Bins (16-1/2"w x 14-3/4"d x 7"h)
Large Bins (8-1/4"w x 11"d x 7"h)
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- 4" high feet allow for moving of empty unit with fork lift truck.
- Overall height - 78"
- Powder coated black finish.

Model HN:

- Lockable drawers (5"h x 16"w x 16"d) with 2 keys

Models HH & HY:

- Includes two 14 gauge reinforced shelves with 1-1/2" lips.
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers.

Options:

- Additional Shelf - **Code RT** (Models HH & HY only)
- Additional Big Bins - **Code RG**
- Additional Large Bins - **Code RB**
- Powder coated gray finish - **Code GP**
- Floor bolt down kit - **Code BK**

Model HK - Plastic Bins

DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	HK236	18	0	352
48	HK248	18	9	428
60	HK260	27	0	504
72	HK272	36	0	568

Model HN - Plastic Bins, Drawers

DxW (in)	Models	Number of Drawers	Number of Large Bins	Wgt. (lbs)
24 x 36	HN236	3	16	416
48	HN248	6	20	566
60	HN260	9	24	710

Model HH - Plastic Bins, 2 Shelves

DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	HH236	8	0	390
48	HH248	8	4	476
60	HH260	12	0	562
72	HH272	16	0	636

Model HY - Plastic Bins, 2 Shelves

DxW (in)	Models	No. of Bins Large	Wgt. (lbs)
24 x 36	HY236	16	398
48	HY248	20	474
60	HY260	24	546
72	HY272	28	646

Plastic Bin & Shelf 14 Gauge Steel Cabinets - Clearview Doors

Models DK, GF, DH, DY - Durable closed storage with clearview doors



Model DK236 Shown



Model GF248 Shown

1,000 LB CAP. per shelf



Model DH236 Shown

1,000 LB CAP. per shelf



Model DY236 Shown

Product Features:

- All welded 14 gauge construction.
- Clearview door panels are 13 gauge expanded mesh.
- Full louvered panel - back wall (Model DK only).
- Yellow plastic bin sizes:
Big Bins (16-1/2"w x 14-3/4"d x 7"h)
Large Bins (8-1/4"w x 11"d x 7"h)
- Lockable doors, with lever handle, 3 point locking system.
- Doors open 180° (padlock not included).
- 4" high feet allow for moving of empty unit with fork lift truck.
- Overall height - 78"
- Powder coated black finish.

Model GF:

- Lockable drawers (5"h x 16"w x 16"d) with 2 keys

Models DH & DY:

- Includes two 14 gauge reinforced shelves with 1-1/2" lips.
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers.

Options:

- Additional Shelf - **Code RT** (Models DH & DY only)
- Additional Big Bins - **Code RG**
- Additional Large Bins - **Code RB**
- Powder coated gray finish - **Code - GP**
- Floor bolt down kit - **Code - BK**

Model DK - Plastic Bins

DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	DK236	18	0	336
48	DK248	18	9	404
60	DK260	27	0	512

Model GF - Plastic Bins, Drawers

DxW (in)	Models	Number of Drawers	Number of Large Bins	Wgt. (lbs)
24 x 36	GF236	3	16	400
48	GF248	6	20	542
60	GF260	9	24	676

Model DH - Plastic Bins, 2 Shelves


DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	DH236	8	0	380
48	DH248	8	4	456
60	DH260	12	0	534

Model DY - Plastic Bins, 2 Shelves

DxW (in)	Models	No. of Bins Large	Wgt. (lbs)
24 x 36	DY236	16	382
48	DY248	20	470
60	DY260	24	540

Plastic Bin Welded 14 Gauge Steel Cabinets – Solid Doors

Models DF, DZ, DP, DE – Durable closed storage cabinets for small part organization



Model DF236 Shown



Model DZ236 Shown



Model DP236 Shown



Model DE260 Shown

Product Features:

- All welded 14 gauge construction walls.
- Full louvered panels – back wall & doors
- Yellow plastic bin sizes:
 - Backwall: Big Bins (16-1/2" w x 14-3/4" d x 7" h)
 - Large Bins (8-1/4" w x 11" d x 7" h)
 - Medium Bins (5-1/2" w x 11" d x 5" h) - (Model DE only)
 - Doors: Small Bins (4-1/8" w x 7-1/2" d x 3" h)
- Lockable doors with lever handle, 3 point lock system doors open full 180° (padlock not included).
- 4" high feet allow for moving of empty unit with fork lift truck.
- Overall height – 78"
- Powder coated black finish.

Options:

- Additional Big Bins – Code RG
- Additional Large Bins – Code RB
- Additional Medium Bins – Code RC (Model DE only)
- Additional Small Bins – Code RD
- Powder coated gray finish - Code - GP
- Floor bolt down kit – Code BK

Model DF - Mixed Size Plastic Bins

DxW (in)	Models	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	DF236	10	16	96	406
48	DF248	10	25	128	510
60	DF260	15	28	160	600
72	DF272	20	28	204	696

Model DZ – Plastic Bins

DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Large	Small	
24 x 36	DZ236	36	96	412
48	DZ248	45	128	516
60	DZ260	54	160	620
72	DZ272	63	204	702

Model DP - Mixed Size Plastic Bins

DxW (in)	Models	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	DP236	18	0	96	402
48	DP248	18	9	128	506
60	DP260	27	0	160	592
72	DP272	36	0	204	692


Model DE - Max-Mixed Plastic Bin Cabinet

DxW (in)	Models	Number of Bins				Wgt. (lbs)
		Big	Large	Medium	Small	
24 x 36	DE236	0	16	24	96	412
48	DE248	6	18	24	128	518
60	DE260	9	21	30	170	602
72	DE272	12	24	36	204	694

Plastic Bin & Shelf 14 Gauge Steel Cabinets - Solid Doors


Models DN, DT, DX – Durable closed storage cabinets for small part organization

1,000 LB CAPACITY PER ADJUSTABLE SHELF



Model DN236 Shown

1,000 LB CAPACITY PER ADJUSTABLE SHELF



Model DT236 Shown

1,000 LB CAPACITY PER ADJUSTABLE SHELF



Model DX236 Shown

Product Features:

- All welded 14 gauge construction (walls & shelves)
- Louvered panels on doors.
- Yellow plastic bin sizes:
 - Backwall: Big Bins (16-1/2"w x 14-3/4"d x 7"h)
 - Large Bins (8-1/4"w x 11"d x 7"h)
 - Doors: Small Bins (4-1/8"w x 7-1/2"d x 3"h)
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers
- Two 14 gauge shelves.
- Lockable doors with lever handle, 3 point lock system doors open full 180° (padlock not included).
- 4" high feet allow for moving of empty unit with fork lift truck.
- Overall height – 78"
- Powder coated black finish.

Options:

- Additional Shelf – Code ST
- Additional Big Bins - Code RG
- Additional Large Bins – Code RB
- Additional Small Bins – Code RD
- Powder coated gray finish - Code GP
- Floor bolt down kit - Code BK

Model DN – Plastic Bins & Shelves

DxW (in)	Models	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	DN236	8	0	96	432
48	DN248	8	4	128	542
60	DN260	12	0	160	638
72	DN272	16	0	204	742

Model DT – Plastic Bins & Shelves

DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Large	Small	
24 x 36	DT236	16	96	438
48	DT248	20	128	546
60	DT260	24	160	636
72	DT272	28	204	720

Model DX – Plastic Bins & Shelves

DxW (in)	Models	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	DX236	4	8	96	434
48	DX248	4	12	128	544
60	DX260	6	12	160	632
72	DX272	8	14	204	712

4" Deep Door 14 Gauge Steel Cabinets with Plastic Bins and/or Shelves

Models DU, DV, DW, DA – Durable closed storage cabinets for small part organization
1,000 LB CAP. per shelf



Model DU Shown



Model DV Shown

1,000 LB CAP. per shelf



Model DW Shown

1,000 LB CAP. per shelf



Model DA Shown

Product Features:

- All welded 14 gauge construction (walls & shelves).
- Louvered panels on doors.
- Louvered panels on back wall (except Model DA).
- Yellow plastic bin sizes:
 - Backwall: Big Bins (16-1/2" w x 14-3/4" d x 7" h)
 - Large Bins (8-1/4" w x 11" d x 7" h)
 - Doors: Small Bins (4-1/8" w x 7-1/2" d x 3" h)
- **Door shelves** – 14 gauge 3-1/2" deep
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers (except Model DV)
- 14 gauge shelves - (except Model DV)
- Lockable doors with lever handle, 3 point lock system doors open full 180° (padlock not included).
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height – 78"
- Powder coated black finish.

Options:

- Additional Shelf – **Code ST** (except Model DV)
- Door shelves – **Code DT**
- Additional Big Bins – **Code RG**
- Additional Large Bins – **Code RB**
- Additional Small Bins – **Code RD**
- Powder coated gray finish - **Code GP**
- Floor lock down kit - **Code BK**

Model DU - Deep Pocket Door - Bin & Shelf Cabinet

DxW (in)	Models	No. of Shelves		No. of Bins		Wgt. (lbs)
		Doors	Cabinet	Large	Small	
24 x 36	DU236	6	2	16	48	472
48	DU248	6	2	20	64	584
60	DU260	6	2	24	80	696

Model DV - Deep Pocket Door - Bin Cabinet

DxW (in)	Models	No. of Door Shelves	No. of Bins Large	Wgt. (lbs)
24 x 36	DV236	12	36	436
48	DV248	12	45	538
60	DV260	12	54	640

Model DW - Deep Pocket Door - Bin & Shelf Cabinet

DxW (in)	Models	No. of Shelves		No. of Bins		Wgt. (lbs)
		Doors	Cabinet	Big	Large	
24 x 36	DW236	12	2	4	8	458
48	DW248	12	2	4	12	566
60	DW260	12	2	6	12	672

Model DA - Deep Pocket Door Cabinet

DxW (in)	Models	No. of Shelves		Wgt. (lbs)
		Doors	Cabinet	
24 x 36	DA236	12	4	430
48	DA248	12	4	528
60	DA260	12	4	624



Plastic Bin & Shelf 16 Gauge Steel Cabinets - Solid Doors

Models OA, OB, OC - Durable closed storage with solid doors



Model OA236 Shown

350 LB CAP. per shelf

Product Features:

- 16 gauge steel weld & rivet construction.
- Lockable doors, with lever handle, 3 point locking system, includes 2 keys.
- Solid doors open 180°.
- Shelves adjust on 3-1/2" centers.
- Overall height - 78".
- Powder coated black finish.

Options:

- Additional Shelf - **Code OG** (Models OB & OC only)
- Additional Big Bins - **Code RG**
- Additional Large Bins - **Code RB**
- Additional Small Bins - **Code RD**



Model OB236 Shown

350 LB CAP. per shelf

Model OA - Plastic Bins

DxW (in)	Models	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	OA236	10	16	96	336
48	OA248	10	25	128	404

Model OB - Plastic Bins, 2 Shelves

DxW (in)	Models	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	OB236	4	8	90	344
48	OB248	4	12	120	416

Model OC - 4 Shelves

DxW (in)	Models	Wgt. (lbs)
24 x 36	OC236	290
48	OC248	344



Model OC236 Shown



Plastic Bin & Shelf 16 Gauge Steel Cabinets - Clearview Doors

Models OD, OE, OF - Durable closed storage with clearview doors



Model OD236 Shown

350 LB CAP. per shelf



Model OE236 Shown

350 LB CAP. per shelf



Model OF236 Shown

Product Features:

- 16 gauge steel weld & rivet construction.
- Lockable doors, with lever handle, 3 point locking system, includes 2 keys.
- Clearview doors open 180°.
- Shelves adjust on 3-1/2" centers.
- Overall height - 78".
- Powder coated black finish.

Options:

- Additional Shelf - **Code OG** (Models OE & OF only)
- Additional Big Bins - **Code RG**
- Additional Large Bins - **Code RB**

Model OD - Plastic Bins

DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	OD236	10	16	256
48	OD248	10	25	298

Model OE - Plastic Bins, 2 Shelves

DxW (in)	Models	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	OE236	4	8	280
48	OE248	4	12	340

Model OF - 4 Shelves

DxW (in)	Models	Wgt. (lbs)
24 x 36	OF236	278
48	OF248	330

Gas Cylinder Cabinets for Propane Tanks

Models CW, CH, CA - Security cabinets for propane cylinders, 20 to 43 lb



Model CW Shown

Product Features:

- Lockable mesh door(s) with slide bolt hasp (padlock not included).
- All welded - ready to use, meets OSHA 1910.
- 13 gauge flattened mesh sides.
- 14 gauge solid top.
- 1-1/2" x 3/16" thick corner angles.
- Foot pads with pre-drilled holes.
- Powder coated safety yellow.
- **Safety signage in large red letters.**

Other Specifications:

Model CW

- 14 gauge steel shelf(s).

Model CH

- Smooth 1" tube support rails protect cylinders from damage.

Model CA

- 14 gauge steel shelf(s).



Model CH Shown

Stores Cylinders For Floor Scrubbers & Other Tanks In An Upright Position.

Model CW - Vertical Propane Tanks

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 22 x 40	2	CW130	130
33 x 34 x 40	4	CW330	160
33 x 40 x 71	12	CW336	280

Stores Forklift Propane Cylinders On Their Sides.

Model CH - Horizontal - 20-43 lb Cylinders

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 40 x 40	4	CH040	170
33 x 40 x 71	8	CH080	280
50 x 40 x 71	12	CH120	384
64 x 40 x 71	16	CH160	516

- Smooth 1" tube support rails for cylinder protection.



Model CA Shown

Stores Forklift Propane Cylinders In An Upright Position.

Model CA - Vertical - 20-43 lb Cylinders

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 22 x 40	2	CA020	130
33 x 40 x 40	4-6	CA040	180
33 x 40 x 71	8-12	CA080	290
50 x 40 x 71	12-18	CA120	414
64 x 40 x 71	16-24	CA160	556

Gas Cylinder Cabinets

Models CV, CX, CU - Security cabinets for gas cylinders

Product Features:

- Lockable mesh door(s) with slide bolt hasp (no lock).
- All welded - ready to use, meets OSHA 1910.
- 13 gauge flattened mesh sides.
- 14 gauge solid top (All models) & 14 gauge middle shelf (Model CU only) .
- 1-1/2" x 3/16" thick corner angles.
- Safety retention chain(s) on vertical storage side(s).
- Foot pads with pre-drilled holes.
- Powder coated safety yellow.
- **Safety signage in large red letters.**

Other Specifications:

Model CV

- Open floor allows large cylinders to be "walked in" safely.

Model CX

- Smooth 1" tube support rails on horizontal side have 15" height clearance.
- Open floor on vertical side allows large cylinders to be "walked in" safely.

Model CU

- 14 gauge steel shelf on left side for 20-43lb cylinders has 30" height clearance.
- Open floor on vertical side allows large cylinders to be "walked in" safely.

Stores Welding Gas Cylinders In Vertical Position.

Model CV - Vertical Cylinders Up To 200 lbs 5-10 & 10-20 Cylinder Units

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 40 x 71	5 - 10	CV051	214
64 x 40 x 71	10 - 20	CV102	402

Combo Gas Cylinder Storage - Vertical & Horizontal Positions

Model CX - Horizontal - 20-43 lb - 8 Cylinders Vertical - 200 lb - 5-10 Cylinders

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
64 x 40 x 71	8 / 5-10	CX100	460

- Safety retention chain.

Gas Cylinder Storage - Vertical Positions

Model CU - Vertical - 20-43 lb - 8-12 Cylinders Vertical - 200 lb - 5-10 Cylinders

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
64 x 40 x 71	8-12 / 5-10	CU100	504



Model CV Shown



Model CX Shown



Model CU Shown

Spill Containment Cabinet

Models ML, MP, MY - Secure storage of spill cleanup supplies

300 LB CAPACITY PER ADJUSTABLE SHELF



Model ML

300 LB CAPACITY PER ADJUSTABLE SHELF



Model MP

1,000 LB CAPACITY PER SHELF



Model MY

Product Features:

- All welded 14 gauge construction (walls and doors).
- Lockable doors, with lever handle, 3 point locking system (padlock not included).
- Doors open 180°.
- Full fixed top shelf - 18 gauge with 12" clearance.
- 4" high feet allow for moving of empty unit with fork lift truck.
- **"Spill Containment Cabinet" signage in large red letters.**
- Powder coated yellow finish.
- Overall height - 78"

Specific Model Features:

Model ML

- Four adjustable 20" x 20" half shelves, adjust on 2-1/2" centers
- Vertical divider separates interior into two halves.
- 1-1/4" garment bar - 16" (36" wide unit) & 28" (48" wide unit).

Model MP

- Two adjustable 20" x 20" half shelves, adjust on 2-1/2" centers
- 3 Lockable drawers (5"h x 16"w x 16"d) with 2 keys.
- Vertical divider separates interior into two halves.
- 1-1/4" garment bar - 16" (36" wide unit) & 28" (48" wide unit).

Model MY

- 1-1/4" garment bar - Full width of cabinet.
- Full fixed bottom shelf - 18 gauge with 12" clearance.

Option:

- Additional half shelves with adjustable clips - **Code GC** (Models ML & MP)

Model ML - 4 Adjustable Shelves

DxW (in)	Models	Wgt. (lbs)
24 x 36	ML236	352
48	ML248	410

Model MP - 2 Adjustable Shelves, 3 Drawers

DxW (in)	Models	Wgt. (lbs)
24 x 36	MP236	412
48	MP248	470

Model MY - 2 Fixed Shelves, Full Garment Bar

DxW (in)	Models	Wgt. (lbs)
24 x 36	MY236	310
48	MY248	368



Spill Containment Platforms - Mobile & Fixed

Models NM, NN, NO - Platforms for drums with spill containment capability

2,000 LB CAPACITY



Model NM

2,000 LB CAPACITY



Model NN

2,000 LB CAPACITY



Model NO

Product Features:

- All welded frame construction.
- Durable 12 gauge steel bottom.
- Steel spill grate deck is 1/8" thick steel on 1-3/16" centers and raises product above liquid level.
- 14 gauge steel walls are 6" high.
- Easily holds 2 drums.
- Deck can hold up to 30 gallons of liquid.
- Drain allows for release of liquid into appropriate containers when necessary.
- Powder coated yellow finish **ONLY**.

Other Specifications:

Model NM

- Bolt on casters are 2 rigid, 2 swivel, with brakes on the swivel casters.
- Tubular removable handle is 30" above deck.
- Overall height - 39".

Model NN

- Bolt on casters are 2 rigid, 2 swivel, with brakes on the swivel casters.
- Overall height - 13".

Model NO

- 4" high legs allow for moving of unit with fork lift truck.
- Overall Height - 10".

Model NM - Mobile Handle

WxL (in)	5" x 2" Casters Urethane	Wgt. (lbs)
24 x 48	NM248-U7-B7	176

Model NN - Mobile

WxL (in)	5" x 2" Casters Urethane	Wgt. (lbs)
24 x 48	NN248-U7-B7	166

Model NO - Stationary

WxL (in)	5" x 2" Casters Urethane	Wgt. (lbs)
24 x 48	NO248	118

Workbenches & Tables - Steel

32 Models - 8 Pages



Work Stands

Models DR, UR, WS & WV - Heavy duty rugged use stands

1,200 LB CAPACITY



Model DR Shown

1,200 LB CAPACITY



Model UR Shown

2,000 LB CAPACITY



Model WS Shown

2,000 LB CAPACITY



Model WV Shown

Product Features:

- All welded construction
- Durable flush mounted 12 gauge shelves
- Corner posts 1-1/2" by 3/16" thick angle with pre punched mounting pads (except Model DR)
- Powder coated gray finish.

Other Specifications:

Model DR

- Overall height - 14"
- 3 sided angular bracing between corner posts

Model UR

- Overall height - 30"
- 3 sided angular bracing between corner posts

Model WS

- Overall height - 30"
- Clearance between shelves - 20"
- Clearance under bottom shelf - 7"

Model WV

- Overall height - 32"
- Clearance between shelves - 11"
- Clearance under bottom shelf - 5"

Options All Models

- Lockable drawer 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Vinyl matting on top shelf - **Code VM**

Model DR - Low Storage Rack

DxW (in)	Models	Wgt. (lbs)
18 x 30	DR130	42
36	DR136	48
24 x 36	DR236	58
48	DR248	70
30 x 60	DR360	94

Model UR - Storage Rack

DxW (in)	Models	Wgt. (lbs)
18 x 30	UR130	52
36	UR136	56
24 x 36	UR236	66
48	UR248	78
30 x 60	UR360	102

Model WS - 2 Shelves

DxW (in)	Models	Wgt. (lbs)
18 x 24	WS124	58
30	WS130	66
36	WS136	74
48	WS148	88
24 x 24	WS224	68
30	WS230	78
36	WS236	88
48	WS248	108
60	WS260	128
30 x 36	WS336	102
48	WS348	128
60	WS360	152

Model WV - 3 Shelves

DxW (in)	Models	Wgt. (lbs)
18 x 24	WV124	72
30	WV130	82
36	WV136	92
48	WV148	112
24 x 24	WV224	84
30	WV230	98
36	WV236	112
48	WV248	140
60	WV260	168
30 x 36	WV336	132
48	WV348	168
60	WV360	202

Heavy & Mill Duty Work Tables

Models WG, WE, WF, UF, UG, UE, WD, UD - Extra heavy duty tables for rugged use

4,000 LB CAPACITY



Model WG Shown

Model WE Shown

Product Features:

- All welded construction.
- Durable **12 gauge steel bottom shelf**.
- Flush tops.
- Corner posts - 3 x 3 x 3/16" angle with 3/16" pre punched floor mounting pads.
- Lower shelf - 24" deep with 4" stringer
- Clearance between shelves - 16"
- Overall height - 34"
- Powder coated gray finish.

Other Specifications:

Models WG & WF

- 12 gauge top shelf with 3" channel underbracing support.

Models WE & UF

- 12 gauge top shelf with 3" channel underbracing support.
- Lockable drawer (left side) - 5"h x 16"w x 16"d with 2 keys.

Model UG

- 3/16" thick plate top with extra 3" channel underbracing support.

Model UE

- 3/16" thick plate top with extra 3" channel underbracing support.
- Lockable drawer (left side) - 5"h x 16"w x 16"d with 2 keys.

Model WD

- 1/4" thick plate bench top with extra 3" channel underbracing support.

Model UD

- 1/4" thick plate bench top with extra 3" channel underbracing support.
- Lockable drawer (left side) - 5"h x 16"w x 16"d with 2 keys.

8,000 LB CAPACITY



Model WF Shown

Model UF Shown

12,000 LB CAPACITY



Model UG Shown

Model UE Shown

16,000 LB CAPACITY



Model WD Shown

Model UD Shown

Model WG - 4,000 lb cap

DxW (in)	Models	Wgt. (lbs)
36 x 48	WG448	230
60	WG460	266
72	WG472	304

Model WF - 8,000 lb cap

DxW (in)	Models	Wgt. (lbs)
36 x 48	WF448	238
60	WF460	278
72	WF472	316

Model UG - 12,000 lb cap - 3/16" Plate Top

DxW (in)	Models	Wgt. (lbs)
36 x 48	UG448	276
60	UG460	328
72	UG472	376

Model WD - 16,000 lb cap - 1/4" Plate Top

DxW (in)	Models	Wgt. (lbs)
36 x 48	WD448	310
60	WD460	370
72	WD472	428

Model WE - 4,000 lb cap, 1 Drawer

DxW (in)	Models	Wgt. (lbs)
36 x 48	WE448	250
60	WE460	288
72	WE472	324

Model UF - 8,000 lb cap, 1 Drawer

DxW (in)	Models	Wgt. (lbs)
36 x 48	UF448	258
60	UF460	300
72	UF472	338

Model UE - 12,000 lb cap - 3/16" Plate Top, 1 Drawer

DxW (in)	Models	Wgt. (lbs)
36 x 48	UE448	298
60	UE460	348
72	UE472	398

Model UD - 16,000 lb cap - 1/4" Plate Top, 1 Drawer

DxW (in)	Models	Wgt. (lbs)
36 x 48	UD448	332
60	UD460	390
72	UD472	448

Heavy Duty Work Tables with Drawers

Models RY, RU, RW - Extra heavy duty tables for rugged use

4,000 LB CAPACITY



Model RY Shown

Product Features:

- All welded construction.
- Durable 12 gauge steel shelves.
- Flush tops.
- Corner posts - 3 x 3 x 3/16" angle with 3/16" pre punched floor mounting pads.
- Lower shelf - 24" deep with 4" stringer.
- Clearance between shelves - 16".
- Overall height - 34".
- Powder coated gray finish.

Other Specifications:

Model RY

- 2 stacked lockable drawers (left side) - 5"h x 16"w x 16"d with 2 keys

Model RU

- 3" Channel underbracing support
- Lockable drawer (left side) - 5"h x 30"w x 16"d with 2 keys

Model RW

- 3" Channel underbracing support
- 2 stacked lockable drawers - 5"h x 30"w x 16"d with 2 keys

4,000 LB CAPACITY



Model RU Shown

Model RY - 2 Stacked 16" Drawers

DxW (in)	Models	Wgt. (lbs)
36 x 48	RY448	274
60	RY460	316
72	RY472	354

4,000 LB CAPACITY



Model RW Shown

Model RU - 1 30" Drawer

DxW (in)	Models	Wgt. (lbs)
36 x 48	RU448	280
60	RU460	322
72	RU472	360

Model RW - 2 Stacked 30" Drawers

DxW (in)	Models	Wgt. (lbs)
36 x 48	RW448	330
60	RW460	372
72	RW472	410


Heavy Duty Folding Leg Work Tables

Model FT - Heavy Duty Continuous Length Production Work Tables with Bolt on Leg Assemblies

2,000 LB CAPACITY*(*based on 1 starter & 1 add on)



Model FT Shown



Model FT Folded

Product Features:

- All welded construction (except folding leg assemblies).
- **Adjustable 2" square tubular legs**
(adjusts top height - 28" - 42" on 2" centers).
- **Leg assembly - 1 bolt per leg.**
- Durable 12 gauge table tops with twin channel under bracing.
- Starter Unit (leg assembly at each end) & Add On Unit (leg assembly at one end).
- Units bolt together to form continuous table lengths in 1 ft. increments (except 7") beginning with 4 ft. starter, with no length limits.
- Tables are either 30" or 36" wide.
- Table top is flush.
- Powder coated gray finish.

Options:

- Hard board mounted to steel top - **Code HB**

Starter Tables

Models	Depth	Width	Wgt. (lbs)
FT304	30"	48"	118
FT305	30"	60"	134
FT306	30"	72"	150
FT404	36"	48"	126
FT405	36"	60"	146
FT406	36"	72"	164

Add On Tables

Models	Depth	Width	Wgt. (lbs)
FT304AD	30"	48"	98
FT305AD	30"	60"	114
FT306AD	30"	72"	130
FT404AD	36"	48"	106
FT405AD	36"	60"	126
FT406AD	36"	72"	144

Tables begin with a starter and can continue to any length (except 7') using the add ons.

Heavy Duty Workdesks

Models WO, WU, WY, WZ - Heavy duty workdesks for rugged use

2,000 LB CAPACITY



Model WO Shown

2,000 LB CAPACITY



Model WU Shown

2,000 LB CAPACITY



Model WY Shown

2,000 LB CAPACITY



Model WZ Shown

Product Features:

- All welded construction.
- 12 gauge top, front side lip down (flush), other 3 sides up for retention.
- 12 gauge feet allow moving unit with fork lift truck.
- Work surface height - 33" (Models WO, WU & WY); 32" (Model WZ)
- Powder coated gray finish.

Other Specifications:

Model WO

- 2 side 18" x 24" cabinets (14 gauge) each with 4 lockable drawers (5"h x 16"w x 16"d) with 2 keys.
- 2" x 3/16" thick lower back support between cabinets.

Model WU

- 2 side 18" x 24" cabinets (14 gauge) each with lockable door and 2 keys.
- 2" x 3/16" thick lower back support between cabinets.
- Cabinet height clearance - 24".

Model WY

- 2 side 18" x 24" cabinets (14 gauge). One side with lockable door and 2 keys (cabinet height clearance 24"), the other side with 4 lockable drawers (5"h x 16"w x 16"d) with 2 keys.
- 2" x 3/16" thick lower back support between cabinets.

Model WZ

- 2 side 18" x 24" 12 gauge shelf units.
- Corner posts 1-1/2" x 3/16" thick angle with pre punched mounting pads.
- Clearance between shelves - 11".

Options:

- Locks keyed differently - Code KS

Model WO - 8 Drawers

DxW (in)	Models	Wgt. (lbs)
30 x 60	W0360	388
72	W0372	400

Model WU - 2 Cabinets

DxW (in)	Models	Wgt. (lbs)
30 x 60	WU360	246
72	WU372	260

Model WY - 4 Drawers, 1 Cabinet

DxW (in)	Models	Wgt. (lbs)
30 x 60	WY360	316
72	WY372	330

Model WZ - 2 Shelf Units

DxW (in)	Models	Wgt. (lbs)
30 x 60	WZ360	192
72	WZ372	204

Heavy Duty Workbenches

Models WB, UA, WK, UM - Heavy duty use workbenches for rugged use

3,000 LB CAPACITY



Model WB Shown

3,000 LB CAPACITY



Model UA Shown

3,000 LB CAPACITY



Model WK Shown

3,000 LB CAPACITY



Model UM Shown

Product Features:

- All welded construction.
- Durable **12 gauge steel shelves with underbracing** (ideal for mounting vises).
- **2" square tubular corner construction** with floor pads.
- Top shelf front side lip down (flush), other 3 sides up for retention (Models WB & WK).
- Flush Top (Models UA & UM).
- Lockable drawer (left side) 5"h x 16"w x 16"d with 2 keys (Models WK & UM).
- Lower half shelf & 4" back support.
- Clearance between shelves - 22".
- Worksurface height - 34".
- Powder coated gray finish.

Options:

- Non-conductive vinyl matting on top shelf - **Code VM**
- Wood capped top - **Code WT**
- Adjustable heights - 34", 36", 38" & 40" - **Code AL**
- Power strip - **Code PS**
- 4' light fixture and frame - **Code LF**

Model WB - Lips Up

DxW (in)	Models	Wgt. (lbs)
24 x 48	WB248	136
60	WB260	160
30 x 60	WB360	176
72	WB372	202
36 x 60	WB460	190
72	WB472	218

Model UA - Flush Top

DxW (in)	Models	Wgt. (lbs)
24 x 48	UA248	136
60	UA260	160
30 x 60	UA360	176
72	UA372	202
36 x 60	UA460	190
72	UA472	218
36 x 96	UA496***	306

Note: ***New Size

Model WK - Lips Up, Drawer

DxW (in)	Models	Wgt. (lbs)
24 x 48	WK248	164
60	WK260	188
30 x 60	WK360	204
72	WK372	230
36 x 60	WK460	218
72	WK472	246

Model UM - Flush Top, Drawer

DxW (in)	Models	Wgt. (lbs)
24 x 48	UM248	164
60	UM260	188
30 x 60	UM360	204
72	UM372	230
36 x 60	UM460	218
72	UM472	246

Heavy Duty Fixed Workbenches

Models UJ, UN, WA, WC - Heavy duty use workbenches for rugged use

3,000 LB CAPACITY



Model UJ Shown

3,000 LB CAPACITY



Model UN Shown

3,000 LB CAPACITY



Model WA Shown

3,000 LB CAPACITY



Model WC472 Shown

Product Features:

- All welded construction.
- Durable **12 gauge steel shelves with underbracing** (ideal for mounting vises).
- Upper tool half shelf 12" deep (14" high) (Models WA & WC).
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft cord (Model WC only).
- Removable plastic bins (5-1/2"w x 11"d x 5"h) on mounting rail (Model WC only).
Length 48" - 8 Bins
Length 60" - 10 Bins
Length 72" - 12 Bins
- **2" square tubular corner construction** with floor pads.
- Top shelf front side lip down (flush), other 3 sides up for retention (Except Model UN)
- Flush Top (Model UN only).
- Lockable drawer (left side) 5"h x 30"w x 16"d with 2 keys (Models UJ & UN).
- Lower half shelf & 4" back support.
- Clearance between shelves - 22".
- Worksurface height - 34".
- Powder coated gray finish.

Options:

- Non-conductive vinyl matting on top shelf - **Code VM**
- Wood capped top - **Code WT**
- Adjustable heights - 34", 36", 38", & 40" - **Code AL**
- Power strip (except Model WC) - **Code PS**
- 4' light fixture and frame - **Code LF**
- Additional bins (5-1/2"w x 11"d x 5"h) - **Code RC** - specify quantity

Model UJ - Lips Up, Drawer

DxW (in)	Models	Wgt. (lbs)
24 x 48	UJ248	178
60	UJ260	202
30 x 60	UJ360	218
72	UJ372	244
36 x 60	UJ460	232
72	UJ472	260

Model UN - Flush Top, Drawer

DxW (in)	Models	Wgt. (lbs)
24 x 48	UN248	178
60	UN260	202
30 x 60	UN360	218
72	UN372	244
36 x 60	UN460	232
72	UN472	260

Model WA - 1/2 Shelf Riser

DxW (in)	Models	Wgt. (lbs)
24 x 48	WA248	174
60	WA260	204
30 x 60	WA360	220
72	WA372	252
36 x 60	WA460	234
72	WA472	268

Model WC - 1/2 Shelf Riser, Power Strip & Bins

DxW (in)	Models	Wgt. (lbs)
24 x 48	WC248	190
60	WC260	222
30 x 60	WC360	238
72	WC372	274
36 x 60	WC460	254
72	WC472	292

Heavy Duty Fixed Workbenches

Models WR, WT, WX, WW - Heavy duty use workbenches for rugged use

3,000 LB CAPACITY



Model WR Shown

3,000 LB CAPACITY



Model WT Shown

3,000 LB CAPACITY



Model WX Shown

3,000 LB CAPACITY



Model WW Shown

Product Features:

- All welded construction.
- Durable **12 gauge steel shelves with underbracing** (ideal for mounting vises).
- **2" square tubular corner construction** with floor pads.
- Top shelf front side lip down (flush), other 3 sides up for retention.
- Lower half shelf & 4" back support.
- Clearance between shelves - 22".
- Worksurface height - 34".
- Powder coated gray finish.

Other Specifications:

Model WR:

- 14 gauge steel pegboard - 19" high.

Model WT:

- 16 gauge louvered panel - 19" high.
- Bins sold separately.

Model WX:

- Upper tool half shelf 12" deep (14" high).
- 4' light fixture and frame.

Model WW:

- Sloped upper half shelf 12" deep & 14" high includes removable plastic bins (8-1/4"w x 11"d x 7"h):
Length 48" - 5 Bins
Length 60" - 7 Bins
Length 72" - 8 Bins

Options:

- Lockable drawer (left side under top shelf) 5"h x 16"w x 16"d with 2 keys - **Code DS**
- Non-conductive vinyl matting on top shelf - **Code VM**
- Wood capped top - **Code WT**
- **Adjustable heights** - 34", 36", 38", 40" - **Code AL**
- Power strip - **Code PS**
- 4' light fixture and frame - **Code LF** (Except Model WX and 48" wide models)
- Additional bins (8-1/4"w x 11"d x 7"h) - **Code RB** - specify quantity
- Other work surface heights available.

Model WR - Pegboard Panel

DxW (in)	Models	Wgt. (lbs)
24 x 48	WR248	172
60	WR260	200
30 x 60	WR360	210
72	WR372	240
36 x 60	WR460	232
72	WR472	264

Model WT - Louvered Panel

DxW (in)	Models	Wgt. (lbs)
24 x 60	WT260	196
30 x 60	WT360	206
72	WT372	234
36 x 60	WT460	230
72	WT472	260

Model WX - 1/2 Shelf & Light Fixture

DxW (in)	Models	Wgt. (lbs)
24 x 60	WX260	260
30 x 60	WX360	270
72	WX372	302
36 x 60	WX460	286
72	WX472	318

Model WW - Sloped 1/2 Shelf & Plastic Bins

DxW (in)	Models	Wgt. (lbs)
24 x 48	WW248	170
60	WW260	198
30 x 60	WW360	208
72	WW372	234
36 x 60	WW460	226
72	WW472	252



Jamco
Products

Jamco Products, Inc.
One Jamco Ct.
P.O. Box 66
South Beloit, IL 61080
Ph: 815.624.0400
Fax: 815.624.0600
www.jamcoproducts.com
E-mail: Sales@jamcoproducts.com
TOLL FREE: 800.748.8080



Distributed By: