



Health o meter®

P r o f e s s i o n a l

Healthcare Scales Since 1919



www.homscales.com

Why Choose Health o meter® Professional scales?



Excellent Quality

With over nine decades of technical expertise in medical scales, we have the knowledge that is required to design and produce reliable and accurate products.

Innovative Technology and Design

Health o meter® Professional products are simple to use and increase workflow efficiency with value-added features such as automatic BMI calculation and digital height rods.

Rated #1 by Medical Distributors & Healthcare Professionals!

Health o meter®

P r o f e s s i o n a l

Healthcare Scales Since 1919

Superior Service

All of our in-house company representatives are product specialists and can assist customers quickly and easily. Available toll-free at 1 (800) 815-6615.

Our Mission Statement

**We will do everything possible to make it easy
for our customers to do business with us.**

**ISO13485:2003
CERTIFIED**

© 2013 Pelstar, LLC – PRODUCT CAT 2013 0305

Connectivity Solutions

We lead the industry with the most connectivity options to digitally transmit weight, height and Body Mass Index (BMI) measurements into Electronic Medical Records (EMR) systems. Health o meter® Professional Connectivity Solutions can also improve efficiency and accuracy of vital sign measurements. Our digital scales can connect to EMR systems via the following:



Health o meter® Professional Scales Allscripts™ Connectivity App

Health o meter® Professional Scales Connectivity Application provides seamless communication between Allscripts Enterprise™ and Professional™ systems and Health o meter® Professional digital scales. With this application, the Allscripts EMR system will automatically receive the weight measurement from the scale, including height and Body Mass Index (BMI) if available, then data can be saved into the patient's health record. Visit our website www.homscales.com to download the App.



Health o meter® Professional Scales Connectivity Kit for Welch Allyn® Vital Signs Devices *Patent Pending*

Our Health o meter® Professional Scales Connectivity Kit is an external adapter that allows a broad range of our digital scales to interface with Welch Allyn Spot Vital Signs® LXi, Welch Allyn Connex® Vital Signs Monitors, and Welch Allyn Connex Integrated Wall Systems.* This adapter allows the transfer of weight, height, and BMI measurements from a Health o meter® Professional digital scale to a Welch Allyn device. From the Welch Allyn device, the data can then be displayed, saved, and transferred into EMR systems. **



Connectivity with Midmark® Vital Signs Devices

Health o meter® Professional digital scales can interface with Midmark IQvitals™ and IQvitals™ PC vital signs devices. Our scales transmit weight data directly to the Midmark device via USB cable, helping reduce errors in documentation. ***

Health o meter® Professional Scales SDK

Our innovative software development tool allows Health o meter® Professional digital scales to transmit weight, height, and BMI data into a practitioner's EMR system.****

- Launches from inside EMR applications
- Compatible with 32-bit and 64-bit machines running Windows 7, XP, Vista and 2000 Operating Systems
- Maximizes the impact of EMR system and Health o meter® Professional scale investments
- Visit our website www.homscales.com to download EMR Software Development Kit

Customized Solutions

Our Engineering Team can work directly with your IT department to develop a customized solution to meet your specific needs.



Products bearing this symbol can connect to EMR systems via these Connectivity Solutions.

For more information about connecting our scales to your EMR system, please contact our technical service department at 1 (800) 638-3722.

*Spot Vital Signs LXi: Only accepts and displays weight from scale. The LXi does not accept height from scale, height must be entered manually on the LXi. BMI is calculated but is only displayed on the review screen, not on the main screen. Note: Spot LXi accepts only weights > 5 kg (11.02 lbs) Connex® Devices with 1.7 Software: Accepts and displays weight, height, and BMI when transmitted from the scale (the Connex monitor does not calculate BMI). The monitor also allows for manual entry of weight, height, and/or BMI.

**Transfer to the EMR requires the EMR vendor to have an existing interface that accepts these parameters from Welch Allyn devices.

***Transfer to the EMR requires the EMR vendor to have an existing interface that accepts these parameters from Midmark devices.

****Proper software development or programming may be required.

Auto Off

Digital scale will automatically shut down after a designated period of time, reducing electrical usage and sustaining battery life.

Auto Zero

Ability of the scale to show a "0" value automatically when a digital scale is powered up.

Body Mass Index (BMI)

A statistical measure that is a ratio between a person's weight and height and interpreted as a BMI score, a.k.a. Quetelet Index. Scales with this feature can calculate BMI score based on digitally measured weight and digitally measured or manually entered height data.

Connectivity

Ability of the scale to interface with a computer, monitor, printer or other

electronic device via a serial port or USB, to electronically transmit weight, height and/or BMI.

Factory Calibrated

All Health o meter® Professional scales are inspected and factory-calibrated prior to shipment.

Hold-Release

Digital function that allows the user to "hold" the weight of the patient until the key is pressed again to "release" that information. This allows a patient to be safely moved off the scale before the user records the weight.

LB / KG Conversion

Display function that allows weight to be displayed in either pounds or kilograms while patient remains on the scale. This allows the administrator to conveniently record both readings during one weighing.

LB / KG Lockout

Feature that allows an administrator to select and use only pounds / inches or kilograms / centimeters, helping to reduce the risk of data being recorded in the incorrect unit of measurement.

Live Handrails

Advanced technology that allows the patient to hold onto handrails for stability while scale accurately calculates weight.

Motion Detection

Digital feature of the scale that allows it to weigh accurately, despite movement of the subject on the scale.

Remote Display

The scale's display head is separate from the weighing platform and can be handheld, mounted on a wall or placed on a table.*The 753KL display head cannot be mounted on a wall.

Resolution / Readability

The degree of difference/minimum weight change that a scale maintains when measuring weight, such as fraction of an ounce or pound.

Low Profile Platform

Low platform height requires only minimal step up, offering patient a more comfortable and stable weighing experience.

Swivel Display

The display head has the ability to rotate /pivot, for the convenience of the administrator, allowing line-of-sight viewing and information privacy.

Zero Out / Tare

Digital function that subtracts the weight of an object, such as a diaper or wheelchair, from the patient's personal weight measurement.

*Revit files are available
at www.hom scales.com*

Symbols



*Products bearing this symbol can connect to EMR systems via multiple connectivity solutions.**

EMR Capable — Digital scales bearing this symbol provide either serial port or USB connectivity that enables the scale to interface with an EMR system or other medical device for fast, easy and accurate data transfer. Note: proper software development or programming may be required. See the Connectivity Solutions on the previous page to learn more about EMR connectivity options.



CSA — Products bearing this symbol meet the public safety and quality standards set by the Canadian Standards Association.



cMetus — The MET Mark indicates that the product has been evaluated for safety by an approved independent lab in accordance with the national standard and in compliance by virtue of MET's equivalent accreditations to UL and CSA.



cMet — The MET Mark indicates that the product has been evaluated for safety by an approved independent lab in accordance with the national standard and in compliance by virtue of MET's equivalent accreditations to the Canadian Standards Association.



CE — Certifies that the product bearing this symbol has passed the appropriate European quality assurance tests conducted by a qualified third party. CE stands for fulfillment of the European Directive 93/42 EEC for medical devices and declares the conformity.



Class III — Approved Class III scales respect the standards and comply with the Council Directive 2009/23/EC for non automatic scales carrying this symbol. Certificates are available upon request.



NTEP — Scales bearing this symbol are certified as Legal for Trade by the National Conference on Weights and Measures.



Ships By Truck Only — Scales bearing this symbol can only be shipped by a common carrier, not via FedEx nor UPS, due to their size. Please call 1 (800) 815-6615 for specific shipping information to your facility.

*For more information about connecting our scales to your EMR system, please see our connectivity solutions page or contact our technical service department at 1 (800) 638-3722.

Contents:

TOP SELLING - PHYSICIAN & PRIMARY CARE SCALES

Page 2	model 500KL	model ELEVATE
	model 402KL	model 597KL
		model 498KL

TOP SELLING - ACUTE CARE SCALES

Page 3	model 1100KL	model 2101KL
	model 2610KL	model 2500KL
		model 2650KL

TOP SELLING - LONG TERM CARE SCALES

Page 4	model 2600KL	model 2595KL
	model 594KL	model 445KL
		model 2000KL

STAND-ON SCALES

5	model 500KL	9	model 349KLX
5	model 499KL	9	model 752KL
5	model 498KL	9	model 753KL
6	model 1100KL	10	model 400KL
6	model 2101KL	10	model 402KL
7	model ELEVATE	10	model 402LB
7	model 600KL	10	model 402KG
8	model 597KL	10	model 450KL
8	model 599KL		

WHEELCHAIR SCALES

11	model 2600KL	12	model 2650KL
11	model 2610KL	12	model 2700KL
12	model 2400KL	13	model 2500KL
		13	model 2500CKL

WHEELCHAIR/MULTI-PURPOSE SCALE

13	model 2500CKL
----	---------------

CHAIR SCALES

14	model 2595KL	14	model 594KL
		14	model 445KL

BARIATRIC SCALES

6	model 1100KL	11	model 2600KL
6	model 2101KL	11	model 2610KL
7	model 600KL	12	model 2400KL
7	model ELEVATE	12	model 2650KL
8	model 597KL	12	model 2700KL
8	model 599KL	13	model 2500KL
9	model 752KL	13	model 2500CKL

NEONATAL AND PEDIATRIC SCALES

15	model 2210KL	18	model 222KL
16	model 553KL	18	model YG500R
16	model 549KL	19	model 1522KL
17	model 522KL	19	model 1524KL
17	model 524KL	19	model 386S-01
18	model 8320KL	19	model 386KGS-01

PROFESSIONAL HOME CARE SCALES

20	model 800KL	21	model 160KG
20	model 822KL	22	model 100LB
20	model 844KL	22	model 100KG
21	model 160KL	22	model 142KL
21	model 160LB	22	model 175LB

SPECIALTY SCALES

23	model 2842KL	24	model 222KL
23	model 2000KL	24	model YG500R
24	model 753KL	24	model 7820-000-000

VETERINARY SCALES

25	model 553KL	27	model 386S-01
25	model 549KL	27	model 386KGS-01
26	model 2842KL	27	model YG500R
26	model 222KL	27	model 7820-000-000
26	model 8320KL		

CARRYING CASES

28	model 64771	28	model 64769
		28	model 553CASE

HEIGHT MEASURING INSTRUMENTS

28	model STROD	28	model 499KLROD
28	model 402KLROD	28	model PORTROD
		28	model WMROD

ACCESSORIES

13	CHAIRACC	29	Wheel Brackets
28	Neonatal / Pediatric Cart	29	Counterweights
29	Power Sources / Adapters	29	Ramps
29	Connectivity Kits		

PRODUCT SPECIFICATIONS

PAGES 30-35

TOP SELLING PHYSICIAN & PRIMARY CARE SCALES



TOP SELLING DIGITAL SCALE IN THE PRIMARY CARE MARKET

500KL  

Eye Level Digital Scale

- EMR Connectivity Via USB
- Built-in Height Rod
- Calculates Body Mass Index
- Low Profile Platform
- Capacity: 500 lb / 220 kg

**Please see product page 5 for more information.*

ELEVATE EMRscale™



Heavy Duty Eye Level Digital Scale with Integral Digital Height Rod

- EMR Connectivity via Welch Allyn Vital Signs LXi, Connex Vital Signs monitors, or Connex Integrated Wall Systems
- Automatically Calculates Weight, Height and Body Mass Index
- Low Profile Platform
- Capacity: 600 lb / 272 kg



**Built-in Digital
Height Rod**

ELEVATE
The Health o meter® EMRscale
US Patent #D667323

**Please see product page 7 for more information.*

597KL 

Heavy Duty Eye Level Digital Scale

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Built-in Height Rod
- Low Profile Platform
- Capacity: 600 lb / 272 kg



**Please see product page 8 for more information.*

402KL

Mechanical Beam Scale

Pounds and Kilograms

- Built-in Height Rod
- Exclusive 10 Year Limited Warranty
- Capacity: 390 lb / 180 kg



**Please see product page 10 for more information.*

498KL

Remote Display Digital Scale

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Low Profile Platform
- Remote Display
- Capacity: 500 lb / 220 kg



**Please see product page 5 for more information.*

TOP SELLING ACUTE CARE SCALES

1100KL



Digital Platform Scale

- EMR Connectivity Via USB
- “Live” Handrails
- Low Profile Platform
- Calculates Body Mass Index
- Capacity: 1000 lb / 454 kg

**Please see product page 6 for more information.*



2610KL



Digital Wheelchair Dual Ramp Scale

- EMR Connectivity Via USB
- Wheels and Folding Ramps for Easy Portability and Storage
- Wide Platform for Wheelchair or Bariatric Use
- Calculates Body Mass Index
- Capacity: 1,000 lb / 454 kg

**Please see product page 11 for more information.*



2101KL



Digital Platform Scale

- EMR Connectivity Via USB
- “Live” Handrails
- Low Profile Platform
- Calculates Body Mass Index
- Capacity: 1000 lb / 454 kg

**Please see product page 6 for more information.*



2500KL



Digital Wheelchair Ramp Scale

- EMR Connectivity Via USB
- Wheels for Easy Portability
- Calculates Body Mass Index
- Capacity: 1000 lb / 454 kg

**Please see product page 13 for more information.*



2650KL



Digital Wheelchair Dual Ramp Scale

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Dual Ramps
- Wide Platform for Wheelchair or Bariatric Use
- Capacity: 1,000 lb / 454 kg

**Please see product page 12 for more information.*



TOP SELLING LONG TERM CARE SCALES

2600KL



Digital Wheelchair Ramp Scale



- EMR Connectivity Via USB
- Wheels and Folding Ramps for Easy Portability and Storage
- Wide Platform for Wheelchair or Bariatric Use
- Calculates Body Mass Index
- Capacity: 1,000 lb / 454 kg

**Please see product page 11 for more information.*

594KL

Digital Chair Scale

- Adjustable Arm and Foot Rest
- Rechargeable Battery Power Source
- Easy-to-clean Seat
- Capacity: 600 lb / 270 kg

**Please see product page 14 for more information.*



445KL

Mechanical Chair Scale

- Adjustable Arm and Foot Rest
- Easy-to-clean Seat
- Wheels for Portability
- Capacity: 440 lb / 200 kg

**Please see product page 14 for more information.*



2595KL



Digital Chair Scale

- EMR Connectivity Via USB
- Adjustable Arm and Foot Rest
- Motion Detection
- Wheels for Portability
- Capacity: 600 lb / 272 kg

**Please see product page 14 for more information.*



2000KL

Digital In-Bed / Stretcher Scale

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Durable Steel Structure
- Wheels for Portability
- Capacity: 400 lb / 180 kg

**Please see product page 23 for more information.*



500KL

Eye Level Digital Scale

UPC 892076002008

- Capacity: 500 lb / 220 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 13 $\frac{3}{4}$ " (w) x 16 $\frac{1}{2}$ " (d) x 2 $\frac{3}{8}$ " (h) / 349 mm (w) x 419 mm (d) x 60 mm (h)
- Height Rod: 30" - 84 $\frac{1}{4}$ " / 76 cm - 214 cm
- Display: 1" LCD
- Wheels: 2
- Power Source: 6 AA batteries included, Optional 120V adapter (order # ADPT31)
- Connectivity: USB
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off

MODEL

500KL

WEIGHT (LB)

24.5 lb

SHIPPING DIMS. (L x W x H) / CUBE

30.625" x 17.375" x 11.375" / 3.50



Low Profile Platform



- EMR Connectivity Via USB
- Built-in Height Rod
- Calculates Body Mass Index
- Low Profile Platform
- Top Selling Digital Scale in the Primary Care Market



Built-in Height Rod



Connectivity
EMR capable via multiple connectivity solutions

499KL

Waist High Digital Scale

UPC 892076002527

- Capacity: 500 lb / 220 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 13 $\frac{3}{4}$ " (w) x 16 $\frac{1}{2}$ " (d) x 2 $\frac{3}{8}$ " (h) / 349 mm (w) x 419 mm (d) x 60 mm (h)
- Height Rod: Optional 499KLROD
- Display: 1" LCD
- Wheels: 2
- Connectivity: USB
- Power Source: 6 AA batteries included, Optional 120V adapter (order # ADPT31)
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off

MODEL

499KL

WEIGHT (LB)

22 lb

SHIPPING DIMS. (L x W x H) / CUBE

26.625" x 17.375" x 11.75" / 3.15



499KLROD
Optional Height Rod

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Low Profile Platform
- Waist High Display

Low Profile Platform



498KL

Remote Display Digital Scale

UPC 892076002718

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Capacity: 500 lb / 220 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 13 $\frac{3}{4}$ " (w) x 16 $\frac{1}{2}$ " (d) x 2 $\frac{3}{8}$ " (h) / 349 mm (w) x 419 mm (d) x 60 mm (h)
- Height Rod: Optional PORTROD
- Display: 1" LCD
- Connectivity: USB
- Low Profile Platform
- Remote Display
- Optional Carrying Case: Item# 64771
- Power Source: 6 AA batteries included, Optional 120V adapter (order # ADPT31)
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



Remote Display can be mounted on a wall or placed on a table

MODEL

498KL

WEIGHT (LB)

16.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

25.875" x 17.375" x 5.5" / 1.43



STAND – ON SCALES



1100KL

Digital Platform Scale


UPC 892076002619

- Capacity: 1,000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 22" (w) x 15¾" (d) x 2½" (h) / 559 mm (w) x 400 mm (d) x 64 mm (h)
- Height Rod: Optional STROD
- Display: ¾" LCD, 180° Swivel
- Wheels: 2
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Connectivity: USB
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



1100KL / 2101KL Features:

- Low Profile Platform
- Calculates Body Mass Index
- EMR Connectivity Via USB
- "Live" Handrails
- High Capacity for Bariatric Use



"Live" Handrails



STROD: Optional height rod for 1100KL and 2101KL



180° swivel display for ease of viewing



2101KL

Digital Platform Scale

UPC 892076002282

- Capacity: 1,000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 26" (w) x 22" (d) x 2⅝" (h) / 660 mm (w) x 559 mm (d) x 60 mm (h)
- Height Rod: Optional STROD
- Display: ¾" LCD, 180° Swivel
- Wheels: 2
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Connectivity: USB
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



MODEL	SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
1100KL:	41.75" x 24.75" x 10.125" / 6.05	59.25 lb
2101KL:	42.125" x 28.625" x 10.5" / 7.33	78 lb

ELEVATE EMRscale™

Heavy Duty Eye Level Digital Scale with Integral Digital Height Rod

UPC ELEVATE-C 854896003085

UPC ELEVATE-L 854896003092

- **EMR Connectivity via Welch Allyn Spot Vital Signs LXi, Connex Vital Signs monitors and Connex Integrated Wall Systems**
- **Automatically Calculates Weight, Height and Body Mass Index**
- **Built-in Digital Height Rod**
- **Low Profile Platform**
- **High Capacity for Bariatric Use**
- **Connectivity Kit Included (see page 29)**

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 14¼" (w) x 14¼" (d) x 2⅝" (h) / 362 mm (w) x 362 mm (d) x 67 mm (h)
- Height Rod: 24" - 88" / 61 cm - 223 cm
- Display: 1" LCD, 350° Swivel
- Wheels: 2
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries not included
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



US Patent #D66732

MODEL

ELEVATE-L: Connects with Welch Allyn Spot Vital Signs LXi Monitor
ELEVATE-C: Connects with Welch Allyn Connex Vital Signs Monitors and Connex Integrated Wall Systems

WEIGHT (LB)

38.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

52" x 26.375" x 6.375" / 5.06



EMR Connectivity via Welch Allyn Vital Signs Monitors + Integrated Wall System



Built-in Digital Height Rod

Low Profile Platform

600KL

Heavy Duty Eye Level Digital Scale with Integral Digital Height Rod

UPC 854896003115

- **EMR Connectivity Via USB**
- **Automatically Calculates Weight, Height and Body Mass Index**
- **Built-in Digital Height Rod**
- **Low Profile Platform**
- **High Capacity for Bariatric Use**

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 14¼" (w) x 14¼" (d) x 2⅝" (h) / 362 mm (w) x 362 mm (d) x 67 mm (h)
- Height Rod: 24" - 88" / 61 cm - 223 cm
- Display: 1" LCD, 350° Swivel
- Wheels: 2
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries not included
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



US Patent #D66732



Built-in Digital Height Rod

MODEL

600KL

SHIPPING DIMS. (L x W x H) / CUBE

52" x 26.375" x 6.375" / 5.06

WEIGHT (LB)

38.25 lb



Low Profile Platform

STAND – ON SCALES



350° swivel for ease of viewing



Display

Low Profile Platform



597KL

Heavy Duty Eye Level Digital Scale

UPC 892076002091

- **EMR Connectivity Via USB**
- **Calculates Body Mass Index**
- **Built-in Height Rod**
- **Low Profile Platform**
- **High Capacity for Bariatric Use**

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size:
14¼" (w) x 14¼" (d) x 2⅝" (h) /
362 mm (w) x 362 mm (d) x 67 mm (h)
- Height Rod: 24"-84"/60 cm - 213 cm
- Display: 1" LCD, 350° Swivel
- Wheels: 2
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries not included
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



MODEL

597KL

WEIGHT (LB)

33.75 lb

SHIPPING DIMS. (L x W x H) / CUBE

52" x 23" x 5.25" / 3.63



499KLROD
Optional Height Rod



Low Profile Platform

Waist Height

MODEL

599KL

SHIPPING DIMS. (L x W x H) / CUBE

40.5" x 21.375" x 5" / 2.5

WEIGHT (LB)

27.5 lb

599KL

Heavy Duty Waist High Digital Scale

UPC 892076002107

- **EMR Connectivity Via USB**
- **Calculates Body Mass Index**
- **Low Profile Platform**
- **350° Swivel Display**
- **High Capacity for Bariatric Use**

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size:
14¼" (w) x 14¼" (d) x 2⅝" (h) /
362 mm (w) x 362 mm (d) x 67 mm (h)
- Height Rod: Optional 499KLROD
- Display: 1" LCD, 350° Swivel
- Wheels: 2
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries not included
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



349KLX

Digital Floor Scale

UPC 892076002251

- Capacity: 400 lb / 180 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 12½" (w) x 12" (d) x 1⅞" (h) / 318 mm (w) x 305 mm (d) x 48 mm (h)
- Height Rod: Optional PORTROD
- Display: ½" LCD
- Connectivity: Serial Port
- Power Source: 9V battery included, optional power adapter (ADPT40)
- Optional Carrying Case: Item #64771
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out / Tare, Auto Zero, Auto Off

MODEL

349KLX

WEIGHT (LB)

22 lb

SHIPPING DIMS. (L x W x H) / CUBE

18.875" x 13.75" x 6.375" / 0.96

REMOTE DIGITAL DISPLAY SCALE Options:



PORTROD
Wall Mounted Height Rod
for 349KLX, 752KL, 753KL
and 498KL



64771
Optional Carrying Case for
349KLX & 752KL

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Low Profile Platform
- Remote Display
- High Capacity for Bariatric Use



Low Profile Platform

752KL

Heavy Duty Remote Display Digital Scale

UPC 892076002138

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 14¼" (w) x 14¼" (d) x 2⅝" (h) / 362 mm (w) x 362 mm (d) x 67 mm (h)
- Height Rod: Optional PORTROD
- Display: 1" LCD
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries not included
- Optional Carrying Case: Item #64771
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



MODEL

752KL

WEIGHT (LB)

18 lb

SHIPPING DIMS. (L x W x H) / CUBE

25.625" x 16.75" x 4.625" / 1.15

STAND – ON SCALES

- Interfaces with Welch Allyn® Spot Vital Signs® LXi Monitor
- Low Profile Platform
- Remote Display

Low Profile Platform



Wall mount or table display



- EMR Connectivity Via USB
- Certified Legal for Trade
- Calculates Body Mass Index
- Low Profile Platform



Low Profile Platform

753KL

Legal for Trade Heavy Duty Remote Display Digital Scale

UPC 892076002770

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 14¼" (w) x 14¼" (d) x 2⅝" (h) / 362 mm (w) x 362 mm (d) x 67 mm (h)
- Height Rod: Optional PORTROD
- Display: 1" LCD
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries not included
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



MODEL

753KL

WEIGHT (LB)

18.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

25.625" x 16.625" x 4.625" / 1.14

STAND – ON SCALES

400KL *Pounds and Kilograms*

Mechanical Beam Scale

UPC 892076002121

- Exclusive 10 Year Limited Warranty



402KLROD
Optional Height Rod



- Capacity: 390 lb / 180 kg
- Graduation: ¼ lb / 100 g
- Platform Size: 10½" (w) x 14" (d) x 3¼" (h) / 267 mm (w) x 356 mm (d) x 83 mm (h)
- Height Rod: Optional 402KLROD
- Wheels: Optional item #55000
- Counterweights: Optional item #55090 to raise capacity to 490 lb / 210 kg
- Warranty: 10 Year Limited Warranty

MODEL	WEIGHT (LB)
400KL	28.75 lb
SHIPPING DIMS. (L x W x H) / CUBE	
58.875" x 20.25" x 6.375" / 4.40	

402KL *Pounds and Kilograms*

Mechanical Beam Scale

UPC 892076002015

- Height Rod Included

- Exclusive 10 Year Limited Warranty

- Capacity: 390 lb / 180 kg
- Graduation: ¼ lb / 100 g
- Platform Size: 10½" (w) x 14" (d) x 3¼" (h) / 267 mm (w) x 356 mm (d) x 83 mm (h)
- Height Rod: 23⅝" - 84" / 60 cm - 213 cm
- Wheels: Optional item #55000
- Counterweights: Optional item #55090 to raise capacity to 490 lb / 210 kg

Height Rod Included



55090
Optional counterweights to raise capacity

55000
Optional wheel brackets for 400 series scales



450KL *Pounds and Kilograms*

Mechanical Beam Scale with Rotating Poise Bars

UPC 892076002169

- Height Rod Included**
- Long-lasting Engraved Numerals on Poise Bar**
- Exclusive 10 Year Limited Warranty**
- Rotating Poise Bars**
- Powder Coated Inside and Out for Extended Life**

- Capacity: 500 lb / 200 kg – with included counterweights.
- Graduation: ¼ lb / 100 g
- Platform Size: 10½" (w) x 14" (d) x 3¼" (h) / 267 mm (w) x 356 mm (d) x 83 mm (h)
- Height Rod: 23⅝" - 84" / 60 cm - 213 cm
- Wheels: Optional item #55000



Rotating Poise Bars



MODEL	WEIGHT (LB)
450KL	36.75 lb
SHIPPING DIMS. (L x W x H) / CUBE	
58.875" x 20.25" x 6.375" / 4.40	

402LB *Pounds Only*

Mechanical Beam Scale

UPC 892076002077

- Exclusive 10 Year Limited Warranty

- Capacity: 400 lb
- Graduation: ¼ lb
- Platform Size: 10½" (w) x 14" (d) x 3¼" (h) / 267 mm (w) x 356 mm (d) x 83 mm (h)
- Height Rod: 23⅝" - 84" / 60 cm - 213 cm
- Wheels: Optional item #55000



402KG* *Kilograms Only*

Mechanical Beam Scale

UPC 892076002657

*Scale offered upon special request only

- Exclusive 10 Year Limited Warranty

- Capacity: 200 kg
- Graduation: 100 g
- Platform Size: 10½" (w) x 14" (d) x 3¼" (h) / 267 mm (w) x 356 mm (d) x 83 mm (h)
- Height Rod: 23⅝" - 84" / 60 cm - 213 cm
- Wheels: Optional item #55000

MODEL	SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB) TOTAL 142 LB
402KL	58.875" x 20.25" x 6.375" / 4.40	33.25 lb
402LB:	58.875" x 20.25" x 6.375" / 4.40	33 lb
402KG	58.875" x 20.25" x 6.375" / 4.40	33.25 lb

2600KL

Digital Wheelchair Ramp Scale

UPC 892076002268

2610KL

Digital Wheelchair Dual Ramp Scale

UPC 892076002268

- EMR Connectivity Via USB
- Wheels and Folding Ramps for Easy Portability and Storage
- Wide Platform for Wheelchair or Bariatric Use
- Calculates Body Mass Index

- Capacity: 1,000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size:
36" (w) x 32¼" (d) x 2½" (h) /
914 mm (w) x 819 mm (d) x 64 mm (h)
- Ramp Size:
32¼" (w) x 9⅞" (d) /
819 mm (w) x 248 mm (d)
- Display: ¾" LCD, 180° Swivel
- Wheels: 4
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



Can be used with a walker



Wheelchair accessible



2610KL offers dual ramps



Scale folds and has wheels




MODEL	SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
2600KL:	48.125" x 41.875" x 9.375" / 10.93	126 lb
2610KL:	48.125" x 41.875" x 9.375" / 10.93	132 lb

WHEELCHAIR SCALES

Remote Display can be placed on table or mounted on a wall

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Dual Ramps
- Wide Platform for Wheelchair or Bariatric Use



2650KL

Digital Wheelchair Dual Ramp Scale

UPC 892076002442

- Capacity: 1,000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 31½" (w) x 31½" (d) x 2" (h) / 800 mm (w) x 800 mm (d) x 51 mm (h)
- Ramp Size: 10" (w) x 31¼" (d) / 254 mm (w) x 794 mm (d)
- Display: ¾" LCD, Remote Display
- Wheels: 2
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Connectivity: USB
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



Remote Display can be placed on table or mounted on a wall



2700KL *With Extra Large Platform*

Digital Wheelchair Dual Ramp Scale

UPC 892076002633

- Capacity: 1,000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 43" (w) x 42" (d) x 2½" (h) / 1092 mm (w) x 1067 mm (d) x 64 mm (h)
- Ramp Size: 12¾" (w) x 41¾" (d) / 324 mm (w) x 1060 mm (d)
- Display: ¾" LCD, Remote Display
- Wheels: 2
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Connectivity: USB
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



2400KL

Digital Portable Wheelchair Scale

UPC 892076002695

- EMR Connectivity Via USB
- Adjustable Wheel Tracks
- Calculates Body Mass Index
- Handle for Portability
- High Capacity for Bariatric Use


- Capacity: 800 lb / 363 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: Expands and Adjusts from 25¾" (654 mm) to 50½" (1273 mm)
- Rail Size: 6" (w) x 40" (d) / 152 mm (w) x 1017 mm (d)
- Display: ¾" LCD, Remote Display
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



Remote Display can be placed on table or mounted on a wall



Portable



MODEL

2400KL

WEIGHT (LB)

49.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

46.625" x 27.875" x 8.625" / 6.42

MODEL

2650KL:

2700KL:

SHIPPING DIMS. (L x W x H) / CUBE

38.625" x 38.375" x 7" / 6.00

55.875" x 52.375" x 10.875" / 18.42

WEIGHT (LB)

93.75 lb

226 lb

2500KL

Digital Wheelchair Ramp Scale

UPC 892076002275

- EMR Connectivity Via USB
- Wheels for Easy Portability
- Calculates Body Mass Index
- High Capacity for Bariatric Use

- Capacity: 1,000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 29³/₈" (w) x 28¹/₄" (d) x 2³/₈" (h) / 746 mm (w) x 718 mm (d) x 60 mm (h)
- Ramp Size: 28¹/₄" (w) x 9⁷/₈" (d) / 714 mm (w) x 248 mm (d)
- Display: ³/₄" LCD, 180° Swivel
- Wheels: 2
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Optional Fold-Away Chair: Item #CHAIRACC
- Connectivity: USB
- Warranty: 2 Year Limited Warranty
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



MODEL

2500KL

WEIGHT (LB)

82.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

40.625" x 33.625" x 10" / 7.91

WHEELCHAIR SCALES



Versatile Usage



Easy Portability



CHAIRACC
Optional fold-away chair attachment



2500CKL

Wheelchair Scale with Fold Away Seat

UPC 892076002275

- EMR Connectivity Via USB
- Integrated Fold-Away Seat
- Calculates Body Mass Index
- Low Profile Platform

- Capacity: 1,000 lb / 454 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 29³/₈" (w) x 28¹/₄" (d) x 2³/₈" (h) / 746 mm (w) x 718 mm (d) x 60 mm (h)
- Seat Size: 16³/₄" (w) x 17" (d) x 18" (h) / 425 mm (w) x 324 mm (d) x 475 mm (h)
- Ramp Size: 28¹/₄" (w) x 9⁷/₈" (d) / 714 mm (w) x 248 mm (d)
- Display: ³/₄" LCD, 180° Swivel
- Wheels: 2
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Connectivity: USB
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



MODEL

2500CKL

SHIPPING DIMS. (L x W x H) / CUBE

CHAIRACC: 36.5" x 24.5" x 24.5" / 12.67

2500KL: 40.625" x 33.625" x 10" / 7.91

WEIGHT (LB) TOTAL 142 LB

CHAIRACC: 38.1 lb

2500KL: 82.25 lb



Multi-purpose:
Use as a Wheelchair, Chair
and Stand-On Scale

CHAIR SCALES



All chair scales have moveable arms and foot rest

MODEL

2595KL

SHIPPING DIMS. (L x W x H) / CUBE

32.625" x 24.875" x 41.875" / 19.67

WEIGHT (LB)

100.25 lb

2595KL

Digital Chair Scale

UPC 892076002626

- EMR Connectivity Via USB
- Moveable Arm and Foot Rest
- Motion Detection
- Wheels for Portability

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Seat Size: 18¼" (w) x 15⅝" (d) x 16½" (h) / 464 mm (w) x 397 mm (d) x 419 mm (h)
- Display: 1½" LCD
- Wheels: 2

- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries (not included)
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out /Tare, Auto Off



MODEL

594KL

SHIPPING DIMS. (L x W x H) / CUBE

30.125" x 25.375" x 44.625" / 19.74

WEIGHT (LB)

81.25 lb

594KL

Digital Chair Scale

UPC 892076002688

- Moveable Arm and Foot Rest
- Rechargeable Battery Power Source
- Easy-to-clean Seat

- Capacity: 600 lb / 270 kg
- Resolution: 0.2 lb / 0.1 kg
- Seat Size: 18¼" (w) x 15" (d) x 17½" (h) / 464 mm (w) x 381 mm (d) x 445 mm (h)
- Display: 1¼" LCD
- Wheels: 2

- Power Source: 6 Volt rechargeable battery, charger and battery included
- Functions: LB / KG Conversion, Zero Out / Tare, Auto Zero, Auto Off



MODEL

445KL

SHIPPING DIMS. (L x W x H) / CUBE

30.25" x 25.5" x 45" / 20.09

WEIGHT (LB)

81.5 lb

445KL

Mechanical Chair Scale

UPC 892076002046

- Moveable Arm and Foot Rest
- Easy-to-clean Seat
- Wheels for Portability

- Capacity: 440 lb / 200 kg
- Graduation: ¼ lb / 100 g
- Wheels: 2

- Seat Size: 18½" (w) x 17¼" (d) x 15¾" (h) / 470 mm (w) x 438 mm (d) x 400 mm (h)



2210KL

High Resolution Neonatal / Pediatric Tray Scale

UPC 892076002602

- High Resolution Weight Measurements
- Motion Detection
- Built-in Measuring Tape
- Easy-to-clean Tray

- Capacity: 45 lb / 20 kg
- Resolution: 0.1 oz / (0 -11300 g / 1g; >11300 g / 5 g)
- Tray Size: 24" (w) x 15³/₈" (d) x 3" (h) / 610 mm (w) x 391 mm (d) x 76 mm (h)
- Measuring Tape: 0" - 23" / 0 cm - 60 cm
- Display: 7/8" LCD
- Power Source: 6 C-cell batteries included
- Functions: LB / GM Conversion, GM / LB Lock Out, Zero Out / Tare, Reweigh / Recall, Auto Zero, Auto Off, Motion Detection



High Resolution Portable Scale

2210CART

Rolling Scale / Medical Device Cart

- Capacity: 200 lb / 90 kg
- Top shelf has handle for easy grip
- Non-conductive wheels / 2 wheels with locks
- Cart Dimensions: 26¹/₂" (w) x 18" (d) x 34¹/₈" (h) / 673 mm (w) x 457 mm (d) x 867 mm (h)
- Lockable Cabinet: 23" (w) x 16³/₈" (d) x 17" (h) / 584 mm (w) x 427 mm (d) x 432 mm (h)
- Storage shelf is easy to clean, durable blue plastic
- Compatible with 2210KL, 553KL, and 549KL

2210CART

Non-Conductive
Wheels



MODEL	SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
2210KL	27.875" x 18.625" x 7.625" / 2.29	30.5 lb
2210CART	2 Cartons: 26.5" x 18.5" x 9" / 2.55	23 lb
	22" x 17.75" x 2.5" / 0.56	17 lb

NEONATAL & PEDIATRIC SCALES



553KL

Digital Pediatric Tray Scale

UPC 892076002329

- EMR Connectivity Via USB
- Measuring Tape Included
- Motion Detection

- Capacity: 44 lb / 20 kg
- Resolution: 0.5 oz / 10 g
- Tray Size:
24 7/8" (w) x 13" (d) x 1 3/8" (h) /
632 mm (w) x 330 mm (d) x 35 mm (h)
- Measuring Tape:
0" - 24" / 0 cm - 58 cm
- Display: 1" LCD
- Power Source: 6 AA batteries included, optional power adapter (order # ADPT30)
- Connectivity: USB
- Carrying Case: Optional carrying case (order # 553CASE)
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



Measuring Tape Included



553CASE
Optional Carrying Case



MODEL

553KL

WEIGHT (LB)

12.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

28.125" x 19" x 5.5" / 1.70



549KL

Digital Pediatric Tray Scale

UPC 892076002336

- LB / KG Lock Out
- Tare Functionality

- Capacity: 44 lb / 20 kg
- Resolution: 0.5 oz / 10 g
- Tray Size:
19 1/4" (w) x 13" (d) x 2 5/8" (h) /
489 mm (w) x 330 mm (d) x 67 mm (h)
- Display: 0.6" LCD
- Power Source: 9 Volt battery included
- Optional Carrying Case item # 64769
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out / Tare, Auto Zero, Auto Off



64769
Optional Carrying Case

MODEL

549KL

WEIGHT (LB)

5.5 lb

SHIPPING DIMS. (L x W x H) / CUBE

22" x 15.375" x 5.75" / 1.13

522KL

Digital Pediatric Tray Scale

UPC 892076002534

- EMR Connectivity Via USB
- Measuring Tape Included
- Easy-to-clean Tray

- Capacity: 50 lb / 23 kg
- Resolution: 0 - 20 lb / 0.2 oz ;
20 - 50 lb / 0.5 oz ; 0 - 9 kg / 5g;
9 - 23 kg / 10 g
- Tray Size:
24 $\frac{1}{8}$ " (w) x 14 $\frac{1}{2}$ " (d) x 2 $\frac{5}{8}$ " (h) /
613 mm (w) x 368 mm (d) x 67 mm (h)
- Measuring Tape: 0" - 23" / 0 cm - 58 cm
- Display: 1" LCD
- Power Source: 6 AA batteries included, Optional 120V adapter (order # ADPT31)
- Connectivity: USB
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



MODEL

522KL

WEIGHT (LB)

24.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

26.25" x 17.5" x 14.25" / 3.79



Measuring Tape Included

524KL

Digital Pediatric Seat Scale

UPC 892076002541

- EMR Connectivity Via USB
- Easy-to-clean Seat

- Capacity: 50 lb / 23 kg
- Resolution: 0 - 20 lb / 0.2 oz ;
20 - 50 lb / 0.5 oz ; 0 - 9 kg / 5g;
9 - 23 kg / 10 g
- Seat Size:
24 $\frac{1}{4}$ " (w) x 14 $\frac{1}{4}$ " (d) x 18 $\frac{1}{2}$ " (h) /
616 mm (w) x 362 mm (d) x 470 mm (h)
- Display: 1" LCD
- Connectivity: USB
- Power Source: 6 AA batteries included, Optional 120V adapter (order # ADPT31)
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



MODEL

524KL

WEIGHT (LB)

26.5 lb

SHIPPING DIMS. (L x W x H) / CUBE

26.375" x 17.25" x 20.625" / 5.43



NEONATAL & PEDIATRIC SCALES



Folds for Easy Portability



- Ideal for Traveling Nurses
- Motion Detection
- Easy Portability

8320KL

Digital Portable Pediatric Tray Scale

UPC 10892076002814

- Capacity: 33 lb / 15 kg
- Resolution: 0.5 oz / 10 g
- Tray Size:
23½" (w) x 11" (d) x 7⁄8" (h) /
597 mm (w) x 279 mm (d) x 22 mm (h)
- Display: ¾" LCD
- Power Source: 2 AAA batteries included
- Optional Carrying Case item # 64771
- Functions: LB / KG Conversion, Zero Out / Tare, Auto Zero, Auto Off

MODEL

8320KL

MASTER PACK

4

SHIPPING DIMS. (L x W x H) / CUBE

22.125" x 17.75" x 14.375" / 3.27

WEIGHT (LB)

24.25 lb



Measure Urine Output in a Diaper



Bowl: 161 cubic inches

222KL

Digital Diaper Scale

UPC 10892076002807

- Stainless Steel Weighing Surface
- Lightweight and Portable

- Capacity: 11 lb / 5 kg
- Resolution: ¼ oz / 1 g
- Bowl Size: 161 cubic inches
- Display: 1" LCD
- Power Source: (2) 3 - Volt Lithium batteries included
- Functions: LB / KG Conversion, Zero Out / Tare, Auto Zero, Auto Off

MODEL

222KL

MASTER PACK

4

SHIPPING DIMS. (L x W x H) / CUBE

22.125" x 10.25" x 11.25" / 1.48

WEIGHT (LB)

8.5 lb

- Stainless Steel Weighing Surface
- Lightweight and Portable
- Platform Serves as a Handle
- Rotating Dial



YG500R

Mechanical Diaper / Small Platform Scale

UPC 07717736019

- Capacity: 500 g
- Graduation: 2 g
- Platform Size:
6" (w) x 4¾" (d) / 152 mm (w) x 121 mm (d)

MODEL

YG500R

SHIPPING DIMS. (L x W x H) / CUBE

11.375" x 11.375" x 7.5" / 0.56

WEIGHT (LB)

4.25 lb

NEONATAL & PEDIATRIC SCALES

1522KL

Mechanical Pediatric Tray Scale

UPC 892076002176

- Long-Lasting Engraved Numerals on Poise Bar
- Measuring Tape Included
- Rotating Poise Bars

- Capacity: 130 lb / 65 kg
- Graduation: 1 oz / 20 g
- Measuring Tape: 0" - 23" / 0 cm - 58 cm
- Tray Size: 24 $\frac{1}{8}$ " (w) x 14 $\frac{1}{2}$ " (d) x 3 $\frac{1}{4}$ " (h) / 613 mm (w) x 368 mm (d) x 83 mm (h)

MODEL

1522KL

SHIPPING DIMS. (L x W x H) / CUBE

25.375" x 20.625" x 11.5" / 3.48

WEIGHT (LB)

31 lb



1524KL

Mechanical Pediatric Seat Scale

UPC 892076002183

- Long-Lasting Engraved Numerals on Poise Bar
- Rotating Poise Bars
- Easy-to-clean Seat

- Capacity: 130 lb / 65 kg
- Graduation: 1 oz / 20 g
- Seat Size: 24 $\frac{1}{2}$ " (w) x 14 $\frac{1}{4}$ " (d) x 18 $\frac{1}{2}$ " (h) / 622 mm (w) x 362 mm (d) x 470 mm (h)

MODEL

1524KL

SHIPPING DIMS. (L x W x H) / CUBE

25" x 20.625" x 18.625" / 5.56

WEIGHT (LB)

39.5 lb



386S-01 *Pounds Only*

Mechanical Tray Scale

UPC 892076002305

- Tray Size: 19 $\frac{3}{8}$ " (w) x 12 $\frac{3}{8}$ " (d) x 3 $\frac{3}{4}$ " (h) / 492 mm (w) x 314 mm (d) x 95 mm (h)
- Measuring Tape: 0" - 18" / 0 cm - 46 cm
- Capacity: 50 lb
- Graduation: $\frac{1}{4}$ lb



386KGS-01 *Kilograms Only*

Mechanical Tray Scale

UPC 892076002312

- Tray Size: 19 $\frac{3}{8}$ " (w) x 12 $\frac{3}{8}$ " (d) x 3 $\frac{3}{4}$ " (h) / 492 mm (w) x 314 mm (d) x 95 mm (h)
- Measuring Tape: 0" - 18" / 0 cm - 46 cm
- Capacity: 25 kg
- Graduation: 100 g

- Built-in Measuring Tape
- Handle for Portability

MODEL	SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
386S-01	21.75" x 16.875" x 6.875" / 1.46	11.5 lb
386KGS-01	21.75" x 16.875" x 6.875" / 1.46	11.5 lb

PROFESSIONAL HOME CARE SCALES



MODEL	MASTER PACK
800KL	4
SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
14.375" x 15" x 8.75" / 1.09	18.25 lb

800KL

Digital Floor Scale

UPC 10892076002197

- Large 1½" LCD Display
- 5-Second Weight Hold
- Low Profile Platform

- Capacity: 397 lb / 180 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size: 12¼" (w) x 12¼" (d) x 1⅞" (h) / 311 mm (w) x 311 mm (d) x 29 mm (h)
- Display: 1½" LCD
- Power Source: (1) 3-Volt Lithium battery included
- Optional Carrying Case item # 64771
- Functions: LB / KG Switch, Auto Zero, 5 Second Weight Hold, Auto Off



MODEL	MASTER PACK
822KL	2
SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
16.625" x 14.625" x 5.25" / 0.74	9 lb

822KL

Digital Floor Scale

UPC 10892076002722

- Large 1½" LCD Display
- 5-Second Weight Hold
- Low Profile Platform

- Capacity: 400 lb / 180 kg
- Resolution: 0.1 lb / 0.05 kg
- Platform Size: 14¼" (w) x 11¾" (d) x 1½" (h) / 362 mm (w) x 298 mm (d) x 38 mm (h)
- Display: 1½" LCD
- Power Source: (2) 3-Volt Lithium batteries included
- Optional Carrying Case item # 64771
- Functions: LB / KG Switch, Auto Zero, 5 Second Weight Hold, Auto Off



MODEL	MASTER PACK
844KL	2
SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
15.125" x 14.75" x 6" / 0.77	8.5 lb

844KL

Digital Floor Scale for Telemedicine

UPC 10892076002401

- EMR Connectivity Via USB
- Large 1¼" LCD Display
- Low Profile Platform

- Capacity: 440 lb / 200 kg
- Resolution: 0.1 lb / 0.05 kg
- Platform Size: 12⅝" (w) x 12⅝" (d) x 1⅞" (h) / 321 mm (w) x 321 mm (d) x 48 mm (h)
- Display: 1¼" LCD
- Power Source: (2) 3-Volt Lithium batteries included
- Connectivity: USB
- Optional Carrying Case item # 64771
- Functions: LB / KG Switch, Auto Zero, 5 Second Weight Hold, Auto Off



160KL

Mechanical Floor Scale

Pounds and Kilograms

UPC 10892076002364

- Capacity: 400 lb / 180 kg
- Graduation: 1 lb / 1 kg
- Platform Size:
11" (w) x 12½" (d) x 3" (h) /
279 mm (w) x 318 mm (d) x 76 mm (h)



Raised Dial for
Extra Foot Room

160LB

Mechanical Floor Scale

Pounds Only

UPC 10892076002050

- Capacity: 400 lb
- Graduation: 1 lb
- Platform Size:
11" (w) x 12½" (d) x 3" (h) /
279 mm (w) x 318 mm (d) x 76 mm (h)



- 8" Easy-to-Read Dial, Raised 4" from Platform
- Large Footprint Area

160KG Mechanical Floor Scale

Kilograms Only

UPC 10892076002340

- Capacity: 180 kg
- Graduation: 1 kg
- Platform Size:
11" (w) x 12½" (d) x 3" (h) /
279 mm (w) x 318 mm (d) x 76 mm (h)



MODEL	MASTER PACK	SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
160KL:	2	17.375" x 15.125" x 21.875"/3.33	21.5 lb
160KG:	2	17.375" x 15.125" x 21.875"/3.33	21.5 lb
160LB:	2	17.375" x 15.125" x 21.875"/3.33	21.5 lb

PROFESSIONAL HOME CARE SCALES

- Large, Easy-to-Read Dial
- Low Profile Platform



100LB

Mechanical Floor Scale

Pounds Only

UPC 10892076002388

- Capacity: 270 lb
- Graduation: 1 lb
- Platform Size:
10¼" (w) x 9⅞" (d) x 1⅞" (h) / 260 mm (w) x 251 mm (d) x 48 mm (h)

100KG

Mechanical Floor Scale

Kilograms Only

UPC 10892076002395

- Capacity: 120 kg
- Graduation: 0.5 kg
- Platform Size:
10¼" (w) x 9⅞" (d) x 1⅞" (h) / 260 mm (w) x 251 mm (d) x 48 mm (h)

MODEL	MASTER PACK	SHIPPING DIMS. (L x W x H) / CUBE	WEIGHT (LB)
100LB:	3	11.375" x 7.375" x 11.5" / 0.56	11 lb
100KG:	3	11.375" x 7.375" x 11.5" / 0.56	11 lb



MODEL

142KL

SHIPPING DIMS. (L x W x H) / CUBE

20.375" x 12.62" x 8.25" / 1.23

MASTER PACK

2

WEIGHT (LB)

14.5 lb

142KL

Mechanical Floor Scale

UPC 10892076002357

- 6½" Easy-to-Read Dial
- Low Profile Platform

- Capacity: 330 lb / 150 kg
- Graduation: 1 lb / 0.5 kg
- Platform Size:
11½" (w) x 10¾" (d) x 2¼" (h) /
292 mm (w) x 273 mm (d) x 57 mm (h)

175LB

Mechanical Floor Scale

Pounds Only

UPC 10892076002371

- Large, Easy-to-Read Dial
- Low Profile Platform

- Capacity: 330 lb
- Graduation: 1 lb
- Platform Size:
11⅜" (w) x 9¾" (d) x 2" (h) /
289 mm (w) x 248 mm (d) x 51 mm (h)

MODEL

175LB

SHIPPING DIMS. (L x W x H) / CUBE

12.25" x 11.125" x 5.875" / 0.46

MASTER PACK

2

WEIGHT (LB)

8.75 lb

2842KL

Large Platform Digital Scale

UPC 892076002480

- EMR Connectivity via Serial Port
- Motion Detection
- Stainless Steel Base with Durable, Non-Skid Platform
- Remote Display

- Capacity: 600 lb / 270 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size:
22¼" (w) x 42" (d) x 2½" (h) /
565 mm (w) x 1067 mm (d) x 64 mm (h)
- Display: 7/8" LCD
- Connectivity: Serial Port
- Power Source: 120V adapter included, 6 C-cell batteries (not included)
- Functions: LB / KG Conversion, Zero Out / Tare, Motion Detection



MODEL


2842KL

WEIGHT (LB)

61.75 lb

SHIPPING DIMS. (L x W x H) / CUBE

47.5" x 25.625" x 5.25" / 3.70



Display



2000KL

Digital In-Bed / Stretcher Scale

UPC 892076002466

- EMR Connectivity Via USB
- Calculates Body Mass Index
- Durable Steel Structure
- Wheels for Portability

- Capacity: 400 lb / 180 kg
- Resolution: 0.2 lb / 0.1 kg
- Canvas Size: 70½" (w) x 30" (d) /
1791 mm (w) / 762 mm (d)
- Display: ¾" LCD
- Wheels: (4) Wheels for ease of movement, (2) locking for safety
- Connectivity: USB
- Power Source: 110-240V adapter included, 6 AA batteries (not included)
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Reweigh, Auto Zero, Auto Off



Durable Steel Construction



MODEL

2000KL

WEIGHT (LB)

Bar: 9.25 lb
Hoyer Lift: 76 lb
Assembly: 45 lb

SHIPPING DIMS. (L x W x H) / CUBE

Bar:
68.375" x 3.25" x 2.125" / 0.27
Hoyer Lift:
51.625" x 25.875" x 13.125" / 10.15
Assembly:
32.375" x 20.375" x 6.375" / 2.43



SPECIALTY SCALES



Low Profile Platform

MODEL
753KL

SHIPPING DIMS. (L x W x H) / CUBE
25.625" x 16.625" x 4.625" / 1.14

WEIGHT (LB)
18.25 lb

753KL

Legal for Trade Heavy Duty Remote Display Digital Scale

UPC 892076002770

- **EMR Connectivity Via USB**
- **Certified Legal for Trade**
- **Calculates Body Mass Index**
- **Low Profile Platform**

- Capacity: 600 lb / 272 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size:
14¼" (w) x 14¼" (d) x 2⅝" (h) /
362 mm (w) x 362 mm (d) x 67 mm (h)
- Height Rod: Optional PORTROD
- Display: 1" LCD

- Connectivity: USB
- Power Source: 110-240V adapter included, 6 C-cell batteries not included
- Functions: LB / KG Conversion, LB / KG Lock Out, Body Mass Index (BMI), Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



Bowl:
161 cubic inches



MODEL
222KL

SHIPPING DIMS. (L x W x H) / CUBE
22.125" x 10.25" x 11.25" / 1.48

MASTER PACK
4

WEIGHT (LB)
8.5 lb

222KL

Digital Lap Sponge / Specimen Scale

UPC 10892076002807

- **Stainless Steel Weighing Surface**
- **Lightweight and Portable**

- Capacity: 11 lb / 5 kg
- Resolution: ¼ oz / 1 g
- Bowl Size: 161 cubic inches
- Display: 1" LCD

- Power Source: (2) 3 - Volt Lithium batteries included
- Functions: LB / KG Conversion, Zero Out / Tare, Auto Zero, Auto Off

YG500R

Mechanical Diaper / Small Platform Scale

UPC 07717736019

- **Stainless Steel Weighing Surface**
- **Lightweight and Portable**
- **Platform Serves as a Handle**
- **Rotating Dial**

- Capacity: 500 g
- Graduation: 2 g
- Platform Size:
6" (w) x 4¾" (d) / 152 mm (w) x 121 mm (d)



MODEL
YG500R

SHIPPING DIMS. (L x W x H) / CUBE
11.375" x 11.375" x 7.5" / 0.56

WEIGHT (LB)
4.25 lb



7820-000-000

Hanging Scale

UPC 022319892022

- **Large Easy-to-Read Dial**
- **Durable Steel Construction for Long Lasting Use**
- **Heavy-Duty Steel Hooks Won't Bend or Break**

- Capacity: 220 lb / 100 kg
- Graduation: 2 lb / 1 kg
- Product Size: 19½" (w) x 3¼" (d) x 2" (h) /
495 mm (w) x 83 mm (d) x 51 mm (h)

MODEL
7820-000-000

WEIGHT (LB)
6 lb

SHIPPING DIMS. (L x W x H) / CUBE
19.375" x 12.375" x 4.625" / 0.64

553KL

Digital Tray Scale

UPC 892076002329

- Measuring Tape Included - Motion Detection

- Capacity: 44 lb / 20 kg
- Resolution: 0.5 oz / 10 g
- Tray Size:
24⁷/₈" (w) x 13" (d) x 1³/₈" (h) /
632 mm (w) x 330 mm (d) x 35 mm (h)
- Measuring Tape:
0" - 24" / 0 cm - 58 cm
- Display: 1" LCD
- Connectivity: USB
- Power Source: 6 AA batteries included, optional 110-240V power adapter (order # ADPT30)
- Optional Carrying Case item # 553CASE
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out / Tare, Hold / Release, Auto Zero, Auto Off



MODEL

553KL

WEIGHT (LB)

12.25 lb

SHIPPING DIMS. (L x W x H) / CUBE

28.125" x 19" x 5.5" / 1.70



549KL

Digital Tray Scale

UPC 892076002336

- LB / KG Lockout - Tare Functionality

- Capacity: 44 lb / 20 kg
- Resolution: 0.5 oz / 10 g
- Tray Size:
19¹/₄" (w) x 13" (d) x 2⁵/₈" (h) /
489 mm (w) x 330 mm (d) x 67 mm (h)
- Display: 0.6" LCD
- Power Source: 9 Volt battery included
- Optional Carrying Case item # 64769
- Functions: LB / KG Conversion, LB / KG Lock Out, Zero Out / Tare, Auto Zero, Auto Off

MODEL

549KL

WEIGHT (LB)

5.5 lb

SHIPPING DIMS. (L x W x H) / CUBE

22" x 15.375" x 5.75" / 1.13



VETERINARY SCALES

MODEL

2842KL

SHIPPING DIMS. (L x W x H) / CUBE

47.5" x 25.625" x 5.25" / 3.70

WEIGHT (LB)

61.75 lb



2842KL

Large Platform Digital Scale

UPC 892076002480

- **EMR Connectivity via Serial Port**
- **Motion Detection**
- **Stainless Steel Base with Durable, Non-Skid Platform**
- **Remote Display**

- Capacity: 600 lb / 270 kg
- Resolution: 0.2 lb / 0.1 kg
- Platform Size:
 - 22¼" (w) x 42" (d) x 2½" (h) /
 - 565 mm (w) x 1067 mm (d) x 64 mm (h)
- Display: 7/8" LCD
- Connectivity: Serial Port
- Power Source: 120V adapter included, 6 C-cell batteries (not included)
- Functions: LB / KG Conversion, Zero Out / Tare, Motion Detection



MODEL

222KL

SHIPPING DIMS. (L x W x H) / CUBE

22.125" x 10.25" x 11.25" / 1.48

MASTER PACK

4

WEIGHT (LB)

8.5 lb



222KL

Digital Lap Sponge / Specimen Scale

UPC 10892076002807

- **Stainless Steel Weighing Surface**
- **Lightweight and Portable**

- Capacity: 11 lb / 5 kg
- Resolution: ¼ oz / 1 g
- Bowl Size: 161 cubic inches
- Display: 1" LCD
- Power Source: (2) 3 - Volt Lithium batteries included
- Functions: LB / KG Conversion, Zero Out / Tare, Auto Zero, Auto Off



MODEL

8320KL

SHIPPING DIMS. (L x W x H) / CUBE

22.125" x 17.75" x 14.375" / 3.27

MASTER PACK

4

WEIGHT (LB)

24.25 lb

8320KL

Digital Portable Tray Scale

UPC 10892076002814

- **Motion Detection**
- **Easy Portability**

- Capacity: 33 lb / 15 kg
- Resolution: 0.5 oz / 10 g
- Tray Size:
 - 23½" (w) x 11" (d) x 7/8" (h) /
 - 597 mm (w) x 279 mm (d) x 22 mm (h)
- Display: ¾" LCD
- Power Source: 2 AAA batteries included
- Optional Carrying Case item # 64771
- Functions: LB / KG Conversion, Zero Out / Tare, Auto Zero, Auto Off

386S-01 / 386KGS-01

Mechanical Tray Scale

- Built-in Measuring Tape
- Handle for Portability

MODEL: **386S-01** *Pounds Only*
UPC 892076002305

- Tray Size:
19³/₈" (w) x 12³/₈" (d) x 3³/₄" (h) /
492 mm (w) x 314 mm (d) x 95 mm (h)
- Measuring Tape: 0" - 18" / 0 cm - 46 cm
- Capacity: 50 lb
- Graduation: 1/4 lb

MODEL: **386KGS-01** *Kilograms Only*
UPC 892076002312

- Tray Size:
19³/₈" (w) x 12³/₈" (d) x 3³/₄" (h) /
492 mm (w) x 314 mm (d) x 95 mm (h)
- Measuring Tape: 0" - 18" / 0 cm - 46 cm
- Capacity: 25 kg
- Graduation: 100 g



MODEL

386S-01
386KGS-01

SHIPPING DIMS. (L x W x H) / CUBE

21.75" x 16.875" x 6.875" / 1.46

WEIGHT (LB)

11.5 lb

YG500R

Mechanical Small Platform Scale

UPC 07717736019

- Stainless Steel Weighing Surface
- Lightweight and Portable

- Capacity: 500 g
- Graduation: 2 g
- Platform Dimensions:
6¹/₂" (w) x 6⁷/₈" (d) x 8⁵/₈" (h) /
152 mm (w) x 121 mm (d) x 216 mm (h)



MODEL

YG500R

SHIPPING DIMS. (L x W x H) / CUBE

11.375" x 11.375" x 7.5" / 0.56

WEIGHT (LB)

4.25 lb

7820-000-000

Hanging Scale

UPC 022319892022

- Large Easy-to-Read Dial
- Durable Steel Construction for Long Lasting Use
- Heavy-Duty Steel Hooks Won't Bend or Break

- Capacity: 220 lb / 100 kg
- Graduation: 2 lb / 1 kg
- Product Size: 19¹/₂" (w) x 3¹/₄" (d) x 2" (h) /
495 mm (w) x 83 mm (d) x 51 mm (h)

MODEL

7820-000-000

SHIPPING DIMS. (L x W x H) / CUBE

19.375" x 12.375" x 4.625" / 0.64

WEIGHT (LB)

6 lb



ACCESSORIES

Rolling Scale/Medical Device Cart



2210CART

- Capacity: 200 lb / 90 kg
- Top shelf has handle for easy grip
- Non-conductive wheels / 2 wheels with locks
- Cart Dimensions:
26½" (w) × 18" (d) × 34½" (h) /
673 mm (w) × 457 mm (d) × 867 mm (h)
- Lockable Cabinet:
23" (w) × 16¾" (d) × 17" (h) /
584 mm (w) × 427 mm (d) × 432 mm (h)
- Storage shelf is easy to clean, durable blue plastic
- Use with pediatric scales
2210KL, 553KL, 549KL

Carrying Cases

64771

- Carrying Case for:

- 349KLX
- 498KL
- 752KL
- 100LB / 100KG
- 175LB
- 800KL
- 822KL
- 844KL
- 8320KL



64769

- Carrying Case for 549KL



553CASE

- Carrying Case for 553KL



Height Measuring Instruments



PORTROD

Wall Mounted Height Rod

- Range: 23½" – 83"

STROD

Height Rod

- Range: 23½" – 84"

- Attachment for:

- 1100KL
- 2101KL



402KLROD

Metal Height Rod

- Range: 23½" – 84"

- Can be mounted to:

- 400KL
- 402KL
- 402LB
- 450KL




*Order WMROD KIT
for anchors and
screws only*

WMROD

402KLROD with anchors and screws.

Mount on wall or on scale.

- Range: 23½" – 84"



499KLROD

Metal Height Rod

- Range: 23½" – 84"

- Can be mounted to:

- 499KL
- 599KL



Power Sources / Adapters

ADPT30

110-240V Power Source

- Use For

- 553KL
- 1100KL
- 2000KL
- 2101KL
- 2400KL
- 2500KL
- 2595KL
- 2600KL
- 2610KL
- 2650KL
- 2700KL



ADPT31

120V Power Source

- Use For

- 498KL
- 499KL
- 500KL
- 522KL
- 524KL
- 2842KL



ADPT40

120V Power Source

- Use For 349KLX



ADPT50

110-240V Power Source

- Use For

- 597KL
- 599KL
- 600KL
- 752KL
- 753KL



PLUGSET

International wall receptacle adapters

- Use For Scales with ADPT30 or ADPT50 Power Source

(See Above)



Health o meter® Professional Scales Connectivity Kit for Welch Allyn® Vital Signs Devices

This external adapter allows a broad range of our digital scales to interface with Welch Allyn Spot Vital Signs LXi, Connex Vital Signs Monitors and Connex Integrated Wall Systems to transfer weight, height, and BMI measurements to EMR systems. See Connectivity page for more information.

Patent Pending



MODEL: C-HOMWA-1

UPC 892076002022

Connectivity Kit interfaces with Welch Allyn Connex Vital Signs Monitors and Connex Integrated Wall Systems.

MODEL: L-HOMWA-1

UPC: 892076002039

Connectivity Kit interfaces with Welch Allyn Spot Vital Signs® LXi Monitors.

Wheels, Counterweights & Ramps

55000

Wheel Brackets

- Use for

- 400 Series



55070

Counterweights

- Use for

- 450KL



55090

Counterweights

- Use for

- 400KL
- 402KL



B2500RAMP

Secondary ramp for on-off wheelchair movement

- Use for

- 2500KL
- 2500CKL



B2600RAMP

Secondary ramp for on-off wheelchair movement

- Use for

- 2600KL

STAND-ON SCALES

								
Features	500KL DIGITAL	499KL DIGITAL	498KL DIGITAL	1100KL DIGITAL	2101KL DIGITAL	ELEVATE DIGITAL	600KL DIGITAL	597KL DIGITAL
Capacity	500lb/220kg	500lb/220kg	500lb/220kg	1000lb/454kg	1000lb/454kg	600lb/272kg	600lb/272kg	600lb/272kg
Resolution or Graduation	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg
Height Rod	•					Digital Ht Rod	Digital Ht Rod	•
LCD Display Size	1"	1"	1"	¾"	¾"	1"	1"	1"
Weight Beam								
Mobility (wheels)	•	•		•	•	•	•	•
Connectivity	•	•	•	•	•	•	•	•
Power Adapter Included				•	•	•	•	•
Batteries Included	•	•	•					
Warranty (years)	2	2	2	2	2	2	2	2
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric
Platform Size (Width x Depth)	13¾" x 16½"/ 349mm x 419mm	13¾" x 16½"/ 349mm x 419mm	13¾" x 16½"/ 349mm x 419mm	22" x 15¾"/ 559mm x 400mm	26" x 22"/ 660mm x 559mm	14¼" x 14¼"/ 362mm x 362mm	14¼" x 14¼"/ 362mm x 362mm	14¼" x 14¼"/ 362mm x 362mm
Platform Height	2⅝"/60mm	2⅝"/60mm	2⅝"/60mm	2½"/64mm	2⅝"/60mm	2⅝"/67mm	2⅝"/67mm	2⅝"/67mm
Functions								
EMR Capable	•	•	•	•	•	•	•	•
LB/KG Lockout	•	•	•	•	•	•	•	•
LB/KG Conversion	•	•	•	•	•	•	•	•
Hold/Release	•	•	•	•	•	•	•	•
Body Mass Index (BMI)	•	•	•	•	•	•	•	•
Zero Out	•	•	•	•	•	•	•	•
Tare				•	•			
Auto Zero	•	•	•	•	•	•	•	•
Auto Off	•	•	•	•	•	•	•	•
Optional Acces.	(see page 28-29)							
Power Adapter	•	•	•					
Carrying Case			•					
Height Rod		•	•	•	•			

HEIGHT RODS

					
Features	STROD	402KLROD	499KLROD	PORTROD	WMROD
Measuring Range	23⅝"-84"	23⅝"-84"	23⅝"-84"	23⅝"-83"	23⅝"-84"
Graduation	⅛"	⅛"	⅛"	⅛"	⅛"
Dimensions (Width x Depth x Height)	8½" x 13⅞" x 46½" 216mm x 333mm x 1181mm	13½" x 1½" x 80¼" 343mm x 38mm x 2038mm	13½" x 1½" x 80¼" 343mm x 38mm x 2038mm	8¼" x 2¾" x 60" 210mm x 70mm x 1524mm	13½" x 1½" x 80¼" 343mm x 38mm x 2038mm
Weight (lb)	8	4	4	1¼	4
Scales used with	1100KL, 2101KL	400 series	499KL, 599KL	All Scales	400 series

								
599KL DIGITAL	349KLX DIGITAL	752KL DIGITAL	753KL DIGITAL	400KL MECHANICAL	402KL MECHANICAL	450KL MECHANICAL	402LB MECHANICAL	402KG MECHANICAL
600lb/272kg	400lb/180kg	600lb/272kg	600lb/272kg	390lb/180kg	390lb/180kg	350lb/160kg	400lb	200kg
0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	¼lb/100g	¼lb/100g	¼lb/100g	¼lb	100g
					•	•	•	•
1"	½"	1"	1"					
				Fixed	Fixed	Rotating	Fixed	Fixed
•				Optional	Optional	Optional	Optional	Optional
•		•	•					
•		•	•					
	•							
2	2	2	2	10	10	10	10	10
inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric
14¼" x 14¼"/ 362mm x 362mm	12½" x 12"/ 318mm x 305mm	14¼" x 14¼"/ 362mm x 362mm	14¼" x 14¼"/ 362mm x 362mm	10½" x 14"/ 267mm x 356mm	10½" x 14"/ 267mm x 356mm	10½" x 14"/ 267mm x 356mm	10½" x 14"/ 267mm x 356mm	10½" x 14"/ 267mm x 356mm
2⅝"/67mm	1⅞"/48mm	2⅝"/67mm	2⅝"/67mm	3¼"/83mm	3¼"/83mm	3¼"/83mm	3¼"/83mm	3¼"/83mm
•		•	•					
•	•	•	•					
•	•	•	•					
•		•	•					
•	•	•	•					
•	•	•	•					
•	•	•	•					
•	•	•	•					
	•							
	•	•						
•	•	•	•	•				

WHEELCHAIR SCALES

								
Features	2600KL DIGITAL	2610KL DIGITAL	2500KL DIGITAL	2500CKL DIGITAL	2400KL DIGITAL	2650KL DIGITAL	2700KL DIGITAL	
Capacity	1000lb/454kg	1000lb/454kg	1000lb/454kg	1000lb / 454kg	800lb/363kg	1000lb/454kg	1000lb/454kg	
Resolution or Graduation	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb / 0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	
LCD Display Size	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	
Mobility (wheels)	•	•	•	•	Fold and Carry	•	•	
Connectivity	•	•	•	•	•	•	•	
Power Adapter Included	•	•	•	•	•	•	•	
Warranty (years)	2	2	2	2	2	2	2	
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	
Platform Size (Width x Depth)	36" x 32 1/4" / 914mm x 819mm	36" x 32 1/4" / 914mm x 819mm	29 3/8" x 28 1/4" / 746mm x 718mm	29 3/8" x 28 1/4" / 746mm x 718mm	Rails: 6" x 40" / 152mm x 1273mm	31 1/2" x 31 1/2" / 800mm x 800mm	43" x 42" / 1092mm x 1067mm	
Platform Height	2 1/2" / 64mm	2 1/2" / 64mm	2 3/8" / 60mm	2 3/8" / 60mm	2 5/8" / 67mm	2" / 51mm	2 1/2" / 64mm	
Seat Size (Width x Depth x Height)				16 3/4" x 17" x 18" / 425mm x 324mm x 457mm				
Functions								
EMR Capable	•	•	•	•	•	•	•	
LB/KG Lockout	•	•	•	•	•	•	•	
LB/KG Conversion	•	•	•	•	•	•	•	
Hold/Release	•	•	•	•	•	•	•	
Body Mass Index (BMI)	•	•	•	•	•	•	•	
Zero Out	•	•	•	•	•	•	•	
Tare	•	•	•	•	•	•	•	
Auto Zero	•	•	•	•	•	•	•	
Auto Off	•	•	•	•	•	•	•	
Optional Acces. (see page 28-29)								
Ramp	•		•	•				

CHAIR SCALES

				
Features	2595KL DIGITAL	594KL DIGITAL	445KL MECHANICAL	
Capacity	600lb/272kg	600lb/270kg	440lb/200kg	
Resolution or Graduation	0.2lb/0.1kg	0.2lb/0.1kg	1/4lb/100g	
LCD Display Size	1 1/8"	1 1/4"		
Weight Beam			Fixed	
Mobility (wheels)	•	•	•	
Connectivity	•			
Power Adapter Included	•	•**		
Batteries Included		•*		
Warranty (years)	3	2	2	
Dimensions	inches/metric	inches/metric	inches/metric	
Seat Size (Width x Depth)	18 1/4" x 15 5/8" / 464mm x 397mm	18 1/4" x 15" / 464mm x 381mm	18 1/2" x 17 1/4" / 470mm x 438mm	
Seat Height	16 1/2" / 419mm	17 1/2" / 445mm	15 3/4" / 400mm	
Functions				
EMR Capable	•			
LB/KG Lockout	•			
LB/KG Conversion	•	•		
Zero Out	•	•		
Tare		•		
Auto Zero	•	•		
Auto Off	•	•		

** Battery Charger Included
* Rechargeable Battery

BARIATRIC SCALES

								
Features	752KL DIGITAL	599KL DIGITAL	597KL DIGITAL	600KL DIGITAL	ELEVATE DIGITAL	1100KL DIGITAL	2101KL DIGITAL	2400KL DIGITAL
Capacity	600lb/272kg	600lb/272kg	600lb/272kg	600lb/272kg	600lb/272kg	1000lb/454kg	1000lb/454kg	800lb/363kg
Resolution or Graduation	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb/0.1kg	0.2lb / 0.1kg
Height Rod			•	Digital Ht Rod	Digital Ht Rod			
LCD Display Size	1"	1"	1"	1"	1"	¾"	¾"	¾"
Mobility (wheels)		•	•	•	•	•	•	Fold and Carry
Connectivity	•	•	•	•	•	•	•	•
Power Adapter Included	•	•	•	•	•	•	•	•
Warranty (years)	2	2	2	2	2	2	2	2
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric
Platform Size (Width x Depth)	14¼" x 14¼" 362mm x 362mm	14¼" x 14¼" 362mm x 362mm	14¼" x 14¼" 362mm x 362mm	14¼" x 14¼" 362mm x 362mm	14¼" x 14¼" 362mm x 362mm	22" x 15¾" 559mm x 400mm	26" x 22" 660mm x 559mm	Rails: 6" x 40" 152mm x 1273mm
Platform Height	2⅝"/67mm	2⅝"/67mm	2⅝"/67mm	2⅝"/67mm	2⅝"/67mm	2½"/64mm	2⅜"/60mm	2⅝"/67mm
Functions								
EMR Capable	•	•	•	•	•	•	•	•
LB/KG Lockout	•	•	•	•	•	•	•	•
LB/KG Conversion	•	•	•	•	•	•	•	•
Hold/Release	•	•	•	•	•	•	•	•
Body Mass Index (BMI)	•	•	•	•	•	•	•	•
Zero Out	•	•	•	•	•	•	•	•
Tare						•	•	•
Auto Zero	•	•	•	•	•	•	•	•
Auto Off	•	•	•	•	•	•	•	•
Optional Acces. (see page 28-29)								
Height Rod	•	•				•	•	

Bariatric Scales Continued

							
Features	2650KL DIGITAL	2700KL DIGITAL	2500KL DIGITAL	2500CKL DIGITAL	2600KL DIGITAL	2610KL DIGITAL	2000KL DIGITAL
Capacity	1000lb/454kg	1000lb/454kg	1000lb/454kg	1000lb / 454kg	1000lb/454kg	1000lb/454kg	400lb/180kg
Resolution or Graduation	0.2lb / 0.1kg	0.2lb / 0.1kg	0.2lb / 0.1kg	0.2lb / 0.1kg	0.2lb / 0.1kg	0.2lb / 0.1kg	0.2lb/0.1kg
Height Rod							
LCD Display Size	¾"	¾"	¾"	¾"	¾"	¾"	¾"
Mobility (wheels)	•	•	•	•	•	•	•
Connectivity	•	•	•	•	•	•	•
Power Adapter Included	•	•	•	•	•	•	•
Warranty (years)	2	2	2	2	2	2	2
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric
Platform Size (Width x Depth)	31½" x 31½" 800mm x 800mm	43" x 42" 1092mm x 1067mm	29⅝" x 28¼" 746mm x 718mm	29⅝" x 28¼" 746mm x 718mm	36" x 32¼" 914mm x 819mm	36" x 32¼" 914mm x 819mm	Canvas: 70½" x 30" 1791mm x 762mm
Platform Height	2"/51mm	2½"/64mm	2⅝"/60mm	2⅝"/60mm	2½"/64mm	2½"/64mm	
Seat Size (Width x Depth x Height)				16¾" x 17" x 18" 425mm x 324mm x 457mm			
Functions							
EMR Capable	•	•	•	•	•	•	•
LB/KG Lockout	•	•	•	•	•	•	•
LB/KG Conversion	•	•	•	•	•	•	•
Hold/Release	•	•	•	•	•	•	•
Body Mass Index (BMI)	•	•	•	•	•	•	•
Zero Out	•	•	•	•	•	•	•
Tare	•	•	•	•	•	•	•
Auto Zero	•	•	•	•	•	•	•
Auto Off	•	•	•	•	•	•	•
Optional Acces.							
Ramp			•	•	•		

NEONATAL & PEDIATRIC SCALES

								
Features	2210KL DIGITAL	553KL DIGITAL	549KL DIGITAL	522KL DIGITAL	524KL DIGITAL	8320KL(S) DIGITAL	222KL(S) DIGITAL	1522KL MECHANICAL
Capacity	45lb/20kg	44lb/20kg	44lb/20kg	50lb/23kg	50lb/23kg	33lb/15kg	11lb/5kg	130lb/65kg
Resolution or Graduation	0.1oz/0-11300g/1g; >11300g/5g	0.5oz/10g	0.5oz/10g	0-20lb/.2oz; 20-50lb/.5oz 0-9kg/5g; 9-23kg/11g	0-20lb/.2oz; 20-50lb/.5oz 0-9kg/5g; 9-23kg/11g	0.5oz/10g	¼oz/1g	1oz/20g
LCD Display Size	5/8"	1"	0.6"	1"	1"	¾"	1"	
Connectivity		•		•	•			
Batteries Included	•	•	•	•	•	•	•	
Warranty	3	2	2	2	2	2	2	2
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric
Tray Size (Width x Depth)	24" x 15 3/8" 610mm x 391mm	24 7/8" x 13" 632mm x 330mm	19 1/4" x 13" 489mm x 330mm	24 1/8" x 14 1/2" 613mm x 368mm		23 1/2" x 11" 597mm x 279mm	Bowl: 161 cu.in.	24 1/8" x 14 1/2" 613mm x 368mm
Seat Size (Width x Depth)					24 1/4" x 14 1/4" 616mm x 362mm			
Tray Height	3 7/16mm	1 5/8"/35mm	2 5/8"/67mm	2 5/8"/67mm		7/8"/22mm		3 1/4"/83mm
Seat Height					18 1/2"/470mm			
Functions								
EMR Capable		•		•	•			
LB/KG Lockout	GM/LB Lockout	•	•	•	•			
LB/KG Conversion	LB/GM Conversion	•	•	•	•	•	•	
Hold/Release		•		•	•			
Zero Out	•	•	•	•	•	•	•	
Tare	•		•					
Auto Zero	•	•	•	•	•	•	•	
Auto Off	•	•	•	•	•	•	•	
Optional Acces.	(see page 28-29)							
Power Adapter		•		•	•			
Carrying Case		•	•			•		

Pediatric Scales Continued

				
Features	1524KL MECHANICAL	386S-01 MECHANICAL	386KGS-01 MECHANICAL	YG500R MECHANICAL
Capacity	130lb/65kg	50lb	25kg	500g
Resolution or Graduation	1oz/20g	¼lb	100g	2g
Warranty	2	1	1	1
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric
Tray Size (Width x Depth)		19 3/8" x 12 3/8" 492mm x 314mm	19 3/8" x 12 3/8" 492mm x 314mm	6" x 4 3/4" 152mm x 121mm
Seat Size (Width x Depth)	24 1/2" x 14 1/4" 622mm x 362mm			
Tray Height		3 3/4"/95mm	3 3/4"/95mm	8 1/2"/216mm
Seat Height	18 1/2"/470mm			

PROFESSIONAL HOME CARE SCALES

										
Features	800KL(S) DIGITAL	822KL(S) DIGITAL	844KL(S) DIGITAL	160KL(S) MECHANICAL	160LB(S) MECHANICAL	160KG(S) MECHANICAL	100KG(S) MECHANICAL	100LB(S) MECHANICAL	142KL(S) MECHANICAL	175LB(S) MECHANICAL
Capacity	397lb/180kg	400lb/180kg	440lb/200kg	400lb/180kg	400lb	180kg	120kg	270lb	330lb/150kg	330lb
Resolution or Graduation	0.2lb/0.1kg	0.1lb/0.05kg	0.1lb/0.05kg	1lb/1kg	1lb	1kg	0.5kg	1lb	1lb/0.5kg	1lb
LCD Display Size	1½"	1½"	1¼"							
Batteries Included	•	•	•							
Warranty	1	1	1	1	1	1	1	1	1	1
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric
Platform Size (Width x Depth)	12¼" x 12¼" 311mm x 311mm	14¼" x 11¾" 362mm x 298mm	12½" x 12½" 321mm x 321mm	11" x 12½" 279mm x 318mm	11" x 12½" 279mm x 318mm	11" x 12½" 279mm x 318mm	10¼" x 9⅝" 260mm x 251mm	10¼" x 9⅝" 260mm x 251mm	11½" x 10¾" 292mm x 273mm	11⅝" x 9¾" 289mm x 248mm
Platform Height	1⅞"/29mm	1½"/38mm	1⅞"/48mm	3/76mm	3/76mm	3/76mm	1⅞"/48mm	1⅞"/48mm	2¼"/57mm	2"/51mm
Functions										
LB/KG Lockout	LB/KG Switch	LB/KG Switch	LB/KG Switch							
Auto Zero	•	•	•							
Auto Off	•	•	•							
Optional Acces. (see page 28-29)										
Carrying Case	•	•	•				•	•		•
Height Rod	•	•	•	•	•	•	•	•	•	•

VETERINARY SCALES

									
Features	553KL DIGITAL	549KL DIGITAL	2842KL DIGITAL	222KL(S) DIGITAL	8320KL DIGITAL	386S-01 MECHANICAL	386KGS-01 MECHANICAL	YG500R MECHANICAL	7820-000-000 MECHANICAL
Capacity	44lb/20kg	44lb/20kg	600lb/270kg	11lb/5kg	33lb/15kg	50lb	25kg	500g	220lb/100kg
Resolution or Graduation	0.5oz/10g	0.5oz/10g	0.2lb/0.1kg	¼oz/1g	0.5oz/10g	¼lb	100g	2g	2lb/1kg
LCD Display Size	1"	0.6"	7/8"	1"	¾"				
Connectivity	•		•						
Power Adapter Included			•						
Batteries Included	•	•		•	•				
Warranty	2	2	3	2	2	1	1	1	
Dimensions	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric	inches/metric
Tray Size (Width x Depth)	24⅞" x 13" 632mm x 330mm	19¼" x 13" 489mm x 330mm		Bowl 161 cu. in.	23½" x 11" 597mm x 279mm	19⅝" x 12⅝" 492mm x 314mm	19⅝" x 12⅝" 492mm x 314mm		
Platform Size (Width x Depth)			22¼" x 42" 566mm x 1067mm					6" x 4¾" 152mm x 121mm	
Tray Height	1⅝"/35mm	2⅝"/67mm			7/8"/22mm	3¼"/95mm	3¼"/95mm		
Platform Height			2½"/64mm					8½"/216mm	
Functions									
LB/KG Lockout	•	•							
LB/KG Conversion	•	•	•	•	•				
Hold/Release	•								
Zero Out	•	•	•	•	•				
Tare		•	•						
Auto Zero	•	•		•	•				
Auto Off	•	•		•	•				
Optional Acces. (see page 28-29)									
Power Adapter	•								
Carrying Case	•	•			•				



Health o meter®

P r o f e s s i o n a l

Healthcare Scales Since 1919

Corporate Headquarters: **Pelstar, LLC** : 9500 West 55th St., McCook, IL 60525-7110 USA

Main Number: 1 (708) 377-0600
Customer Service: 1 (800) 815-6615
Technical Support: 1 (800) 638-3722
Fax: 1 (708) 377-0601 or
1 (800) 654-7330
E-mail: homprocs@homscales.com
Website: www.homscales.com