



100+ YEARS MADE IN USA - PRICE LIST - EFFECTIVE JULY 2011

## IMPORTED FROM LANCASTER

COUNT and WEIGH SCALES + INDICATORS  
 BATCHING SYSTEMS + PROCESS CONTROLS + LOAD CELLS  
 PLATFORMS + ACCESSORIES  
 FLOOR SCALES + AIRLINE BAGGAGE SCALES  
 OEM PRODUCTS + CUSTOM DESIGN and ENGINEERING

PAGE	MODEL	APPLICATION	DESCRIPTION
<b>1</b>		<b>Terms &amp; Conditions</b>	
<b>2</b>	7500+ 7600+	<b>BENCH SCALES</b> Weigh + Count	2 units of measure + COUNT: AC, AC/DC 2 lbs to 200 lbs capacities, HD cast construction Optional 2 <sup>nd</sup> BASE capability (7600+)
<b>3</b>	7300+	<b>BENCH SCALES</b> Weighing + Displays	HD Bench Scales - 2 lbs to 200 lbs capacity Ideal for Ship Systems, weighing applications
<b>4</b>	7500+ 7600+	<b>INDICATORS</b> Weigh + Count	Universal Count + Weight Indicators 'PA-style' calibration and functionality Quick disconnect or direct wire load cell input Free matching when purchased with platform
<b>5</b>	7400+ 7600E	<b>INDICATORS</b> Weight only	Universal Weighing + Batching Indicators 'EW-style' calibration and functionality (2) independent RS-232 outputs + RS422, RS485 Batching, truck in/out, heavy capacity weighing
<b>6</b>	7000	<b>BENCH BASES</b>	2 lbs to 200 lbs platforms for remote bases Single point load cell design
<b>7</b>	SS6200 SS	<b>SS BENCH SCALES</b> With / Indicator	SS Bench Scales for counting, weighing, package checking, Sanitary platforms capacities 10 to 100 lbs
<b>8</b>	M6400 MS SS6400 SS	<b>H.D. BASES</b> + Accessories	18 x 18", 18 X 24", 24 x 24", 24 X 30" Mild Steel (M) and Stainless Steel (SS) models Capacities 100, 250, 500, 1000 lb single point load cell design
<b>8-13</b>	M6600 SS6600	<b>H.D. FLOOR SCALES</b> + Accessories	24 x 24" 1K to 96 x 120" 40K Designs Wide range, Proven performance, Premium quality
<b>11</b>	M6600	<b>RAMPS</b>	Loading Ramps, Pit Frames, Mounting Options
<b>11 + 13</b>	SS6600	<b>OPTIONS</b>	Forklift Skids, Mounting Options, Optional Features
<b>14</b>	6900 69PB 6950	<b>BARREL SCALES</b> Portable, Non- Portable, Live Ramp	Ultra low profile 'live side rail' designs for laundries, barrel weighing, tight spaces, hand carts
<b>15</b>	M64+	<b>BAGGAGE SCALES</b>	Baggage weighing for Airports, Train + Bus terminals - wide range of standard and custom sizes
<b>16</b>	<b>TANK SCALES</b>	Tank/Hopper kits	Mounts, Summing boxes, Components, <b>LOAD CELLS</b>
<b>17</b>	<b>BOARDS</b>	Parts	Selection guide, <b>PLUS+</b> Series Main Boards

PH: 800.233.0473 or 717.295.6935  
 FX: 800.768.6350 or 717.295.6941

[www.pascale.com](http://www.pascale.com)



## **TERMS & CONDITIONS**

Prices, conditions are subject to change without notice. While every attempt has been made to accurately reflect the specifications of Pennsylvania Scale Company products, we cannot be responsible for errors. We reserve the right to make changes to the design at any time for the purpose of continuous improvement (except type approved models).

**TERMS:** Credit card or prepayment. Net 30 days terms with prior approval/*accounts in good standing only*.

**CREDIT CARDS:** Receipts are provided by FAX for all credit or debit card orders. Please note the charge will appear on your invoice under the heading 'The A.H. Emery Company (dba) Pennsylvania Scale Company'.

**MINIMUM BILLING:** \$50 for resellers – strictly enforced.

**RESTOCKING FEE:** 15% of NET COST to cover the cost of rechecking, restocking, and repackaging unused equipment. Items that are used but deemed defective will be covered under the standard terms of our Limited Warranty policy.

**SHIPPING DAMAGE:** Products are sold FOB Shipping Point, ex factory, Lancaster, Pennsylvania or Terre Haute, IN. While we warrant that the items have been packed appropriately and securely using reasonable care, we cannot be liable for shipping damage caused by the carrier. Further, it is the responsibility of the receiver to file a claim with the carrier and to note damage to the Bill of Lading.

**FREIGHT VOLUME DISCOUNTS** on Prepay & Add shipments may include a minimal and reasonable service fee. Note: Beware of other suppliers that do not pass along the freight volume discount when freight is billed. Pennsylvania Scales' policy regarding freight could result in a significant cost saving to your customer and provide an important cost advantage when the landed cost of the product is determined.

**DROP SHIPMENTS:** *No added fee for drop shipping products.* Applicable state taxes will be added.

**MATCHING/FACORY CALIBRATION:** Matching of Pennsylvania Scale indicators and platforms when ordered as a system is n/c. Matching a non-Pennsylvania Scale indicator to a Pennsylvania platform prior to shipping is available at the net cost of \$100.

**US\$:** All prices are quoted in US DOLLARS. Items ship NAFTA Free Trade to our North American business partners.

### **DEFINITIONS:**

- A **distributor** is a reseller, regularly engaged in the calibration, support, sales, and service of Pennsylvania Scale products. In the course of business a **distributor** stocks equipment, basic replacement parts, maintains a library of technical info, and provides field support/Warranty support if needed. A **distributor in good standing** receives a significant trade discount as compensation for customer provided value to the chain of distribution. A **minimum sales quota** is required to maintain distributor standing and max discount.
- A **dealer** is a reseller but does not stock basic service parts, functioning as a commissioned broker for the company's products, not engaged in the continuous and proactive promotion and sale of the company's products. A dealer receives a resale discount commensurate with actual value provided to the customer experience + commitment to Pennsylvania Scale based on dollar sales volume.
- Like all other manufacturers, Pennsylvania Scale may, at its discretion, establish relationships with **OEMs** (Original Equipment Manufacturers), **municipalities**, **vertical resellers**, or **National Accounts** for competitive vertical market access to Pennsylvania Scale products.

## 7500+ & 7600+ HD/Hi-Res Bench Counting & Weighing Scales

Capacities & standard resolution @ 10,000 d—others available	Platform Size	7500+ Scale	7600+ Scale
2 x 0.0002 lb -- 907.2 x 0.1 g*	8" X 8" Aluminum	\$945 A/B	\$995 A/B
5 x 0.0005 lb -- 2268 x 0.2 g*	8" X 8" Aluminum	\$945 A/B	\$995 A/B
10 x 0.001 lb -- 4536 x 0.5 g*	12" X 14" SS	\$945 A/B	\$995 A/B
20 x 0.002 lb -- 9.072 x 0.001 kg*	12" X 14" SS	\$945 A/B	\$995 A/B
50 x 0.005 lb -- 22.68 x 0.005 kg*	12" X 14" SS	\$945 A/B	\$995 A/B
100 x 0.01 lb -- 45.36 x 0.005 kg*	12" X 14" SS	\$945 A/B	\$995 A/B
150 x 0.02 lb -- 68.04 x 0.01 kg*	12" X 14" SS	\$945 A/B	\$995 A/B
200 x 0.02 lb -- 90.72 x 0.01 kg*	12" X 14" SS	\$945 A/B	\$995 A/B

\*(2) standard weight units can be provided as Primary and Secondary units of measure: Other weight units & resolutions including Lb/Oz—can be specified with order – consult factory.

**NOTE:** Not all custom units and resolutions are suitable for Commercial Applications.

Options	Description	7500+	7600+
AC/DC Operation <factory installed only>	30+ hours use with integrated recharging and HD power cord; functions as a U.P.S.	\$195 B	\$195 B
REMOTE DISPLAY CASTING <factory installed>	Primary display casting is remoted w/ 10' cable. Ideal for custom work stations or where items block the display	\$195 B	\$195 B
2 <sup>nd</sup> REMOTE DISPLAY (casting)	Plug & play REMOTE casting for a total of (2) displays with button functions; 10' cable	\$390 B	\$390 B
57825	220/230 Volt Power	N/C	N/C
TD (STD 7600)	Time and Date printing	\$50 B	Standard
DB <Factory Installed> or 57834 <Field Kit>	2 <sup>nd</sup> Base Input—for dual base or Sample/Bulk Counting applications Note: PLUS+ series board ONLY	N/A	\$195 B
Factory Matching of 2 <sup>nd</sup> base (ordered together)	Any Pennsylvania Scale platform ordered as BASE 2 is matched at no cost, plug & play.	N/A	No Charge
56750-5 Ball Top	Ball Transfer Top Plate, 12 x 14" in place of std. SS platform – 50 lbs and up models only	\$235 C	\$235 C
MDL 7500-5 BW BASIS WEIGHT SCALE	5 x .005 lb—Used to calculate REAM WEIGHT of 480, 500, or 1000 sheet reams	\$945 A/B	N/A
MDL 7500 MM MONEY MANAGER	Weight count COINS within preset coin APW (can be modified) x 4 coins	\$945 A/B	N/A
57520	Replacement Battery Pack for AC/DC units	\$95 C	\$95 C
AO – ANALOG OUTPUT or 57811 FIELD KIT	Jumper select 0-10 VDC or 4-20 mA proportional output via 2 post terminals	\$250 B	\$250 B
ETHERNET MODULE or 57869A FIELD KIT	Lantronix Xport module and option board includes software license & IP address	\$250 B	\$250 B
SSR SOLID STATE RELAY BOARD	(2) AC or DC I/O relays respond to COUNT or WEIGHT	N/A	\$250 B
SAE SPECIAL FEATURES	Contact factory—many standard and custom features can be added. Accumulator, Peak Hold, UPS online/FedEx, Dual/Triple ranging	Contact Factory	Contact Factory

## 7300+ HD Bench Weighing Platform Scale

Capacities and Accuracies, NTEP to 10,000 d.	Platform Sizes	Price/Code
2 x 0.0002 lb -- 907.2 x 0.1 g*	8" X 8" Aluminum	\$775 A/B
5 x 0.0005 lb -- 2268 x 0.2 g*	8" X 8" Aluminum	\$775 A/B
10 x 0.001 lb -- 4536 x 0.5 g*	12" X 14" SS	\$775 A/B
20 x 0.002 lb -- 9.072 x 0.001 kg*	12" X 14" SS	\$775 A/B
50 x 0.005 lb -- 22.68 x 0.005 kg*	12" X 14" SS	\$775 A/B
100 x 0.01 lb -- 45.36 x 0.005 kg*	12" X 14" SS	\$775 A/B
150 x 0.02 lb -- 68.04 x 0.01 kg*	12" X 14" SS	\$775 A/B
200 x 0.02 lb -- 90.72 x 0.01 kg*	12" X 14" SS	\$775 A/B

\*(2) standard weight units can be provided as Primary and Secondary units of measure: Other weight units & resolutions including Lb/Oz—can be specified with order – consult factory.

**NOTE:** Not all custom units and resolutions are suitable for Commercial Applications.

Options	Description	Price
AC/DC Operation <factory installed only>	30+ hours continuous use with integrated recharging and HD power cord; functions as an U.P.S.	\$195 B
RDT –REMOTE DISPLAY, MINI TOWER	Remote Display (total of 2 displays) with MINI TOWER and mount for counter or bench, 15" height, 10' cable; can be easily installed in the field as plug & play	\$195 B
RDW Desk/Wall Bracket	Remote Display (total of 2 displays) with WALL BRACKET and 10' cable can be easily added in the field.	\$195 B
57592	Rodent Cover; blocks opening at bottom of scale	\$25 B
57520	Replacement Battery Pack for AC/DC units	\$95 C
57825	220/230 Volt Power	N/C
TD	Time & Date Printing	\$50 B
56750-5 Ball Top	Ball Transfer Top Plate, 12 x 14" in place of std. SS platform – 50 lb and up models only	\$235 B
AO – ANALOG OUTPUT or 57811 FIELD KIT	Jumper select 0-10 VDC or 4-20 mA proportional output via 2 post terminals	\$250 B
ETHERNET MODULE or 57869A FIELD KIT	Lantronix Xport module and option board includes software license & IP address	\$250 B
SAE SPECIAL APPLICATIONS	Many standard or optional special operational features can be flashed-in using Serial Data Loader feature	CONTACT FACTORY
57520	Replacement Battery Pack for AC/DC units	\$125 C
UPS ONLINE, FedEx, Custom output string (emulates Toledo or Fairbanks)	Easy to set in the field by menu selection for shipping manifest systems and to emulate data strings for communication to replace existing units.	Standard Setting
DUAL/TRIPLE RANGING	BY MENU SETTING (specify ranges, non-COC)	N/C

- Extra rugged cast base, heavy duty construction – Made in USA
- 10,000 displayed counts in any of (2) weight units (specify with order)
- Remote display connector for dual displays with or without buttons
- Four Year Limited Warranty
- Programmable RS-232 serial data interface standard

## 7500+ Universal Counting & Weighing Indicators

### 7600+ Keypad version with Expanded Features

NTEP and Canada COC @ 10,000 divisions – Quick Disconnect standard or direct wire load cell connections

<b>7500+ COUNT &amp; WEIGH PA-STYLE CALIBRATION SIMPLE 4-KEY FRONT</b>	<b>Stainless Steel wash down enclosure w/ U- bracket.</b> - Weigh or High Resolution Count & Weigh. - Simplified 4 button operation; Sample Update <sup>™</sup> - Load Cell: Quick Disconnect (Standard.) or Hard Wired	<b>\$625 A/B</b>
<b>7600+ COUNT &amp; WEIGH PA-STYLE CALIBRATION FULL KEYBOARD + EXPANDED FEATURES</b>	<b>Stainless Steel wash down enclosure w/ U- bracket.</b> - Weigh or High Resolution Count & Weigh. - Full function numeric keyboard for direct data entry - Expanded operation features; dual base capability - Load Cell: Quick Disconnect (Standard.) or Hard Wired	<b>\$695 A/B</b>
<b>DB &lt;Factory Installed&gt; or 57834 &lt;Field Kit of Parts&gt;</b>	<b>2<sup>nd</sup> Base Input—for dual base or Sample/Bulk Counting applications</b>	<b>\$195 B</b>
<b>FACTORY MATCHING</b>	<b>Factory Match to any PA Platform when ordered as a system</b>	<b>N/C</b>
<b>AC/DC Operation &lt;factory installed only&gt;</b>	<b>30+ hours continuous use with integrated recharging and HD power cord; functions as a U.P.S., self-contained</b>	<b>\$225 B</b>
<b>57825</b>	<b>220/230 Volt Power</b>	<b>N/C</b>
<b>12/24 VDC POWER</b>	<b>12/24 V DC Power Supply main board for DC power applications – SPECIFY WITH ORDER</b>	<b>N/C</b>
<b>48445 LOAD CELL CONNECTOR KIT</b>	<b>Field Kit for Pennsylvania QUICK DISCONNECT; mates to standard fitting on all Pennsylvania Scale products</b>	<b>\$20 B</b>
<b>SSR SOLID STATE RELAY BOARD</b>	<b>(2) AC or DC I/O relays respond to COUNT or WEIGHT</b>	<b>\$250 B</b>
<b>SAE 12 VDC OUTPUT</b>	<b>Off/Pulsing/ON 12 VDC output drives light or buzzer at setpoint setting value/target weight</b>	<b>\$250 B</b>
<b>AO – ANALOG OUTPUT or 57811 FIELD KIT</b>	<b>Jumper select 0-10 VDC or 4-20 mA proportional output via 2 post terminals</b>	<b>\$250 B</b>
<b>ETHERNET MODULE or 57869A FIELD KIT</b>	<b>Lantronix Xport module and option board includes software license &amp; IP address</b>	<b>\$250 B</b>
<b>SAE SPECIAL APPLICATIONS</b>	<b>Many standard or optional special operational features can be flashed-in using Serial Data Loader feature</b>	<b>CONTACT FACTORY</b>
<b>57520</b>	<b>Replacement Battery Pack for AC/DC units</b>	<b>\$95 C</b>
<b>UPS ONLINE, FedEx, Emulation output string (Toledo or Fairbanks)</b>	<b>Easy to set in the field by menu selection for shipping manifest systems and to emulate data strings for communication to replace existing units.</b>	<b>Standard Setting</b>
<b>DUAL/TRIPLE RANGING</b>	<b>BY MENU SETTING (specify ranges, non-COC)</b>	<b>N/C</b>
<b>PANEL MOUNT VERSION</b>	<b>Must specify with order—requires E-enclosure + (2) 57907 brackets (clamp into panel from behind) w/hardware</b>	<b>\$50 B</b>

**FOUR YEAR LIMITED WARRANTY – MADE IN U.S.A. – PLUS+ SERIES ELECTRONICS**

## 7400+ TRUCK/BATCH/WEIGH INDICATORS

5-button front panel; Ideal for heavy capacity scales or batching applications – ‘EW Condec style’ calibration

## 7600E TRUCK/BATCH/WEIGH INDICATORS

Full Keypad version – Truck in/out weighing; Smart Serial outputs (2) independently configurable; ‘EW Condec-style’ calibration sequence for heavy capacity scales; 10 point linearization, tweek mode for zero or span.

Direct replacement for UMC-style indicators; batching and weighing

<b>7400+ WEIGH ONLY (E.W. STYLE CALIBRATION SCHEME)</b>	<b>Stainless Steel wash down enclosure w/U-bracket.</b> - Weight only; Pushbutton Tare, 5-button Front Panel - Process and bulk weighing applications imbedded - Unique Calibration sequence - 10 point linearization - Screw terminals for load cell connect, sealed fittings - 2 Independent Data Outputs + I/O terminals	<b>\$645 A/B</b>
<b>7600E WEIGH ONLY w/ EXPANDED FEATURES (E.W. STYLE CALIBRATION SCHEME)</b>	<b>Stainless Steel wash down enclosure w/U-bracket</b> - Weight only; Keyboard entry of data, 18-Key Front - Process and bulk weighing, Check Weighing, and Truck Scale applications – Menu Selected - Pre-programmed Batching sequences - Setpoint I/O + (300)Truck In/Out memories by menu select	<b>\$695 A/B</b>
<b>FACTORY MATCHING</b>	<b>Factory Match to any PA Platform when ordered as a system</b>	<b>N/C</b>
<b>57825</b>	<b>220/230 Volt Power</b>	<b>N/C</b>
<b>QUICK DISCONNECT</b>	<b>Mates to Pennsylvania quick connectors – specify w/order</b>	<b>N/C</b>
<b>AC/DC Operation &lt;factory installed only&gt;</b>	<b>30+ hours continuous use with integrated recharging and HD power cord; functions as an Uninterrupted Power Supply</b>	<b>\$225 B</b>
<b>220/230 VOLTS</b>	<b>SPECIFY WITH ORDER/STD. CORDSET ONLY</b>	<b>N/C</b>
<b>12/24 VDC POWER</b>	<b>12/24 V DC Power Supply main board for DC power applications</b>	<b>N/C</b>
<b>SSR SOLID STATE RELAY BOARD</b>	<b>(4) AC (standard) or DC solid state relays for Input or Output—convenient screw connections + easy set up FIELD KIT ADDS (3) 57833 SPACERS N/C Ideal for batching, relay communications &amp; control</b>	<b>\$250 B</b>
<b>AO – ANALOG OUTPUT or 57811 FIELD KIT</b>	<b>Jumper select 0-10 VDC or 4-20 mA proportional output via 2 post terminals</b>	<b>\$250 B</b>
<b>ETHERNET MODULE or 57869 FIELD KIT</b>	<b>Lantronix Xport module and option board includes software license &amp; IP address</b>	<b>\$250 B</b>
<b>57520</b>	<b>Replacement Battery Pack for AC/DC units</b>	<b>\$95 B</b>
<b>SAE SPECIAL APPLICATIONS</b>	<b>Many standard or optional special operational features can be flashed-in using Serial Data Loader feature</b>	<b>CONTACT FACTORY</b>
<b>PA-STYLE ENCLOSURE</b>	<b>SPECIFY WITH ORDER</b>	<b>N/C</b>
<b>PANEL MOUNT VERSION</b>	<b>Must specify with order—requires E-enclosure + (2) 57907 brackets (clamp into panel from behind) w/hardware fits cutout as replacement for original UMC 600/700</b>	<b>\$50 B</b>
<b>UNCASED VERSIONS</b>	<b>For custom or panel mount OEM installations</b>	<b>CONTACT FACTORY</b>

**FOUR YEAR LIMITED WARRANTY – MADE IN U.S.A. – PLUS+ SERIES ELECTRONICS**

## 7000 SERIES BENCH BASES

**Durable CAST construction (10 – 200 lb models) – EXCELLENT VALUE & UTILITY**

**Superior performance for parts counting or remote base applications**

**Uses Scaime AG load cell – NTEP and Canada COC**

Capacities and Accuracies	Platform Sizes	Price Code
2 x 0.0002 lb -- 907.2 x 0.2 g*	8" X 8" Aluminum	\$525 A/B
5 x 0.0005 lb -- 2268 x 0.5 g*	8" X 8" Aluminum	\$525 A/B
<b>RUGGED H.D. CAST BASE AND SUBPLATFORM, SS TOP PLATE:</b>	<b>STAINLESS STEEL TOP COVER PLATE:</b>	
10 x 0.002 lb -- 4536 x 1 g	12" X 14" SS	\$525 A/B
20 x 0.005 lb -- 9.072 x 0.002 kg	12" X 14" SS	\$525 A/B
50 x 0.01 lb -- 22.68 x 0.005 kg	12" X 14" SS	\$525 A/B
100 x 0.02 lb -- 45.36 x 0.01 kg	12" X 14" SS	\$525 A/B
150 x 0.05 lb -- 68.04 x 0.02 kg	12" X 14" SS	\$525 A/B
200 x 0.05 lb -- 90.72 x 0.02 kg	12" X 14" SS	\$525 A/B

INSTALLED OPTION	DESCRIPTION	PRICE
<b>56750-5 Ball Top</b>	<b>Ball Transfer Top Plate, 12 x 14" in place of std. SS platform – 50 lbs and up models only</b>	<b>\$235 B</b>
<b>20' CABLE</b>	<b>20' Cable in place of standard 10' – Specify with order; other lengths available (STD. = 10')</b>	<b>N/C</b>
<b>FACTORY MATCHING</b>	<b>Factory matching when ordered with any Pennsylvania host counting scale (7600 DB) or digital indicator as a system</b>	<b>N/C</b>

- Pricing incentive when purchased with Pennsylvania 7500+, 7600+, or 7600+ Bench Counting Scale (or when ordered as 2<sup>nd</sup> Remote Base)
- 10' cable to digital indicator or scale with Quick Disconnect connector
- Suitable for a wide range of weighing and parts counting applications
- Four Year Limited Warranty



## SS6200 STAINLESS STEEL BENCH SCALES

**PRICE INCLUDES CHOICE OF DIGITAL INDICATOR IN PACKAGE:**

**WEIGHING – CHECK WEIGHING – COUNTING – WEIGHT PROCESSING**

**SS Base Assembly, Column, Indicator – Complete Package – Specify Indicator when Ordering**

**Large 12 x 14” sanitary platform with 2” rear lip**

Model	Capacities <Specify any (2) units*>	Sanitary Platform	Includes Indicator	List Price
6274-10	10 x 0.002 lb - 4.536 x 0.001 kg	12 x 14” SS w/ 2” LIP	7400+	\$995 B
6275-10	10 x 0.002 lb – 4536 x 1 g		7500+	\$995 B
6276-10	10 x 0.002 lb – 4536 x 1 g		7600+	\$995 B
6277-10	10 x 0.002 lb - 4.536 x 0.001 kg		7700	\$995 B
6274-25	25 x 0.005 lb – 9.072 x 0.002 kg	12 x 14” SS w/ 2” LIP	7400+	\$995 B
6275-25	25 x 0.005 lb – 9.072 x 0.002 kg		7500+	\$995 B
6276-25	25 x 0.005 lb – 9.072 x 0.002 kg		7600+	\$995 B
6277-25	25 x 0.005 lb – 9.072 x 0.002 kg		7700	\$995 B
6274-50	50 x 0.01 lb – 22.68 x 0.005 kg	12 x 14” SS w/ 2” LIP	7400+	\$995 B
6275-50	50 x 0.01 lb – 22.68 x 0.005 kg		7500+	\$995 B
6276-50	50 x 0.01 lb – 22.68 x 0.005 kg		7600+	\$995 B
6277-50	50 x 0.01 lb – 22.68 x 0.005 kg		7700	\$995 B
6274-100	100 x 0.02 lb – 45.36 x 0.01 kg	12 x 14” SS w/ 2” LIP	7400+	\$995 B
6275-100	100 x 0.02 lb – 45.36 x 0.01 kg		7500+	\$995 B
6276-100	100 x 100 x 0.02 lb – 45.36 x 0.01 kg		7600+	\$995 B
6277-100	0.02 lb – 45.36 x 0.01 kg		7700	\$995 B

\***Other weight units & resolutions** including **Lb/Oz split display** available as standard—specify Primary and Secondary units (2) w/order. See Indicator specifications for Options such as RELAY OUTPUT, Ethernet, Analog Output, etc.

**Note: LOAD CELL: IP64 Environmentally Sealed, IP-66 rated—provides crisper response and better accuracy than stainless steel and similar environmental protection.**

### FEATURES & BENEFITS:

- **OPTION** Analog output, Ethernet, or Set points (7400+) Parts Counting (7500+, 7600+)
- Complete package **INCLUDES** Digital Indicator of choice
- **SIMPLE TO USE** and easy to service—uses proven universal PLUS+ Main Board
- **LARGE 12 x 14” Platform/ 2” LIP** and IP66 Environmentally Sealed Aluminum Load Cell or substitute Scaime AG for dry counting applications at n/c (specify with order)
- Adjustable display angle – **ALL MODELS RS-232** data output standard
- Convenient for bench filling and weighing of large or bulky items **PLUS** superior resolution for parts counting **BOTH** sanitary and industrial applications
- **Warranty: Two Years Limited Pennsylvania Scale Warranty**

**DESIGNED & MANUFACTURED IN THE U.S.A.**

**M6400 BASES, MILD STEEL****SS6400 HD BASES, STAINLESS STEEL*****Specify Capacity: 100\*, 250, 500 or 1000 lbs***

\*100 LB Models and 24 x 30" sizes are NOT NTEP or Canada COC – All others NTEP and Canada Approved @ 5000 divisions - Load cell is Tedeo 1260 or equivalent, environmentally sealed

STANDARD CAPACITIES: 100 x 0.02 lb/45.36 x 0.01 kg* 250 x 0.05 lb/115 x 0.02 kg 500 x 0.1 lb/250 x 0.05 kg 1000 x 0.2 lb/500 x 0.1 kg	M6400 PRICE MILD STEEL	SS6400 PRICE STAINLESS STEEL	Shipping Weight In lbs
18" x 18" – 5" HIGH	\$675 A/B	\$1395 B	70 Lb
18" x 24" – 5" HIGH	\$775 A/B	\$1495 B	75 Lb
24" x 24" – 5" HIGH	\$875 A/B	\$1595 B	90 Lb
24" x 30" – 5" HIGH (ONLY 500, 1000 LBS) NON COMMERCIAL	\$1075 A/B	N/A	100 Lb
CUSTOM SIZES available	Contact Factory	Contact Factory	

MILD STEEL OPTION	DESCRIPTION	PRICE
FACTORY MATCHING	Factory Match to any PA Platform when ordered as a system	N/C
56726-5	Stainless Steel Platform Cover for 18" x 18" <replaces standard MS shroud with SS>	ADD \$155 C
56726-1	Stainless Steel Platform Cover for 18" x 24" <replaces standard MS shroud with SS>	ADD \$195 C
56726-2	Stainless Steel Platform Cover for 24" x 24" <replaces standard MS shroud with SS>	ADD \$250 C
56750-3	Ball top transfer plate 18" x 18"	ADD \$295 C
56750-1	Ball top transfer plate 18" x 24"	ADD \$345 C
56750-2	Ball top transfer plate 24" x 24"	ADD \$350 C
56750-7	Ball top transfer plate 24" x 30"	ADD \$450 C
56727-3	38" MS COLUMN, mounts to <u>18 X 18"</u> SIZE ONLY Top Flange fits all indicators in 7X00 series + shelf below	\$250 C
56727-1	38" MS COLUMN, mounts to <u>18 X 24"</u> and <u>24 X 24"</u> SIZES Top Flange fits all indicators in 7X00 series + shelf below	\$250 C
56728-1	38" MS FLOOR MOUNT COLUMN Top Flange fits all indicators in 7X00 series + shelf below	\$250 C
56733	CASTER WHEEL KIT, 2 each locking + swivel; mounts to any MS OR SS 6400 base in place of std leveling feet	\$125 C
56731-1	SCALE SHELF: Mounts to any column flange, fits all 7X00 bench scales, 1/4" LIP—ideal for dual base counting systems	\$100 C

STAINLESS STEEL OPTIONS	Description	List Price
56727-4	38" SS COLUMN, mounts to <u>18 X 18"</u> SIZE ONLY Top Flange fits all indicators in 7X00 series + shelf below	\$325 C
56727-2	38" SS COLUMN, mounts to <u>18 X 24"</u> and <u>24 X 24"</u> SIZES Top Flange fits all indicators in 7X00 series + shelf below	\$325 C

**M6600 HEAVY DUTY FLOOR SCALES** *the standard of the industry***SS6600 HEAVY DUTY FLOOR SCALES** *for food & pharmaceutical applications*

- Premium Sensortronics 65023 load cells standard – others on request
- NTEP COC 90-097A3; Canada AM-4941/S.WA-4456 Rev. 3 @ 5000 Div.
- 5 YEAR Limited Warranty – Made in the USA
- FREE Factory matching when ordered with any PA counting scale or digital indicator
- FOB Lancaster PA and/or Terre Haute IN plants – contact factory

Size	Height	Capacity	Est. Weight	MS Price	SS Price
24" x 24"	3"	1,000 lb	92 lb	\$1495* A	Call
		2,000 lb	92 lb	\$1495* A	Call
		5,000 lb	116 lb	\$1495* A	Call
*30" x 30"	3"	1,000 lb	152 lb	\$1495* A	Call
		2,000 lb	152 lb	\$1495* A	Call
		5,000 lb	152 lb	\$1495* A	Call
*36" x 36"	3"	1,000 lb	148 lb	\$1595* A	Call
		2,000 lb	148 lb	\$1595* A	Call
		5,000 lb	191 lb	\$1595* A	Call
		10,000 lb	210 lb	\$1695* A	Call
36" x 48"	3"	1,000 lb	174 lb	\$1595* A	Call
		2,000 lb	174 lb	\$1595* A	Call
		5,000 lb	190 lb	\$1595* A	Call
		10,000 lb	235 lb	\$1695* A	Call
*48" x 48"	3"	1,000 lb	275 lb	\$1295* A	\$4095 B
		2,000 lb	275 lb	\$1295* A	\$4095 B
		5,000 lb	275 lb	\$1295* A	\$4095 B
		10,000 lb	275 lb	\$1295* A	\$4095 B
48" x 48"	4"	20,000 lb	489 lb	\$2595 A	Call
48" x 48"	5"	30,000 lb	691 lb	\$4995 A	Call
		40,000 lb	691 lb	\$5495 A	Call
48" x 60"	3"	5,000 lb	390 lb	\$1995 A	Call
		10,000 lb	390 lb	\$2095 A	Call
48" x 60"	4"	20,000 lb	675 lb	\$2995 A	Call
48" x 60"	5"	30,000 lb	864 lb	\$5195 A	Call
		40,000 lb	864 lb	\$5695 A	Call
48" x 72"	3"	5,000 lb	455 lb	\$2195 A	Call
		10,000 lb	574 lb	\$2295 A	Call
48" x 72"	4"	20,000 lb	801 lb	\$3295 A	Call
48" x 72"	5"	30,000 lb	864 lb	\$5395 A	Call
		40,000 lb	1037 lb	\$5895 A	Call
48" x 84"	3"	5,000 lb	540 lb	\$2395 A	Call
48" x 84"	4"	10,000 lb	719 lb	\$2595 A	Call
		20,000 lb	838 lb	\$3595 A	Call
48" x 84"	5"	30,000 lb	1210 lb	\$5595 A	Call
		40,000 lb	1210 lb	\$6095 A	Call

**6600 HEAVY DUTY FLOOR SCALES** (continued)

Size	Height	Capacity	Weight	MS Price	SS Price
48" x 96"	4'	5,000 lb	555 lb	\$2595 B	Call
		10,000 lb	670 lb	\$2595 B	Call
		20,000 lb	790 lb	\$3895 B	Call
48" x 96"	5"	30,000 lb	1090 lb	\$5595 B	Call
		40,000 lb	1310 lb	\$6195 B	Call
48" x 120"	4"	5,000 lb	As per Application	Call	Call
		10,000 lb	As per Application	Call	Call
48" x 120"	5"	20,000 lb	As per Application	Call	Call
		30,000 lb	"	Call	Call
		40,000 lb	"	Call	Call
60" x 60"	3"	5,000 lb	500 lb	\$2095 A	Call
		10,000 lb	500 lb	\$2195 A	Call
60" x 60"	4"	20,000 lb	871 lb	\$3295 B	Call
60" x 60"	5"	30,000 lb	930 lb	\$5395 B	Call
		40,000 lb	1090 lb	\$5895 B	Call
60" x 72"	3"	5,000 lb	667 lb	\$2795 B	Call
60" x 72"	4"	10,000 lb	730 lb	\$2895 B	Call
		20,000 lb	993 lb	\$3695 B	Call
60" x 72"	5"	30,000 lb	1080 lb	\$5895 B	Call
		40,000 lb	1296 lb	\$6295 B	Call
60" x 84"	4"	5,000 lb	820 lb	\$3195 B	Call
		10,000 lb	820 lb	\$3195 B	Call
		20,000 lb	1100	\$3995 B	Call
60" x 84"	5"	30,000 lb	1260 lb	\$5895 B	Call
		40,000 lb	1512 lb	\$6395 B	Call
60" x 96"	4"	5,000 lb	830 lb	\$3395 B	Call
		10,000 lb	1150 lb	\$3495 B	Call
60" x 96"	5"	20,000 lb	1350 lb	\$4995 B	Call
		30,000 lb	1296 lb	\$6095 B	Call
		40,000 lb	1510 lb	\$6595 B	Call
72" x 72"	4"	5,000 lb	840 lb	\$2995 B	Call
		10,000 lb	840 lb	\$2995 B	Call
		20,000 lb	1200 lb	\$3695 B	Call
72" x 72"	5"	30,000 lb	1296 lb	\$5595 B	Call
		40,000 lb	1555 lb	\$6095 B	Call
72" x 84"	4"	5,000 lb	940 lb	\$3595 B	Call
		10,000 lb	940 lb	\$3695 B	Call
		20,000 lb	1352 lb	\$3995 B	Call
72" x 84"	5"	30,000 lb	1512 lb	\$5995 B	Call
		40,000 lb	1814 lb	\$6495 B	Call
72" x 96"	4"	5,000 lb	1016 lb	\$3795 B	Call
		10,000 lb	1016 lb	\$3895 B	Call
72" x 96"	5"	20,000 lb	1850 lb	\$4995 B	Call
		30,000 lb	2074 lb	\$6295 B	Call
		40,000 lb	2074 lb	\$6795 B	Call

## 6600 HEAVY DUTY FLOOR SCALES

Size	Height	Capacity	Weight	MS Price	SS Price
72" x 120"	4"	5,000 lb	As per	Call	Call
		10,000 lb	Application	Call	Call
72" x 120"	5"	20,000 lb	As per	Call	Call
		30,000 lb	Application	Call	Call
		40,000 lb	"	Call	Call
84" x 108"	4"	5,000 lb	As per	Call	Call
		10,000 lb	Application	Call	Call
84" x 108"	5"	20,000 lb	As per	Call	Call
		30,000 lb	Application	Call	Call
		40,000 lb	"	Call	Call
84" x 120"	4"	5,000 lb	As per	Call	Call
		10,000 lb	Application	Call	Call
84" x 120"	5"	20,000 lb	As per	Call	Call
		30,000 lb	Application	Call	Call
		40,000 lb	"	Call	Call
96" x 120"	4"	5,000 lb	As per	Call	Call
		10,000 lb	Application	Call	Call
96" x 120"	5"	20,000 lb	As per	Call	Call
		30,000 lb	Application	Call	Call
		40,000 lb	"	Call	Call

Other Sizes and Capacities available – Contact Factory for competitive quotation!

## RAMPS FOR M6600 and SS6600 SERIES:

Size	Height	Capacity	Weight	MS Price	SS Price
24" x 36"	3'	Up to 5K	76 lb	\$325 C	\$895 C
*30" x 36"	3"	Up to 5K	94 lb	\$385 C	\$995 C
*36" x 36"	3"	Up to 10K	119 lb	\$395 C	\$1395 C
*48" x 36"	3"	Up to 10K	150 lb	\$475 C	\$1895 C
*48" x 48"	3"	Up to 10K	225 lb	\$525 C	\$2195 C
60" x 36"	3"	Up to 10K	280 lb	\$595 C	\$2595 C
60" x 48"	3"	Up to 10K	450 lb	\$625 C	\$2995 C
72" x 36"	3"	Up to 10K	350 lb	\$695 C	Call
48" x 48"	4"	Up to 20K	348 lb	\$645 C	Call
60" x 48"	4"	Up to 20K	370 lb	\$745 C	Call
72" x 48"	4"	Up to 20K	430 lb	\$825 C	Call
84" x 48"	4"	Up to 20K	495 lb	Call	Call

CUSTOM SIZES AVAILABLE AT STANDARD PRICING – CONTACT FACTORY FOR PRICING

- Premium Sensortronics 65023 Load Cells standard – Others as specified
- NTEP COC 90-097A3; Canada AM-4941/S.WA-4456 Rev. 3 - 5000 Div.
- 5 YEAR Limited Warranty \* Made in the USA
- FREE Factory matching when ordered with any Pennsylvania host counting scale or digital indicator as a system
- FOB Lancaster PA (shaded models) and/or Terre Haute IN plants (non shaded)

## M6600 FLOOR SCALE OPTIONS – Options for Mild Steel floor scales:

Order Item	Description	Price
57670	Upgrade Load Cells and Leveling Feet to SS (in place of standard plated) 1K, 2K, 5K, + 10K Capacities – Includes Stainless Steel Leveling Feet & Hardware NOTE: Powder Coat finish is impervious to many corrosive materials	\$325 B
SS LEVELING FEET 1/2-20	Upgrade to SS Leveling Feet (in place of standard plated) on MS Bases 1K, 2K, 5K 10K Capacities - 1/2-20 threads, 2" Diameter	\$80 C
SS LEVELING FEET 3/4-16	Upgrade to SS Leveling Feet (in place of standard plated) on MS Bases 10K or 20K Capacities - 3/4-16 threads, 3" Diameter	\$120 C
SS LEVELING FEET 1"-20	Upgrade to SS Leveling Feet (in place of standard plated) on MS Bases 30K or 40K Capacities with 1"-8 threads, 3" Diameter	\$155 C
56690	Top access junction box, Accessible through top plate. NOTE: 56699-2 plastic, molded NEMA 4X summing box w/57115	\$250 B
56699-1	SS NEMA 4X summing box, used for Remote Summing applications—order as a part or up charge for remote summing on standard scales. <i>Includes standard 57115 universal summing card, PA-design</i>	\$200 B
56699-2	Plastic, molded NEMA 4X summing box – ordered as a part. <i>Includes standard 57115 universal summing card, PA-design</i>	
HERMETICALLY SEALED <UPGRADE TO MILD STEEL ONLY>	Hermetically Sealed load cells in place of standard plated; includes SS leveling feet and all SS hardware. NOTE: Priced for upgrade from Nickel Plated standard cells. Does not include SS remote summing box on mild steel units. (For upgrade to hermetic from SS models, see below.)	\$940 B
56728-3	BASE-MOUNTED Indicator column, flange mates w/all PA Indicators, 38" nominal height. Note: Column/indicator will be 'live'	\$295 C

## M6600 Forklift Skid option, added to base, complete:

Order Item	Description	Price
59241-3	Forklift skids for 36" wide bases - adds 3" to height – set of (2)	\$250 C
59241-4	Forklift skids for 48" wide bases - adds 3" to height – set of (2)	\$270 C
59241-5	Forklift skids for 60" wide bases - adds 3" to height – set of (2)	\$290 C
59241-6	Forklift skids for 72" wide bases - adds 3" to height – set of (2)	\$310 C
59241-7	Forklift skids for 84" wide bases - adds 3" to height – set of (2)	\$330 C

## M6600 Bumper Guards for MS bases, order by the piece:

Order Item	Description	Price
56260-2	Bumper Guard, 36" x 3" - safety yellow finish	\$130 C
56260-3	Bumper Guard, 48" x 3" - safety yellow finish	\$150 C
59351-3	Bumper Guard, 48" x 4" (fits 20K) – safety yellow finish	\$165 C
56260-4	Bumper Guard, 60" x 3" – safety yellow finish	\$185 C

## M6600 MOUNTING OPTIONS for MS floor scales:

Order Item	Description	Price
56764-3	Pit Spacers for 1K, 2K, 5K, 10K capacity bases, Set of (4) pieces	\$60 C
56764-2	Pit Spacers for 20K capacity bases, complete set (4) pieces	\$60 C
56764-4	Pit Spacers for 30K & 40K capacity bases, set of (4) pieces	\$80 C
59352-1 Set of (4)	(4) Plated Steel BASE ANCHORS, for up to 10K cap. Bases (2-1/8" opening fits 2" diameter foot).	\$100 C
59352-2 Set of (4)	(4) Plated Steel Base Anchors, for 20K cap. Bases (3-1/8" opening fits 3" diameter foot).	\$115 C

## M6600 PIT FRAMES for in-floor mounting completely welded including corner plates, concrete anchors, and spacers:

Note: Drawings are available on request for formed on site pits no charge – finish: spray black

Order Item	Description	Price
57599-1	Fits 48" x 48" 1K, 2K, 5K or 10K capacity bases – 3" nominal depth	\$495 C
57599-2	Fits 48" x 60" 1K, 2K, 5K or 10K capacity bases – 3" nominal depth	\$595 C
57599-3	Fits 60" x 60" 1K, 2K, 5K or 10K capacity bases – 3" nominal depth	\$695 C
57599-4	Fits 36" x 36" 1K, 2K, 5K or 10K capacity bases – 3" nominal depth	\$425 C
57603-1	Fits 48" x 48" 20K capacity bases – 4" nominal depth	\$695 C
57603-2	Fits 48" x 60" 20K capacity bases – 4" nominal depth	\$795 C
57603-3	Fits 60" x 60" 20K capacity bases – 4" nominal depth	\$895 C
57603-4	Fits 60" x 72" 20K capacity bases – 4" nominal depth	\$995 C
SPECIAL ORDER	Other sizes as per requirement to fit PA platforms	Call

## SS6600 OPTIONS & UPGRADES for SS floor scales:

Order Item	Description	Price
UPCHARGE	DIAMOND PLATE deck surface in place of standard – priced per square foot (std is smooth plate, sand blast finish)	\$36/Square Foot <C>
Specify	Inspection or cleaning access, 12" x 12" plate	\$250 C
HERMETICALLY SEALED UPGRADE FOR SS BASES	Upgrade to Hermetically sealed Stainless Steel load cells (in place of standard Stainless Steel environmentally sealed load cells) includes standard SS NEMA 4 Summing Box ON SS BASES	\$650 B
Specify	SS Forklift skids for 1K, 2K 5K or 10K capacity bases	Call

## SS6600 MOUNTING OPTIONS for SS floor scales:

Order Item	Description	Price
56764-23	SS Pit Spacers for 1K, 2K 5K or 10K capacity bases, set of (4)	\$120 C
56764-22	SS Pit Spacers for 20K capacity bases, 1 set of (4)	\$120 C
56764-24	SS Pit Spacers for 30K or 40K capacity bases, set of (4)	\$120 C

## SS6600 PIT FRAMES for SS floor scale installations:

Order Item	Description	Price
57599-X	Use with 36" x 48" 1K, 2K, 5K or 10K capacity bases	\$995 C
57599-X	Use with 48" x 48" 1K, 2K, 5K or 10K capacity bases	\$1195 C

## COMMON 6600 SERIES REPLACEMENT PARTS:

Order Item	Description – See Parts Prices for complete list of Spare Parts!	Price
49737-6	MS Foot, standard MS models to 10K capacity, 1/20 UNF, 2-5/8" H, 2" Base	\$19 C
49737-7	SS Leveling Foot, standard SS models to 10K, 1/20 UNF, 2-5/8" H, 2" Base	\$33 C
49737-18	MS Foot, 'OLD STYLE' MS models to 10K cap; 1/2-20 UNF, 3" H, 3" Base	\$36 C
49737-8	MS Foot, MS models with FORKLIFT SKID OPTION, 1/2-20 UNF, 4" H, 2" Base	\$31.50 C
49737-2	MS Foot, MS models 20K Capacity, 3/4-16 UNC, 3-1/2" H, 3" Base diameter	\$28 C
49737-19	MS Foot, MS models 30/40K, 1-14 UNC, 3-1/2" H, 3" Base diameter	\$69 C
57115	SUMMING CARD, 1 x 5" 4-cell w/Excitation Trim. Many universal replacement applications, screw terminals	\$45 C
48817-5	HOME RUN CABLE, 20' length, with PA style Connector, tinned leads	\$63 C
LOAD CELLS	In stock, fast shipment, competitive pricing—see Page 16 or Parts Prices for pricing!	

## M6900 + SS6900 ULTRA LOW PROFILE SCALES

**NON-PORTABLE**, 30 x 30" Barrel Scale – Live Side Rails.

Price includes (1) Ramp in package. Additional ramp is available, below for on/off access.

IDEAL FOR LAUNDRY, BARREL, OR TIGHT SPACE APPLICATIONS – FOB LANCASTER, PA

Size	Height	Capacity	Weight	MS Price	SS Price
30" x 30"	1-1/2" +Live Sides	1,000 lb	210 lb	\$1795 A	\$3495 B
R-59280-1 (MS) R-59280-3 (SS)	2 <sup>nd</sup> ramp, 30" x 16" for on/off access NOTE: (1) ramp is included with the scale.			\$285 B	\$360 B
36" x 36"	1-1/2" +Live Sides	1,000 lb	245 lb	\$1895 A	\$3595 B
R-59280-2 (MS) R-59280-4 (SS)	2 <sup>nd</sup> ramp, 36" x 16" for on/off access NOTE: (1) ramp is included with the scale.			\$300 B	\$475 B

## M69PB + SS69PB PORTABLE BARREL SCALES

**PORTABLE** 30 x 30" Barrel Scale. **COMPLETE PACKAGE** Includes base-mounted Column with Mounting Plate for PLUS+ Indicator, convenient Retractable Wheels and 1 hinged Ramp (not live).

Additional hinged ramp is available.

Size	Height	Capacity	Weight	MS Price	SS Price
30" x 30"	1-1/2" +Live Sides	1,000 lb	210 lb	\$2395 A	\$4695 B
R-59281 (MS) R-59281-SS (SS)	2 <sup>nd</sup> hinged ramp, 29" x 16" for on/off access NOTE: (1) ramp is included with the scale.			\$285 A	\$395 B

## M6950 + SS6950 LIVE RAMP SCALE PACKAGES

Unique **LIVE** ramps built into the weighbridge: Scale platform, side rails, AND RAMP are live 30" wide x 60" long (flat area is 30 x 30" with on/off access via live ramps) for weighing oversized items. Ideal for laundries and other areas where space is tight.

Mild Steel & Stainless Steel construction as indicated.

Size	Height	Capacity	Weight	MS Price	SS Price
30" x 30"	1-1/2" +Live Sides	1,000 lb	210 lb	\$2295 A	\$4795 B

**NOTE:** Single ramp and back stop can be substituted by special order (flat surface is then 30 x 39") – for push on/pull off weighing with flat surface 30 x 42", single live ramp.

Ideal for **LAUNDRY** applications where space is at a premium. Can be made with (1) ramp and backstop for 30 x 48" live flat weighing surface (contact factory).



## M64+ SERIES BAGGAGE SCALES for Airport check-in stations:

**PROVEN** sustained accuracy and performance in the most demanding airport applications—long life; easy service – 2 Year Limited Warranty, ship complete ready for installation.

Item	Description	List Price
<b>M64-1824</b>	<b>Complete Airline Baggage Scale system w/Indication*</b> <ul style="list-style-type: none"> <li>Specify 250, 500, or 1000 lbs Capacity</li> <li>18 x 24" HD Platform w/Stainless Steel Top Plate</li> <li>(2) SS Bezel mount Remote Displays w/Y cable</li> <li>Superior performance, long life, easy installation</li> </ul>	<b>\$1595 B</b> <b>Includes</b> <b>(2) Displays</b>
<b>M64-2424</b>	<b>Complete Airline Baggage Scale system w/Indication*</b> <ul style="list-style-type: none"> <li>Specify 250, 500, or 1000 lbs Capacity</li> <li>24 x 24" HD Platform w/Stainless Steel Top Plate</li> <li>(2) SS Bezel mount Remote Displays w/Y cable</li> <li>Superior performance, long life, easy installation</li> </ul>	<b>\$1695 B</b> <b>Includes</b> <b>(2) Displays</b>
<b>LARGER SIZES</b>	Wide range of custom sizes w/SS shrouds available: using <b>PREFERRED M6600 design base w/rugged SESB load cells and external electronics package – SUPERIOR DESIGN</b>	<b>By Quotation CALL US!</b>
<b>DEDUCT</b>	Single display in place of dual displays, above <b>NOTE: Standard pricing above includes dual displays</b>	<b>&lt;\$145 B&gt;</b>
<b>3 DISPLAYS 4 DISPLAYS</b>	Each with cable fitting <i>do not affect metrological sealing nor settings</i>	<b>ADD – Contact Factory</b>
<b>M64 ELECTRONICS SINGLE DISPLAY</b>	<b>NTEP and Canada W&amp;M Aluminum enclosure w/Main Board and SINGLE DISPLAY to upgrade existing platform by other manufacturer – EXCELLENT retrofit to existing installations!</b>	<b>\$595 B</b>
<b>M64 ELECTRONICS DUAL DISPLAY</b>	<b>NTEP AND Canada W&amp;M Aluminum enclosure w/Main Board and DUAL DISPLAYS to upgrade existing platform by other manufacturer – EXCELLENT retrofit to existing installations!</b>	<b>\$695 B</b>

\*Standard displays include buttons ZERO/UNITS/PRINT for the Agent and no buttons Customer side.

Also available: ZERO/ADVANCE/PRINT version for lb OR kg – only installations (no 2<sup>nd</sup> unit of measure)

**CANADA UNITS:** Use model C64 for special marking to meet Canada COC requirement

- Attractive Stainless Steel bezels for flush mounting of remote displays
- **PLUS+** electronics are integrated into the base structure
- Proven durable performance—HD 12 gauge SS top shroud!
- Display cables or Y-Cables for convenient plug in installation; up to (4) per scale
- Electronics, mounted in the base, have all of the benefits and features of the 7000+ series including RS-232, RS-422, Current Loop, remote display connector used for (1) or (2) displays as noted above

Attractive, clean, architecturally sleek installation in Ticket Counters or other areas.

Superior 6400 performance, accuracy, longevity in rough situations.

**The ultimate Airline Baggage Scale system!**

## TANK SCALES – Everything you need for tank or hopper scale systems:

Item	Description	List Price
<b>T1000</b>	<b>UNIVERSAL TANK MOUNT ASSEMBLY w/LOAD CELL SESB</b> <ul style="list-style-type: none"> <li>• Unique Captured Ball Suspension, Wrench Leveling</li> <li>• Includes Sensortronics 65023 cell, 1, 2.5, 4K SE</li> <li>• Mounting plate &amp; Top Plate COMPLETE MOUNT</li> <li>• MS Mount with MS SESB Load Cell, 20' cable</li> </ul>	<b>Each: \$425 B</b>
	<b>SENSORTRONICS 65016 DESB MOUNT w/LOAD CELL &amp; 65016-ss WITH CELL</b>	<b>CONTACT FACTORY</b>
<b>57115</b>	<b>Universal 1 x 5" Excitation Trim SUMMING CARD (same as used in all 6600 series Platforms) ideal for OEM applications</b>	<b>\$45 C</b>
<b>56699-2</b>	<b>PLASTIC NEMA 4X 4-CELL SUMMING BOX ASSY, w/CARD</b>	<b>\$175 B</b>
<b>56699-1</b>	<b>SS NEMA 4X 4-CELL SUMMING BOX ASSY, w/CARD</b>	<b>\$225 B</b>

## REPLACEMENT LOAD CELLS IN STOCK, thousands in stock ready to ship:

<See Parts Prices for complete list of load cells>

Great pricing on Sensortronics, Coti Global, CNC, Scaime, Tedea, Zemic, and non-branded load cells, many IN STOCK for a wide range of applications—replacement parts for most brands and models of floor scales, tank mounts, and OEM applications.

**For volume purchases—contact factory! THOUSANDS IN STOCK FOR IMMEDIATE SHIPMENT**

PA Part #	Sensortronics Part #	Description	MS/SS SE/LE	Cable (feet)	List Price
<b>49700-1</b>	<b>65023A1K-5107-10</b>	<b>MS SESB, 1K Capacity, 10'</b>	<b>MS/SE</b>	<b>10'</b>	<b>\$175 A</b>
<b>49700-2</b>	<b>65023A2.5K-5107-10</b>	<b>MS SESB, 2.5K Capacity, 10'</b>	<b>MS/SE</b>	<b>10'</b>	<b>\$175 A</b>
<b>49700-4</b>	<b>65023A4K-5107-10</b>	<b>MS SESB, 4K Capacity, 10'</b>	<b>MS/SE</b>	<b>10'</b>	<b>\$175 A</b>
<b>49966-1</b>	<b>65023A-1K-5107</b>	<b>MS SESB, 1K Capacity, 20'</b>	<b>MS/SE</b>	<b>20'</b>	<b>\$175 A</b>
<b>49966-2</b>	<b>65023A-2.5K-5107</b>	<b>MS SESB, 2.5K Capacity, 20'</b>	<b>MS/SE</b>	<b>20'</b>	<b>\$175 A</b>
<b>49966-4</b>	<b>65023-4K-5107</b>	<b>MS SESB, 4K Capacity, 20'</b>	<b>MS/SE</b>	<b>20'</b>	<b>\$175 A</b>
<b>49966-10</b>	<b>65023A10K-5107</b>	<b>MS SESB, 10K Capacity, 20'</b>	<b>MS/LE</b>	<b>20'</b>	<b>\$275 A</b>
<b>49966-20</b>	<b>65023-20K-0107</b>	<b>MS SESB, 20K Capacity, 20'</b>	<b>MS/LE</b>	<b>20'</b>	<b>\$595 A</b>
<b>49988-1</b>	<b>65023S1K-5113</b>	<b>SS SESB, 1K Capacity, 20'</b>	<b>SS/SE</b>	<b>20'</b>	<b>\$295 B</b>
<b>49988-2</b>	<b>65023S2.5K-5113</b>	<b>SS SESB, 2.5K Capacity, 20'</b>	<b>SS/SE</b>	<b>20'</b>	<b>\$295 B</b>
<b>49988-4</b>	<b>65023S4K-5113</b>	<b>SS SESB, 4K Capacity, 20'</b>	<b>SS/SE</b>	<b>20'</b>	<b>\$295 B</b>
<b>57651-1</b>	<b>Contact Factory*</b>	<b>SS HERMETIC CELL, 20'</b>	<b>SS/SE</b>	<b>20'</b>	<b>Call</b>
<b>57651-2</b>	<b>Contact Factory*</b>	<b>SS HERMETIC CELL, 20'</b>	<b>SS/SE</b>	<b>20'</b>	<b>Call</b>

FOB either Lancaster, PA or Terre Haute IN facilities—non stock load cells ship direct FOB stocking warehouse typically Covina CA, Chicago, or Huntsville AL.

## MAIN BOARD IDENTIFIER for PENNSYLVANIA PRODUCTS:

<+ SERVICE BOARD RETROFITS EXISTING 'OLD STYLE' EQUIPMENT\*>

- See **PARTS PRICES** or call factory to verify specific compatibility

To configure universal board for model, press and HOLD CAL button on board, watching the display until a model number appears in the display. Tap through the selections and time out on the correct model the board is to be used in, example 7300, 7400, 7500, 7600, 7600E, etc.

**Note:** For Airline Baggage applications choose model 7300 (which is same).

**Factory Default setting ACCESS CODE is '0000'**

PA Part #	FITS - Application	Notes:	List	Code
57817	PA 7300 Scale PA 7500+ Scale or Indicator PA 7600+ Scale or Indicator All M64 Baggage Scale <i>Updates 'old style'</i>	'Universal Board' for PA models - Includes (2) standoffs to retrofit previous board location. Fits ALL PA-style models Includes DB9 for RS-232 output	\$375	C
57819	EW 7400 EW 7600E 'EW' style Indicators	Hardware provided for I/O and (2) RS-232 outputs	\$375	C
57864 EW 57812 PA	AC/DC applications, 7400/7600E AC/DC applications, PA models, scale & indicators	All AC/DC units either EW or PA versions as noted <i>New style PLUS+ series ONLY (AC/DC version does not retrofit previous Main Board due to wiring harness differences)</i>	\$375	C
57834	DUAL BASE BOARD KOP Field installation kit	Adds DUAL BASE to PLUS+ series (PLUS+ style Main Board only)	\$195	C
57811	AO Analog output KOP either 0-10 VDC or 4-20 mA	All models Includes (3) 57833 nylon standoffs, n/c	\$250	C
57818	Relay Board, SSR, AC relays for I/O <i>&lt;57819 Main Board only&gt;</i>	All models, requires (2) 57856 standoffs, n/c for field installation	\$250	C
57880	Relay Board, SSR, DC relays for I/O <i>&lt;57819 Main Board only&gt;</i>	All models, requires (2) 57856 standoffs, n/c for field installation	\$250	C
57869A	EO Ethernet Board	Includes Lantronix Xport module, requires (3) 57833 nylon standoffs, n/c	\$250	C
57512-3	Display PCB, RED LEDs for all models (exc. 7300)	Fits 7X00 series - RED LEDs <i>&lt;For green, specify, limited availability&gt;</i>	\$175	C
57422	Display PCB for 7300 series		\$175	C
57115	6600 series + Universal Summing/Junction Card	<u>All floor scales</u> and multi load cell applications + others includes 'dual lock' attachments	\$50	C

